

INKJET PAPERS

www.clairefontaine.eu

INKJET PAPERS

Clairefontaine, a major player in the paper segment, pushes the limits of printing quality in high speed inkjet.

Check on our full ICY range which offers both quick drying time, colour density and silk surface, ideal for full colour printing.

All our papers present a very high dimensional stability, absence of deformation after ink application. Their perfect cutting quality and precise respect of their dimensions allow a reliable passage through the machines for a maximum productivity.

You will find the answer to all your printing needs, whether for direct marketing, publishing, transactional, fine papers for leaflet or books with high pagination, bulky publishing papers or media for ink coverage.

Clairefontaine also offers tailor made solution for customers with special requirements.


































All papers can be delivered with FSC®, PEFC or Blue Angel certifications.



COMPLETE SOLUTION FOR INKJET PRINTING

Clairefontaine

- A great deal of **expertise for High Speed Inkjet technology.**
- Covering all Inkjet technologies.
- Dedicate for **publishing, promotional, transactional.**
- Long experience** in publishing papers.
- Many references available in **virgin and recycled fibres.**
- Excellent **service quality & technical support** available on request.
- A full range, available in **reels, sheets and cut size.**
- Customised** conditioning.
- Central logistic** in Europe.

PRODUCT RANGE AT A GLANCE

| | | PRODUCTS | SURFACE | SUBSTANCE (gsm) | BULK | WHITENESS (CIE) | DYE or PIGMENT | LASER | OFFSET | INDIGO | TRANSACTIONAL | DIRECT MARKETING | PUBLISHING |
|-------------------------------|---|-----------------------------------|--|-----------------------|------|--------------------|---|-------|---|--------|---------------|---------------------|------------|
| SILK | IMAGE High printing density & resolution | CLAIRJET ICY 1300 BRIGHT | Silk | 65->250 | 1.0 | 162 |   | ● | | | ● | ● | ● |
| | | CLAIRJET ICY 1300 ORIGINAL | Silk | 65->250 | 1.0 | 151 |   | ● | | | ● | ● | ● |
| | | CLAIRJET ICY 1300 OFF-WHITE | Silk | 65->250 | 1.0 | 124 |   | ● | | | ● | ● | ● |
| | | ➤ CLAIRJET ICY 1300 LIFE PREMIUM | Silk | 90->250 | 1.0 | 135 |   | ● | | | ● | ● | ● |
| MATT | PRECISION High printing quality | CLAIRJET 1200 BRIGHT | Matt | 70->160 | 1.15 | 162 |   | ● | | | ● | ● | ● |
| | | CLAIRJET SMOOTH 400 OFF-WHITE | Matt | 90->170 | 1.15 | 124 |  | ● | | | ● | ● | ● |
| | | CLAIRJET 400 BRIGHT | Matt | 60->300 | 1.3 | 170 |   | ● | | | ● | ● | ● |
| | | CLAIRJET 400 LIGHT WHITE | Matt | 60->300 | 1.3 | 165 |   | ● | | | ● | ● | ● |
| | | CLAIRJET 400 NATURAL | Matt | 60->300 | 1.3 | 74 |   | ● | | | ● | ● | ● |
| | | ➤ EVERJET 400 PREMIUM | Matt | 70->300 | 1.2 | 135 |  | ● | | | ● | ● | ● |
| | | ➤ EVERJET 400 PERFORMANCE | Matt | 70->300 | 1.3 | 120 |  | ● | | | ● | ● | ● |
| | | ➤ EVERJET 400 PLUS | Matt | 70->300 | 1.3 | 95 |  | ● | | | ● | ● | ● |
| | | CLAIRJET 300 BRIGHT | Matt | 60->300 | 1.3 | 170 |  | ● | ● | | ● | | |
| | | CLAIRJET 300 ORIGINAL | Matt | 60->300 | 1.3 | 151 |  | ● | ● | | ● | | |
| | | CLAIRJET 300 NATURAL | Matt | 60->300 | 1.3 | 74 |  | ● | ● | | ● | | |
| | | THIN | MULTIFUNCTIONAL Inkjet, Laser & Offset printing | ➤ EVERJET 300 PREMIUM | Matt | 70->300 | 1.3 | 135 |  | ● | ● | | ● |
| ➤ EVERJET 300 PERFORMANCE | Matt | | | 70->300 | 1.2 | 120 |  | ● | ● | | ● | | |
| ➤ EVERJET 300 PLUS | Matt | | | 70->300 | 1.2 | 95 |  | ● | ● | | ● | | |
| C-OPAK | Matt | | | 40->60 | 1.25 | 110 |  | ● | ● | | ● | ● | ● |
| TOUCH-JET EXTRA WHITE - 1.5 | Bulk | | | 80->240 | 1.5 | 150 |  | ● | ● | ● | | ● | ● |
| TOUCH-JET NATURAL WHITE - 1.5 | Bulk | | | 80->240 | 1.5 | 120 |  | ● | ● | ● | | ● | ● |
| BULK | | CLAIRBOOK-JET NATURAL WHITE - 1.8 | Bulk | 70->100 | 1.8 | 120 |  | ● | ● | ● | | | ● |
| | | CLAIRBOOK-JET IVORY - 1.8 | Bulk | 70->100 | 1.8 | - |  | ● | ● | ● | | | ● |
| | | CLAIRBOOK-JET NATURAL WHITE - 2.0 | Bulk | 70->100 | 2.0 | 120 |  | ● | ● | ● | | | ● |
| | | CLAIRBOOK-JET IVORY - 2.0 | Bulk | 70->100 | 2.0 | - |  | ● | ● | ● | | | ● |

 Dye inks
 Pigment inks

SILK PAPERS

IMAGE *High printing density & resolution*

CLAIRJET ICY 1300 BRIGHT, ORIGINAL & OFF-WHITE p. 10

➤ CLAIRJET ICY 1300 LIFE PREMIUM p. 11

MATT PAPERS

PRECISION *High printing quality*

CLAIRJET 400 BRIGHT, LIGHT WHITE & NATURAL p. 14

➤ EVERJET 400 PREMIUM, PERFORMANCE, & PLUS p. 15

MULTIFUNCTIONAL *Inkjet, Laser & Offset printing*

CLAIRJET 300 BRIGHT, ORIGINAL & NATURAL p. 16

➤ EVERJET 300 PREMIUM, PERFORMANCE, & PLUS p. 17

IMAGE *High printing density & resolution*

CLAIRJET 1200 BRIGHT p. 18

PRECISION *High printing quality*

CLAIRJET SMOOTH 400 OFF-WHITE p. 19

THIN PAPERS

MULTIFUNCTIONAL *Inkjet, Laser & Offset printing*

C-OPAK p. 21

BULK PAPERS HSI

MULTIFUNCTIONAL *Inkjet, Laser & Offset printing*

TOUCH-JET EXTRA WHITE & NATURAL WHITE - 1.5 p. 24

CLAIRBOOK-JET NATURAL WHITE & IVORY - 1.8 p. 25

CLAIRBOOK-JET NATURAL WHITE & IVORY - 2.0 p. 26

SILK PAPERS

IMAGE High printing density & resolution

CLAIRJET ICY 1300 CLAIRJET ICY 1300 LIFE PREMIUM

> SURFACE

Colour vividness & Large gamut
Uniformity of the solid area and fine restitution of half tones

> APPLICATION

TRANSACTIONAL
DIRECT MARKETING
PUBLISHING

Full colour book printing
Dedicated for colour printing

COMPATIBILITY
Dye & Pigments Inks



SMOOTH
SILK

BULK
1.0

IMAGE High printing density & resolution

CLAIRJET ICY 1300



REEL

BRIGHT Virgin fibres • Bright shade • 162 CIE

| Substance (gsm) | 65 | 70 | 80 | 90 | 100 | 115 | 120 | 130 | 160 | 250 |
|---------------------|------|------|-----|-----|-----|-----|------|-----|-----|-----|
| Thickness (µm) | 68 | 71 | 81 | 91 | 101 | 117 | 121 | 131 | 163 | 245 |
| Gloss (%) | 17 | 17 | 17 | 17 | 17 | 17 | 17 | 17 | 17 | 15 |
| Opacity (%) | 90,5 | 91,5 | 94 | 96 | 97 | 98 | 98,5 | 99 | >99 | >99 |
| Bekk smoothness (s) | 220 | 220 | 220 | 220 | 220 | 220 | 220 | 220 | 220 | 150 |

code 738

ORIGINAL Virgin fibres • Original shade • 151 CIE

| Substance (gsm) | 65 | 70 | 80 | 90 | 100 | 115 | 120 | 140 | 160 | 250 |
|---------------------|-----|-----|-----|-----|------|-----|------|-----|-----|-----|
| Thickness (µm) | 68 | 71 | 81 | 91 | 101 | 117 | 121 | 142 | 163 | 245 |
| Gloss (%) | 17 | 17 | 17 | 17 | 17 | 17 | 17 | 17 | 17 | 15 |
| Opacity (%) | 86 | 88 | 91 | 92 | 93,5 | 95 | 95,5 | 97 | >99 | >99 |
| Bekk smoothness (s) | 220 | 220 | 220 | 220 | 220 | 220 | 220 | 220 | 220 | 150 |

code 748

OFF WHITE Virgin fibres • Neutral shade • 124 CIE

| Substance (gsm) | 65 | 70 | 80 | 90 | 100 | 115 | 120 | 140 | 160 | 250 |
|---------------------|-----|-----|------|-----|------|-----|------|-----|-----|-----|
| Thickness (µm) | 68 | 71 | 81 | 91 | 101 | 117 | 121 | 142 | 163 | 245 |
| Gloss (%) | 17 | 17 | 17 | 17 | 17 | 17 | 17 | 17 | 17 | 15 |
| Opacity (%) | 89 | 90 | 91,5 | 93 | 94,5 | 96 | 96,5 | 99 | >99 | >99 |
| Bekk smoothness (s) | 220 | 220 | 220 | 220 | 220 | 220 | 220 | 220 | 220 | 150 |

code 833

SHEET

FAST DRY***BRIGHT** Virgin fibres • Bright shade • 162 CIE

| Substance (gsm) | 80 | 90 | 100 | 120 | 160 |
|-----------------|--------|--------|--------|--------|---------|
| A4 210 x 297 | 50700C | 50703C | 50706C | 50709C | 50712C |
| A3 297 x 420 | 50701C | 50704C | 50707C | 50710C | 507013C |
| SRA3 450 x 320 | 50702C | 50705C | 50708C | 50711C | 50714C |

* Fast drying of ink for high speed inkjet.

code 813

ORIGINAL* Virgin fibres • Original shade • 151 CIE

| Substance (gsm) | 80 | 90 | 120 | 160 |
|-----------------|--------|--------|--------|--------|
| A4 210 x 297 | 11020C | 11021C | 11022C | 11023C |
| SRA3 450 x 320 | 4701C | 4702C | 4703C | 4707C |

* This reference is also available in our Spirit of Paper Brochure.

code 748

IMAGE High printing density & resolution



CLAIRJET ICY 1300 LIFE PREMIUM

> SURFACE

Colour vividness & Large gamut
Uniformity of the solid area and fine restitution of half tones

> APPLICATION

**TRANSACTIONAL
DIRECT MARKETING
PUBLISHING**

Full colour book printing
Dedicated for colour printing

COMPATIBILITY
Dye & Pigments Inks



SMOOTH
SILK



BULK
1.0



www.blauer-engel.de/uz14a



EU Ecolabel: FR/011/006



The mark of responsible forestry

REEL

LIFE PREMIUM 100% recycled fibres • 135 CIE

| Substance (gsm) | 90 | 100 | 120 | 160 | 200 | 250 |
|---------------------|-----|-----|-----|-----|-----|-----|
| Thickness (µm) | 91 | 101 | 121 | 163 | 204 | 255 |
| Gloss (%) | 17 | 17 | 17 | 17 | 17 | 17 |
| Opacity (%) | 96 | 96 | 98 | >99 | >99 | >99 |
| Bekk smoothness (s) | 220 | 220 | 220 | 220 | 220 | 220 |

code 832

SHEET

LIFE PREMIUM 100% recycled fibres • 135 CIE

| Substance (gsm) | 90 | 100 | 120 | 160 | 200 | 250 |
|-----------------|---------|---------|---------|---------|---------|---------|
| A4 210 x 297 | 50014SC | 50022SC | 50027SC | 50032SC | 50007SC | 50010SC |
| A3 297 x 420 | 50017SC | 50024SC | 50027SC | 50034SC | 50009SC | 50039SC |
| SRA3 450 x 320 | 50310SC | 50311SC | 50312SC | 50313SC | 50314SC | 50315SC |

code 832



SILK PAPERS

MATT PAPERS

MATT PAPERS

PRECISION High printing quality

CLAIRJET 400 EVERJET 400

> SURFACE

Ideal for black & colour prints
Ideal for jobs with intermediate ink coverage

> APPLICATION

TRANSACTIONAL
DIRECT MARKETING
PUBLISHING

Promotional documentation
Mailings

COMPATIBILITY

Dye (on request for Clairjet 400) & Pigments Inks



SMOOTH
MATT

BULK
1.3

CLAIRJET 300 EVERJET 300

> SURFACE

Ideal for black text only
Laser & Offset compatible for pré- or post-processing

> APPLICATION

TRANSACTIONAL

Administrative documentation
Mailings

COMPATIBILITY

Pigments Inks



SMOOTH
MATT

BULK
1.3

CLAIRJET 400

COMPATIBILITY
Dye (on request) & Pigments Inks



> SURFACE

Ideal for black & colour prints
Ideal for jobs with intermediate ink coverage



> APPLICATION

TRANSACTIONAL
DIRECT MARKETING
PUBLISHING

Promotional documentation
Mailings



REEL

BRIGHT Virgin fibres • Bright shade • 170 CIE

| Substance (gsm) | 50 | 60 | 70 | 80 | 87 | 90 | 100 | 120 | 160 | 200 | 300 |
|-----------------------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| Thickness (µm) | 65 | 78 | 91 | 104 | 114 | 117 | 130 | 156 | 208 | 260 | 375 |
| Opacity (%) | 85 | 90 | 93 | 95 | 96 | 96 | 97 | 97 | >99 | >99 | >99 |
| Bendtsen roughness (ml/min) | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 |

code 143/808

LIGHT WHITE Virgin fibres • Light white shade • 165 CIE

| Substance (gsm) | 60 | 70 | 80 | 90 | 100 | 120 | 200 | 300 |
|---------------------|------|------|----|-----|-----|------|-----|-----|
| Thickness (µm) | 72 | 84 | 96 | 108 | 120 | 144 | 240 | 355 |
| Opacity (%) | 89,5 | 91,5 | 93 | 94 | 95 | 96,5 | >99 | >99 |
| Bekk smoothness (s) | 80 | 80 | 80 | 80 | 80 | 80 | 80 | 80 |

code 139/840

NATURAL Virgin fibres • Natural shade • 74 CIE

| Substance (gsm) | 60 | 70 | 80 | 90 | 100 | 120 | 200 | 300 |
|-----------------------------|-----|-----|-----|------|------|------|-----|-----|
| Thickness (µm) | 78 | 91 | 104 | 117 | 130 | 156 | 260 | 375 |
| Opacity (%) | 86 | 88 | 90 | 91,5 | 92,5 | 94,5 | >99 | >99 |
| Bendtsen roughness (ml/min) | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 |

code 834

SHEET

FAST DRY*

BRIGHT** Virgin fibres • Bright shade • 170 CIE

| Substance (gsm) | 70 | 80 | 90 | 120 | 160 | 200 | 300 |
|-----------------|--------|--------|--------|--------|--------|--------|--------|
| A4 210 x 297 | - | 11000C | 11002C | - | - | - | - |
| A3 297 x 420 | - | 11001C | 11003C | - | - | - | - |
| SRA3 450 x 320 | 1930IC | 4532IC | 2891IC | 1958IC | 19575C | 1963IC | 19611C |

code 143/808

* Fast drying of ink for high speed inkjet.

** This reference is also available in our Spirit of Paper Brochure.

PRECISION High printing quality



EVERJET 400

COMPATIBILITY
Dye (on request) & Pigments Inks



> SURFACE

Ideal for black & colour prints
Ideal for jobs with intermediate ink coverage

> APPLICATION

TRANSACTIONAL
DIRECT MARKETING
PUBLISHING

Promotional documentation
Mailings



SMOOTH
MATT



BULK
1.3



www.blauer-engel.de/uz14a



The mark of
responsible forestry

REEL

PREMIUM 100% recycled fibres • 135 CIE

| Substance (gsm) | 70 | 80 | 90 | 100 | 120 | 160 | 200 | 300 |
|-----------------------------|------|-----|-----|-----|-----|-----|-----|-----|
| Thickness (µm) | 84 | 96 | 108 | 120 | 144 | 192 | 240 | 355 |
| Opacity (%) | 92,5 | 94 | 95 | 96 | 98 | >99 | >99 | >99 |
| Bendtsen roughness (ml/min) | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 |

code 791/792

PERFORMANCE 100% recycled fibres • 120 CIE

| Substance (gsm) | 70 | 80 | 90 | 100 | 120 | 160 | 200 | 300 |
|-----------------------------|-----|-----|-----|-----|-----|-----|-----|-----|
| Thickness (µm) | 84 | 96 | 108 | 120 | 144 | 192 | 240 | 355 |
| Opacity (%) | 93 | 95 | 96 | 97 | >99 | >99 | >99 | >99 |
| Bendtsen roughness (ml/min) | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 |

code 820

PLUS 100% recycled fibres • 95 CIE

| Substance (gsm) | 70 | 80 | 90 | 100 | 120 | 160 | 200 | 300 |
|-----------------------------|-----|-----|-----|-----|-----|-----|-----|-----|
| Thickness (µm) | 84 | 96 | 108 | 120 | 144 | 192 | 240 | 355 |
| Opacity (%) | 94 | 96 | 97 | 98 | >99 | >99 | >99 | >99 |
| Bendtsen roughness (ml/min) | 150 | 150 | 150 | 150 | 150 | 150 | 150 | 150 |

code 797

SHEET

FAST DRY*

PREMIUM** 100% recycled fibres • 135 CIE

| Substance (gsm) | 80 | 90 | 100 | 160 |
|-----------------|--------|--------|--------|--------|
| A4 210 x 297 | 11016C | 11017C | 11018C | 11019C |
| SRA3 450 x 320 | 1920IC | 1922IC | 1613C | - |

code 791/792

* Fast drying of ink for high speed inkjet.

** This reference is also available in our Spirit of Paper Brochure.

CLAIRJET 300

COMPATIBILITY
Pigments Inks



> SURFACE

Ideal for black text only
Laser & Offset compatible for pré- or post-processing



SMOOTH
MATT



BULK
1.3

> APPLICATION

TRANSACTIONAL

Administrative documentation
Mailings



REEL

BRIGHT Virgin fibres • Bright shade • 170 CIE

| Substance (gsm) | 60 | 70 | 80 | 90 | 100 | 120 | 160 | 200 | 250 | 300 |
|-----------------------------|------|-----|------|-----|-----|------|-----|-----|-----|-----|
| Thickness (µm) | 87 | 99 | 108 | 122 | 134 | 156 | 208 | 260 | 318 | 375 |
| Opacity (%) | 87,5 | 90 | 93,5 | 95 | 97 | 97,5 | >99 | >99 | >99 | >99 |
| Bendtsen roughness (ml/min) | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 |

code 115

ORIGINAL Virgin fibres • Original shade • 151 CIE

| Substance (gsm) | 60 | 70 | 80 | 90 | 100 | 120 | 160 | 200 | 250 | 300 |
|-----------------------------|------|-----|------|-----|-----|------|-----|-----|-----|-----|
| Thickness (µm) | 82 | 96 | 110 | 120 | 133 | 160 | 213 | 266 | 330 | 396 |
| Opacity (%) | 85,5 | 88 | 91,5 | 92 | 94 | 95,5 | >99 | >99 | >99 | >99 |
| Bendtsen roughness (ml/min) | 280 | 280 | 280 | 280 | 280 | 280 | 280 | 280 | 280 | 280 |

code 789

NATURAL Virgin fibres • Natural shade • 74 CIE

| Substance (gsm) | 60 | 70 | 80 | 90 | 100 | 120 | 160 | 200 | 250 | 300 |
|-----------------------------|-----|-----|-----|------|------|------|-----|-----|-----|-----|
| Thickness (µm) | 82 | 91 | 109 | 122 | 132 | 157 | 205 | 258 | 318 | 375 |
| Opacity (%) | 85 | 88 | 90 | 91,5 | 92,5 | 94,5 | >99 | >99 | >99 | >99 |
| Bendtsen roughness (ml/min) | 160 | 160 | 160 | 160 | 160 | 160 | 160 | 160 | 160 | 160 |

code 799/807

SHEET

BRIGHT Virgin fibres • Bright shade • 171 CIE

| Substance (gsm) | 50 | 60 | 70 | 80 | 90 | 100 | 110 | 120 | 160 | 210 | 250 | 300 | 350 |
|-----------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| A4 210 x 297 | 1932C | 1928C | 1942C | 1979C | 2896C | 1950C | 2110C | 1952C | 2618C | 2216C | 2230C | 1959C | 1983C |
| A3 297 x 420 | 1933C | 1989C | 1943C | 1969C | 2890C | 1951C | 4210C | 1953C | 2619C | 2217C | 2232C | 1960C | 1984C |
| SRA3 450 x 320 | 1934C | 1937C | - | 4532C | 2891C | 1956C | 2892C | 1958C | 1957C | 1963C | 1964C | 1961C | 1985C |

code 115/154/329

NATURAL Virgin fibres • Natural shade • 74 CIE

| Substance (gsm) | 80 | 90 | 100 | 160 | 200 | 250 |
|-----------------|-------|-------|--------|-------|-------|-------|
| A4 210 x 297 | 3270C | 3274C | 3278C | 3286C | 3291C | 3293C |
| A3 297 x 420 | 3271C | 3275C | 3279C | 3287C | 3292C | 3294C |
| SRA3 450 x 320 | - | - | 20500C | - | - | - |

code 720/708



COMPATIBILITY
Pigments Inks



EVERJET 300

> SURFACE

Ideal for black text only
Laser & Offset compatible for pré- or post-processing

> APPLICATION

TRANSACTIONAL
Administrative documentation
Mailings



SMOOTH
MATT



BULK
1.2



www.blauer-engel.de/uz14a



REEL

PREMIUM Recycled fibres • 135 CIE

| Substance (gsm) | 70 | 80 | 90 | 100 | 120 | 135 | 160 | 200 | 250 | 300 |
|-----------------------------|------|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| Thickness (µm) | 90 | 102 | 113 | 125 | 150 | 166 | 197 | 246 | 307 | 369 |
| Opacity (%) | 92,5 | 94 | 95 | 96 | 98 | >99 | >99 | >99 | >99 | >99 |
| Bendtsen roughness (ml/min) | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 |

code 597

PERFORMANCE Recycled fibres • 120 CIE

| Substance (gsm) | 70 | 80 | 90 | 100 | 120 | 140 | 160 | 200 | 250 | 300 |
|-----------------------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| Thickness (µm) | 90 | 102 | 113 | 125 | 150 | 172 | 197 | 246 | 307 | 369 |
| Opacity (%) | 93 | 95 | 96 | 97 | >99 | >99 | >99 | >99 | >99 | >99 |
| Bendtsen roughness (ml/min) | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 |

code 817

PLUS Recycled fibres • 95 CIE

| Substance (gsm) | 70 | 80 | 90 | 100 | 120 | 135 | 160 | 200 | 250 | 300 |
|-----------------------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| Thickness (µm) | 90 | 102 | 113 | 125 | 150 | 166 | 197 | 246 | 307 | 369 |
| Opacity (%) | 94 | 96 | 97 | 98 | >99 | >99 | >99 | >99 | >99 | >99 |
| Bendtsen roughness (ml/min) | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 |

code 769

SHEET

PREMIUM Recycled fibres • 135 CIE

| Substance (gsm) | 80 | 90 | 100 |
|-----------------|-------|-------|-------|
| A4 210 x 297 | 1902C | 1906C | 1926C |
| A3 297 x 420 | 1904C | 1907C | 1927C |
| SRA3 450 x 320 | 1920C | 1922C | - |

code 397

PERFORMANCE Recycled fibres • 120 CIE

| Substance (gsm) | 80 |
|-----------------|--------|
| A4 210 x 297 | 50067C |
| A3 297 x 420 | 50069C |

code 506

PLUS Recycled fibres • 95 CIE

| Substance (gsm) | 80 |
|-----------------|---------|
| A4 210 x 297 | 50048SC |
| A3 297 x 420 | 50038SC |

code 399

IMAGE High printing density & resolution



CLAIRJET 1200

COMPATIBILITY
Dye & Pigments Inks



> SURFACE

Sharp details & colour vividness
Quick drytime
Uniformity of the solid area and fine restitution of half tones



SMOOTH
MATT



BULK
1.15

> APPLICATION

TRANSACTIONAL
DIRECT MARKETING

Full colour book printing
Dedicated for colour printing



REEL

BRIGHT Virgin fibres • Bright shade • 162 CIE

| Substance (gsm) | 70 | 80 | 90 | 100 | 120 | 160 |
|---------------------|------|------|-----|-----|-----|-----|
| Thickness (µm) | 81 | 92 | 104 | 115 | 138 | 185 |
| Opacity (%) | 94,5 | 95,5 | 96 | 97 | 99 | >99 |
| Bekk smoothness (s) | 80 | 80 | 80 | 80 | 80 | 80 |

code 138

PRECISION High printing quality



CLAIRJET SMOOTH 400

COMPATIBILITY
Dye & Pigments Inks



- > **SURFACE**
Colour vividness & large gamut
Uniformity of the solid area and fine restitution of half tones
- > **APPLICATION**
TRANSACTIONAL
DIRECT MARKETING
PUBLISHING
Promotional documentation
Mailings



SMOOTH
MATT



BULK
1.15




The mark of
responsible forestry

REEL

OFF-WHITE Virgin fibres • Neutral shade • 124 CIE

| | | | |
|-----------------------------|-----|-----|-----|
| Substance (gsm) | 90 | 115 | 170 |
| Thickness (μm) | 104 | 132 | 199 |
| Opacity (%) | 93 | 96 | >99 |
| Bekk smoothness (s) | 120 | 120 | 120 |

code 829





THIN PAPERS

MULTIFUNCTIONAL Inkjet, Laser & Offset printing

C-OPAK

Virgin fibres • 110 CIE

- **SURFACE**
Ideal for black text only
Laser & Offset compatible for pré- or post-processing
High opacity
- **APPLICATION**
TRANSACTIONAL
DIRECT MARKETING
PUBLISHING
High-pagination books

COMPATIBILITY
Pigments Inks



REEL

WHITE Virgin fibres • 110 CIE

| | | | | |
|---------------------|----|----|----|----|
| Substance (gsm) | 40 | 45 | 50 | 60 |
| Thickness (µm) | 50 | 56 | 63 | 75 |
| Opacity (%) | 82 | 84 | 86 | 89 |
| Bekk smoothness (s) | 80 | 80 | 80 | 80 |



THIN PAPERS

code 780



BULK PAPERS HSI

MULTIFUNCTIONAL Inkjet, Laser & Offset printing

TOUCH-JET - 1.5

> SURFACE

Ideal for black text only
Laser & Offset compatible
High opacity

> APPLICATION

DIRECT MARKETING
PUBLISHING

Books
Catalogues, Brochures

COMPATIBILITY
Pigments Inks



ROUGH
MATT



BULK
1.5

CLAIRBOOK-JET - 1.8 & 2.0

> SURFACE

Ideal for black text only
Laser & Offset compatible
High opacity

> APPLICATION

PUBLISHING

Books
Catalogues, Brochures

COMPATIBILITY
Pigments Inks



ROUGH
MATT



BULK
1.8 / 2.0

TOUCH-JET - 1.5

COMPATIBILITY
Pigments Inks



> **SURFACE**

Ideal for black text only
Laser & Offset compatible
High opacity



> **APPLICATION**

DIRECT MARKETING
PUBLISHING

Books
Catalogues, Brochures



REEL

EXTRA WHITE Virgin fibres • 150 CIE

| Substance (gsm) | 80 | 90 | 100 | 120 | 150 | 240 |
|-----------------------------|-----|-----|-----|-----|-----|-----|
| Thickness (µm) | 120 | 135 | 150 | 180 | 225 | 350 |
| Opacity (%) | 94 | 96 | 97 | >99 | >99 | >99 |
| Bendtsen roughness (ml/min) | 550 | 550 | 550 | 550 | 550 | 550 |

code 790

NATURAL WHITE Virgin fibres • 120 CIE

| Substance (gsm) | 80 | 90 | 100 | 120 | 150 | 240 |
|-----------------------------|-----|-----|-----|-----|-----|-----|
| Thickness (µm) | 120 | 135 | 150 | 180 | 225 | 350 |
| Opacity (%) | 94 | 96 | 97 | >99 | >99 | >99 |
| Bendtsen roughness (ml/min) | 550 | 550 | 550 | 550 | 550 | 550 |

code 816

MULTIFUNCTIONAL Inkjet, Laser & Offset printing

CLAIRBOOK-JET - 1.8

COMPATIBILITY
Pigments Inks



- > **SURFACE**
Ideal for black text only
Laser & Offset compatible
High opacity



ROUGH
MATT



BULK
1.8

- > **APPLICATION**
PUBLISHING
Books
Catalogues, Brochures



REEL

NATURAL WHITE Virgin fibres • 120 CIE

| Substance (gsm) | 70 | 80 | 90 | 100 |
|-----------------------------|-----|-----|-----|-----|
| Thickness (µm) | 129 | 148 | 167 | 180 |
| Opacity (%) | 90 | 92 | 93 | 94 |
| Bendtsen roughness (ml/min) | 650 | 650 | 650 | 650 |

code 188

IVORY Virgin fibres

| Substance (gsm) | 70 | 80 | 90 | 100 |
|-----------------------------|-----|-----|-----|-----|
| Thickness (µm) | 129 | 148 | 167 | 180 |
| Opacity (%) | 90 | 92 | 93 | 94 |
| Bendtsen roughness (ml/min) | 650 | 650 | 650 | 650 |

code 189

SHEET

NATURAL WHITE Virgin fibres • 120 CIE

| Substance (gsm) | 80 | 90 |
|-----------------|-------|-------|
| SRA3 320 x 450 | 3732C | 3789C |

code 188

IVORY Virgin fibres

| Substance (gsm) | 80 | 90 |
|-----------------|-------|-------|
| SRA3 320 x 450 | 3603C | 3768C |

code 189

MULTIFUNCTIONAL Inkjet, Laser & Offset printing

CLAIRBOOK-JET - 2.0

COMPATIBILITY
Pigments Inks



- > **SURFACE**
Ideal for black text only
Laser & Offset compatible
High opacity



- > **APPLICATION**
PUBLISHING
Books
Catalogues, Brochures



REEL

NATURAL WHITE *Virgin fibres • 120 CIE*

| Substance (gsm) | 70 | 80 | 90 | 100 |
|-----------------------------|-----|-----|-----|-----|
| Thickness (µm) | 140 | 160 | 180 | 200 |
| Opacity (%) | 90 | 92 | 93 | 95 |
| Bendtsen roughness (ml/min) | 750 | 750 | 750 | 750 |

code 033

IVORY *Virgin fibres*

| Substance (gsm) | 70 | 80 | 90 | 100 |
|-----------------------------|------|-----|-----|-----|
| Thickness (µm) | 140 | 160 | 180 | 200 |
| Opacity (%) | 90,5 | 92 | 93 | 95 |
| Bendtsen roughness (ml/min) | 750 | 750 | 750 | 750 |

code 728

SHEET

NATURAL WHITE *Virgin fibres • 120 CIE*

| Substance (gsm) | 80 | 90 |
|-----------------|-------|-------|
| SRA3 320 x 450 | 3790C | 3792C |

code 033

IVORY *Virgin fibres*

| Substance (gsm) | 80 | 90 |
|-----------------|-------|-------|
| SRA3 320 x 450 | 3757C | 3788C |

code 728



INKJET PAPERS