

## Description

DCP is the ideal medium for any document containing more color illustrations than text. Its high whiteness and perfectly smooth surface promote high quality color reproduction.

Recommended for all black and colour office printing technologies: laser with dry toner, solvent-free inkjet, solid wax ink. Plain paper setting for inkjet printing.

## Applications

External communication. All documents containing text and colors. Reproduction of images.

## Technical specifications

| Substance         | gsm                | 80   | 90   | 100  | 120  | 160  | 200  | 250  | 300  | 350  | 400  | NF EN ISO 536     |
|-------------------|--------------------|------|------|------|------|------|------|------|------|------|------|-------------------|
| Thickness         | μm                 | 92   | 99   | 110  | 128  | 160  | 200  | 230  | 276  | 322  | 370  | NF EN ISO 534     |
| Bulk              | cm <sup>3</sup> /g | 1.15 | 1.10 | 1.10 | 1.07 | 1.00 | 1.00 | 0.92 | 0.92 | 0.92 | 0.92 | NF EN ISO 534     |
| Whiteness         | CIE                | 170  | 170  | 170  | 170  | 170  | 170  | 170  | 170  | 170  | 170  | NF ISO 11475      |
|                   | ISO                | 111  | 111  | 111  | 111  | 111  | 111  | 111  | 111  | 111  | 111  | ISO 2470-2        |
| Bekk smoothness   | s                  | 150  | 150  | 150  | 150  | 150  | 150  | 140  | 125  | 110  | 110  | NF ISO 5627       |
| Absolute humidity | %H <sub>2</sub> O  | 4.5  | 4.5  | 4.5  | 4.5  | 4.8  | 4.8  | 5.2  | 5.7  | 5.7  | 5.7  | NF EN ISO 20287   |
| Relative humidity | % in the air       | 32   | 32   | 32   | 32   | 35   | 40   | 46   | 46   | 46   | 46   | Sword measurement |
| Opacity           | %                  | 93.5 | 95   | 96   | 97   | >99  | >99  | >99  | >99  | >99  | >99  | NF ISO 2471       |
| Permanence        |                    |      |      |      |      |      |      |      |      |      |      | NF ISO 9706       |

These values are not contractual.

Revision date: 2025/06/11

## Certifications



EU Ecolabel: FR/011/004  
Please collect used paper for recycling



The mark of responsible forestry

ISO 9001 ✓

ISO 14001 ✓

ISO 50001 ✓

ISO 9706 ✓