


CLAIRBOOK NATURAL WHITE

FICHE TECHNIQUE / code 063/188/033 TECHNICAL DATA SHEET

	1.8			2.0	
	70	80	90	80	90
Thickness (µm)	125	143	161	160	178
Bendsten Roughness (ml/min)	650	650	650	850	850
Absolute Humidity (%H2O)	5.0	5.0	5.0	5.0	5.0
Relative Humidity (% in the air)	38	38	38	38	38
Opacity (%)	90	93	94	93	-



GAMME RANGE

NATURAL WHITE

		70	80	90
1.8	320 x 450 mm		3732C	3789C
	650 x 920 mm	3604C	3730C	
	720 x 1020 mm		3729C	3743C
	900 x 640 mm			3746C
	1020 x 720 mm	3766C	3760C	3747C
2.0	320 x 450 mm		3790C	3792C
	650 x 920 mm		3750C	
	720 x 1020 mm		3753C	




CLAIRBOOK NATURAL WHITE

REBECCA Bulk









Un papier adapté à toutes les technologies d'impression. Clairbook Natural White conjugue un état de surface, un épair et une opacité hors-pair. Les atouts de ce papier sont tels que les auteurs ont la possibilité d'éditer et de rééditer leurs ouvrages, sans restriction du nombre de tirages, en jet d'encre rapide, laser et offset.

Disponible en main de 1.5, 1.8 et 2.0, dans différents grammages, Clairbook Natural White s'adapte à la fabrication de tous les livres quelle que soit l'épaisseur de leur dos. Il est aussi disponible du format pour presse numérique jusqu'aux bobines pour rotative offset.

A paper suitable for all printing technologies. Clairbook Natural White combines outstanding surface finish, smoothness, and opacity. The advantages of this paper are such that authors can edit and republish their works, without restriction on the number of prints, in inkjet, laser and offset. Available in 1.5, 1.8 and 2.0 in different weights, Clairbook Natural White is suitable for the manufacture of all books regardless of their back thickness. It is also available from digital press sizes to web offset reels.



CLAIRBOOK NATURAL WHITE

	Ref.	Bulk	Sizes (mm)	Gsm	Pallet Sizes (mm)	Stacks	Sheets / Pallet	Tabbed by	Pallet Net Weight (kg)
	3784C	1,5	320 x 450	80g	940 x 670	4	36 000	500	415
	3786C	1,5	320 x 450	90g	940 x 670	4	32 000	500	415
	3701C	1,5	460 x 320	90g	940 x 670	4	32 000	500	424
	3604C	1,8	650 x 920	70g	960 x 6970	1	8 500	250	356
	3766C	1,8	1020 x 720	70g	1050 x 750	1	8 500	500	437
	3732C	1,8	320 x 450	80g	940 x 670	4	32 000	500	369
	3730C	1,8	650 x 920	80g	940 x 670	1	7 500	250	359
	3729C	1,8	720 x 1020	80g	1050 x 750	1	7 500	250	441
	3743C	1,8	720 x 1020	90g	1050 x 750	1	6 500	250	430
	3746C	1,8	900 x 640	90g	920 x 660	2	6 500	250	337
	3760C	1,8	1020 x 720	80g	1050 x 750	1	7 500	250	441
	3789C	1,8	320 x 450	90g	940 x 670	4	28 000	250	363
	3747C	1,8	1020 x 720	90g	1050 x 750	1	6 500	250	430
	3790C	2,0	320 x 450	80g	940 x 670	4	32 000	500	369
	3750C	2,0	650 x 920	80g	940 x 670	1	7 500	250	359
	3753C	2,0	720 x 1020	80g	1050 x 750	1	7 500	250	441
	3792C	2,0	320 x 450	90g	940 x 670	4	26 000	500	337