



Its high whiteness and perfectly smooth surface of DCP Green promote a high quality reproduction. Its high opacity guarantees double-sided printing.

Substance	gsm	NF EN ISO 536	(+/-2,5%)	90	100	120	160	200	250
Thickness	µm	NF EN ISO 534	(+/-5)	95	105	126	168	199	250
Bulk	cm ³ /g	NF EN ISO 534		1.05	1.05	1.05	1.05	1.00	1.00
Whiteness	CIE	NF ISO 11475	(+/-3,5%)	135	135	135	135	135	135
	ISO	ISO 2470-2		97	97	97	97	97	97
Opacity	%	NF ISO 2471	(+/-3)	95	97	98	>99	>99	>99
Bekk smoothness	s	NF ISO 5627	{??}	110	110	110	110	110	110

Application

External communication. All documents containing text and colors. Reproduction of images.

Product certificates and technical information

- Resistant to ageing (ISO 9706)
- ColorLok technology



Product certificates and environmental information

- Angle Bleu
- FSC®
- Ecolabel



www.blauer-engel.de/uz14a



The mark of responsible forestry



Information for printing

- Certified for professional dry toner systems (DIN / EN 12281)
- Recommended for copiers, laser printers and inkjet systems
- Plain paper setting for inkjet printing

Mill certifications

- ISO 14001: Environmental management system
- ISO 9001: Quality management system
- ISO 50001: Energy management system

Made in France

Indicative values. Errors and omissions excepted. Subject to change without notice.
Revision date: 29/03/2021



Clairefontaine

Change
Picture
to your
Cert.

PRODUCT CLAIREFONTAINE Papers

COMPANY PAPETERIES DE CLAIREFONTAINE

MILL ETIVAL-CLAIREFONTAINE - FRANCE

Information gathered from 01/01/2022 to 31/12/2022 Date of issue 28/09/2023

PRODUCT ENVIRONMENTAL DATASHEET FOR PAPER

ENVIRONMENTAL MANAGEMENT

Certified environmental management system at ISO 14001 - ISO 50001

Company systems ensure traceability of the origin of wood: YES NO 100% RECOVERED PAPER NO

FSC Certificate number: BV-COC-050902

PEFC Certificate number: BV/CdC/070504

Some ranges are European Ecolabel and/or Blue Angel certified.

ENVIRONMENTAL PARAMETERS

The figures are based on methods and procedures of measurement approved by the local (or national) environmental regulators at the production site. The figures include pulp and paper production.

Water	COD	7.96	kg/tonne
	AOX	0.07	kg/tonne
	NTot	0.07	kg/tonne
	PTot	0.02	kg/tonne

Air	SO ₂	0.09	kg/tonne
	NO _x	1.29	kg/tonne
	CO ₂ (fossil)	487	kg/tonne

Solid waste landfilled 0* BDkg/tonne

Purchased electricity consumption
/tonne of final product 1131 kWh


MORE INFORMATION

Contact Raphaël MINODIER

Address 19 Rue de l'Abbaye

88480 ETIVAL-CLAIREFONTAINE

PRODUCT COMPOSITION



This product contains biomass carbon, equivalent to 1423 kg of CO₂ per tonne of product.

Phone +33 3 29 42 42 42

e-mail raphael.minodier@clairefontaine.eu

* For paper production



Certificat

Certificate

Papier graphique
Graphic paper

Page 3 / 9

Certificat de renouvellement du 26/03/2021
Certificate of renewal from 26/03/2021

Liste détaillée des licences attribuées par AFNOR Certification
Detailed list of licenses granted by AFNOR Certification
pour l'Ecolabel Européen "Papier graphique"
for the EU Ecolabel "Graphic paper"

Du site de fabrication :
To the production site:

PAPETERIES DE CLAIREFONTAINE
19, rue de l'Abbaye
88480 ETIVAL-CLAIREFONTAINE

Pour la marque commerciale :
For the trademark:

CLAIREFONTAINE

Numéro de licence :
License number

Référence commerciale du produit :
Product Name

06/001/002
06/001/003

DCP COATED
DCP GREEN

Cet avenant est valide jusqu'au
This amendment is valid until
31/12/2024

Annexe non valide sans l'avenant
Appendix not valid without the amendment