



BRUT NATURAL

FICHE TECHNIQUE / code 762/553 TECHNICAL DATA SHEET

	90	120	150	200	300
Thickness (µm)	130	174	217	290	420
Bulk (cm ³ /g)	1.45	1.45	1.45	1.45	1.40
Bendsten Roughness (ml/min)	550	550	550	550	550
Absolute Humidity (%H ₂ O)	5.0	5.5	5.5	6.0	6.5
Relative Humidity (% in the air)	38	44	44	48	50
Opacity (%)	91	95	97	>99	>99

GAMME RANGE

	90	120	150	200	300
 720 x 1020 mm	4401C	4402C	4403C	4404C	4405C
 1020 x 720 mm	4406C	4407C	4408C	4409C	4410C



EU ecolabel 2010/0217/2002
Please collect used paper for recycling



The mark of responsible forestry



ROUGHNESS

BRUT NATURAL











REBECCA Rock

A la recherche d'un papier authentique, à la personnalité affirmée ? Et si vous optiez pour Brut Natural ? Outre les caractéristiques techniques de sa famille, rugosité forte, main élevée, surface pigmentée pour un rendu d'impression de qualité, Brut Natural possède surtout, une teinte chaude et vive, obtenue sans agent fluorescent. Cette singularité lui confère un charme discret aux notes variées, pour s'adapter à toutes les applications, revues, catalogues, beaux livres...
A explorer sans retenue !
Disponible de 90 à 300 g/m².

Looking for an authentic paper with a strong personality? Why not choose Brut Natural? In addition to the technical characteristics of its family, high roughness, high hand, pigmented surface for a quality printing result, Brut Natural has above all, a warm and vivid tint, obtained without fluorescent agents. This singularity gives it a discreet charm with varied notes, to adapt to all applications, magazines, catalogues, fine books... To be explored without restraint!
Available from 90 to 300 gsm.



BRUT NATURAL

	Ref.	Sizes (mm)	Gsm	Pallet Sizes (mm)	Stacks	Sheets / Pallet	Tabbed by	Pallet Net Weight (kg)
	4401C	720 × 1020	90g	1050 × 750	1	9 000	250	595
	4402C	720 × 1020	120g	1050 × 750	1	6 500	250	573
	4403C	720 × 1020	150g	1050 × 750	1	5 000	125	551
	4404C	720 × 1020	200g	1050 × 750	1	4 000	125	588
	4405C	720 × 1020	300g	1050 × 750	1	2 500	50	551
	4406C	1020 × 720	90g	1050 × 750	1	9 000	250	595
	4407C	1020 × 720	120g	1050 × 750	1	6 500	250	573
	4408C	1020 × 720	150g	1050 × 750	1	5 000	125	551
	4409C	1020 × 720	200g	1050 × 750	1	4 000	125	588
	4410C	1020 × 720	300g	1050 × 750	1	2 500	50	551