



FICHE TECHNIQUE / code 141 TECHNICAL DATA SHEET

	90	100	120	160	200	250
Thickness (µm)	95	105	126	168	199	250
Bulk (cm ³ /g)	1.05	1.05	1.05	1.05	1.00	1.00
Bekk Smoothness (s)	110	110	110	110	110	110
Absolute Humidity (%H ₂ O)	4.5	4.5	4.5	4.5	4.5	4.5
Relative Humidity (% in the air)	30	30	30	30	30	30
Opacity (%)	95	97	98	99	>99	>99
Formation Index (index on 120)	100	100	100	100	100	90

GAMME RANGE

	90	100	120	160	200	250
 450 x 320 mm	50310SC	50311SC	50312SC	50313SC	50314SC	50315SC
 920 x 650 mm					ZF0066C	ZF0067C



www.blauer-engel.de/uz14a




The mark of responsible forestry



Please collect used paper for recycling



135 CIE



ROUGHNESS

LIFE SILK

REBECCA Satin

Le papier recyclé aux nombreux atouts.

Réalisé à base de 100% de fibres de récupération, doublé d'un traitement sans chlore, qui lui permet d'atteindre une haute blancheur de 135 CIE, Life Silk allie procédé de fabrication écologique, bonne stabilité dimensionnelle et qualités d'impression remarquables. Life Silk c'est aussi un toucher satiné et délicat, idéal pour une prise en main agréable et facile de vos documents.

Disponible de 90 à 250 g/m².









Recycled paper with key advantages.

Made from 100% recycled fibres and treated without chlorine to achieve a high whiteness of 135 CIE, Life Silk combines an environmentally friendly manufacturing process, a good dimensional stability and remarkable printing qualities. Life Silk also has a silky and delicate touch, ideal for a pleasant and easy handling of your documents.

Available from 90 to 250 gsm.



LIFE SILK

	Ref.	Sizes (mm)	Gsm	Pallet Sizes (mm)	Stacks	Sheets / Pallet	Tabbed by	Pallet Net Weight (kg)
	50310SC	450 x 320	90g	940 x 670	4	40 000	500	518
	50311SC	450 x 320	100g	940 x 670	4	40 000	500	576
	50312SC	450 x 320	120g	940 x 670	4	20 000	250	346
	50313SC	450 x 320	160g	940 x 670	4	20 000	250	461
	50314SC	450 x 320	200g	940 x 670	4	20 000	250	576
	50315SC	450 x 320	250g	940 x 670	4	10 000	125	360
	ZF0066C	920 x 650	200g	960 x 690	1	5 000	250	598
	ZF0067C	920 x 650	250g	960 x 690	1	4 000	125	598