






SUBLIM BRIGHT

FICHE TECHNIQUE / code 077 TECHNICAL DATA SHEET

	80	90	100	120	150	170	200	240	300	400
Thickness (µm)	100	112	123	147	183	208	236	295	350	469
Bulk (cm ³ /g)	1.25	1.25	1.23	1.23	1.22	1.22	1.21	1.23	1.17	1.17
Bendsten Roughness (ml/min)	160	160	160	160	160	160	160	160	160	160
Absolute Humidity (%H ₂ O)	5.0	5.0	5.0	5.3	5.5	5.5	5.5	5.5	6.0	6.0
Relative Humidity (% in the air)	38	38	38	42	44	44	44	44	50	50
Opacity (%)	95	97	96	98	99	>99	>99	>99	>99	>99
Formation Index (index on 120)	95	95	105	105	105	105	105	-	-	-

GAMME RANGE

	80	90	100	120	150	170	200	240	300	400
 460 x 640 mm			3972C	3973C	3974C	3975C	3976C	3977C	3194C	
 650 x 920 mm	3986C	3987C	3988C	3989C	3990SC	3991C	3992C	3993C	3170C	
 920 x 650 mm	3978C	3979C	3909C	3927C	3911SC	3913C	3928C	3173C	3824C	
 700 x 1000 mm	3189C	3174C	3175C	3176C	3179C	3180C	3181C	3182C	3171C	3196C
 1000 x 700 mm	3901C	3917C	3918C	3183C	3920C	3184C	3926C	3185C	3172C	3197C



SUBLIM BRIGHT

REBECCA Sublim

Pour des catalogues illustrés ou des beaux livres, le réflexe habituel des graphistes est de choisir des papiers couchés. Les papiers offset non-couchés étaient souvent réservés à des publications ayant un caractère naturel ou traditionnel. Avec Sublim Bright s'ouvre une nouvelle voie pour l'industrie graphique. Grâce à la technologie Clairtech, cette génération de papier de classe supérieure redéfinit entièrement l'impression polychrome sur papier nature, offrant une reproduction parfaite des images. Une consommation d'encre minimale et d'excellentes aptitudes en machine, avec des temps de séchage courts, offrent les meilleures conditions pour un façonnage rapide et augmentent donc la productivité. Sublim est parfait pour les impressions multiples à fort taux d'encrage, ainsi que pour des finitions variées (gaufnage, dorure, embossage, vernis, pelliculage...).

Il offre une aptitude excellente au rainage et au pliage.

Domaines d'utilisation : rapports d'activité, livres d'art, brochures et publicité de haute qualité

Disponible de 80 à 400 g/m².

For illustrated catalogues or beautiful books, graphic designers would usually choose coated papers. Offset or natural papers were often reserved for publications with a natural or traditional character.

With Sublim Bright, a new way in the graphic industry gets open. Thanks to Clairtech technology, this generation of premium paper completely redefines polychrome printing on uncoated paper, offering perfect image reproduction on a paper with a natural feel.

A minimal ink consumption and excellent printing capabilities, together with short drying times, offer the best conditions for a fast finishing and thus increased productivity.

Sublim is perfect for multiple prints with high ink levels, as well as for a variety of finishes (embossing, gilding, varnishing, lamination...).






































It offers excellent creasing and folding capabilities.

Among the many other application: business reports, art books, brochures and high-quality advertising.









Available from 80 to 400 gsm.



SUBLIM BRIGHT

	Ref.	Sizes (mm)	Gsm	Pallet Sizes (mm)	Stacks	Sheets / Pallet	Tabbed by	Pallet Net Weight (kg)
	3972C	460 x 640	100g	940 x 670	2	15 000	500	442
	3973C	460 x 640	120g	940 x 670	2	13 000	250	459
	3974C	460 x 640	150g	940 x 670	2	10 500	250	464
	3975C	460 x 640	170g	940 x 670	2	9 000	250	450
	3976C	460 x 640	200g	940 x 670	2	7 500	125	442
	3977C	460 x 640	240g	940 x 670	2	6 500	125	459
	3194C	460 x 640	300g	940 x 670	2	6 000	125	530
	3986C	650 x 920	80g	960 x 690	1	11 000	250	526
	3987C	650 x 920	90g	960 x 690	1	10 000	250	538
	3988C	650 x 920	100g	960 x 690	1	7 500	250	449
	3989C	650 x 920	120g	960 x 690	1	6 500	250	466
	3990SC	650 x 920	150g	960 x 690	1	5 250	125	471
	3991C	650 x 920	170g	960 x 690	1	4 500	125	457
	3992C	650 x 920	200g	960 x 690	1	3 750	125	449
	3993C	650 x 920	240g	960 x 690	1	3 250	125	466
	3170C	650 x 920	300g	960 x 690	1	2 800	100	502
	3978C	920 x 650	80g	960 x 690	1	11 000	250	526
	3979C	920 x 650	90g	960 x 690	1	10 000	250	538
	3909C	920 x 650	100g	960 x 690	1	7 500	250	449
	3927C	920 x 650	120g	960 x 690	1	6 500	250	466
	3911SC	920 x 650	150g	960 x 690	1	5 250	125	471
	3913C	920 x 650	170g	960 x 690	1	4 500	125	457
	3928C	920 x 650	200g	960 x 690	1	3 750	125	449
	3173C	920 x 650	240g	960 x 690	1	3 250	125	466
	3824C	920 x 650	300g	960 x 690	1	2 800	100	502
	3189C	700 x 1000	80g	1040 x 720	1	9 500	250	532
	3174C	700 x 1000	90g	1040 x 720	1	8 500	250	536
	3175C	700 x 1000	100g	1040 x 720	1	7 500	250	525
	3176C	700 x 1000	120g	1040 x 720	1	6 500	250	546
	3179C	700 x 1000	150g	1040 x 720	1	5 250	125	551
	3180C	700 x 1000	170g	1040 x 720	1	4 500	125	536
	3181C	700 x 1000	200g	1040 x 720	1	3 750	125	525
	3182C	700 x 1000	240g	1040 x 720	1	3 250	125	546
	3171C	700 x 1000	300g	1040 x 720	1	2 800	100	588
	3196C	700 x 1000	400g	1040 x 720	1	2 000	50	560
	3901C	1000 x 700	80g	1040 x 720	1	9 500	250	532
	3917C	1000 x 700	90g	1040 x 720	1	8 500	250	536

SUBLIM BRIGHT

	Ref.	Sizes (mm)	Gsm	Pallet Sizes (mm)	Stacks	Sheets / Pallet	Tabbed by	Pallet Net Weight (kg)
	3918C	1000 x 700	100g	1040 x 720	1	7 500	250	525
	3183C	1000 x 700	120g	1040 x 720	1	6 500	250	546
	3920C	1000 x 700	150g	1040 x 720	1	5 250	125	551
	3184C	1000 x 700	170g	1040 x 720	1	4 500	125	536
	3926C	1000 x 700	200g	1040 x 720	1	3 750	125	525
	3185C	1000 x 700	240g	1040 x 720	1	3 250	125	546
	3172C	1000 x 700	300g	1040 x 720	1	2 800	100	588
	3197C	1000 x 700	400g	1040 x 720	1	2 000	50	560