
























CROSS BRIGHT

FICHE TECHNIQUE / code 155/154/711/533 TECHNICAL DATA SHEET

	50	60	70	80	90	100	110	120	160	200	240	300	400
Thickness (µm)	71	85	99	108	121	134	147	156	208	260	312	391	518
Bulk (cm ³ /g)	1.42	1.42	1.41	1.35	1.35	1.34	1.34	1.30	1.30	1.30	1.30	1.30	1.30
Bendsten Roughness (ml/min)	200	200	150	150	150	180	180	180	180	180	180	250	250
Absolute Humidity (%H ₂ O)	4.5	4.8	5.0	5.0	5.0	5.0	5.0	5.5	5.5	5.5	5.5	6.5	6.5
Relative Humidity (% in the air)	30	35	38	38	38	38	38	44	44	44	44	50	50
Opacity (%)	86	88	92	94	95.5	96.5	97	97.5	>99	>99	>99	>99	>99
Formation Index (index on 120)	90	90	90	90	90	92	92	95	95	90	90	-	-

GAMME RANGE

	50	60	70	80	90	100	110	120	160	200	240	300	350	400
 450 x 320 mm				2897C	2898C									
 450 x 320 mm	1934C	1937C		4532C	28915C	19565C	2892C	1958C	1957C	1963C (210g)	1964C (250g)	1961C	1985C	
 430 x 610 mm			3963C	4300C	2803C									
 430 x 610 mm			3965C	4361C	28055C									
 440 x 630 mm				3964C	28345C									
 440 x 630 mm				3966C										
 450 x 640 mm	28185C	28235C		4500C	28085C	2828C	2820C	2829C	28225C	28255C	2826C			
 450 x 640 mm		39965C		4564C	2806C	28245C		28365C	3967C	28375C	2838C			
 460 x 640 mm		3941C	3942C	3931C	3932C	3933C	3961C	3934C	3935C	3936C	3937C			
 630 x 880 mm	2856C													
 880 x 630 mm	2857C	2858C		8863C	2802C			2815C	2830C					
 880 x 630 mm			3968C	3969C	3994C			28395C	3995C					
 635 x 900 mm				6011C	6012C	6016C		6017C	6018C					
 900 x 635 mm				6019C	6020C	6023C		6024C	6025C					
 640 x 460 mm						3938C		3939C	3940C					
 650 x 920 mm	28195C			6500C	2809C		28215C	3943C	3944C	2860C	2861C			
 650 x 920 mm				6592C	2807C									
 860 x 610 mm				8661C										
 920 x 650 mm				3822C	3823C	3945C		3946C	3947C	2862C	2865C			
 700 x 1000 mm				3948C	3949C	3950C		3951C	3952C	3953C	3954C	2851C		2853C
 700 x 1000 mm											3890C	3891C		3892C
 1000 x 700 mm				2811C	3955C	3956C		3957C	3958C	3959C	3960C	2852C		2854C
 1000 x 700 mm											3893C	3894C		3895C

100



168 CIE



CROSS BRIGHT

REBECCA Cross

Une polyvalence sans faille.

Cross est le papier offset non-couché, idéal pour l'impression tous formats. Réputé pour son épaisseur exceptionnelle ainsi que sa main élevée, sa blancheur extrême offre les contrastes nécessaires au meilleur rendu d'impression.

Grâce à sa rigidité maximale, sa parfaite régularité de volume et sa très bonne stabilité dimensionnelle, il vous assure d'excellentes caractéristiques d'imprimabilité et de machinabilité.

Ce papier est garanti pour post-impression personnalisée laser et jet d'encre.

Cross existe dans un très large spectre de grammages, ce qui convient à toutes les applications.

Disponible de 50 à 400 g/m².

Cross se complète également avec les gammes Clairalfa et Smart Print en A4 et A3 de 50 à 350 g/m².

Domaines d'utilisation : têtes de lettre, factures, reçus, formulaires et documents, brochures d'entreprise, prospectus, mailings personnalisés, modes d'emploi, dépliants publicitaires, livres, rapports d'activité, fournitures de bureau, catalogues, cartes de visite.

A seamless versatility.

Cross is the ideal, uncoated white offset paper for printing in all sizes. Renowned for its exceptional formation and its high bulk, its extreme whiteness provides the necessary contrasts for the best printing results.

Thanks to its maximum rigidity, its perfect volume uniformity and its very good dimensional stability, it offers excellent printability and runnability characteristics.

This paper is guaranteed for personalized laser and inkjet post-printing.

Cross is available in a very wide range of substances, making it suitable for all applications.







































Available from 50 to 400 gsm

Cross also complements the Clairalfa and Smart Print ranges in A4 and A3 from 50 to 350 gsm.







































Areas of end use: letterheads, invoices, receipts, forms and documents, company brochures, leaflets, personalised mailings, instructions for use, advertising leaflets, books, business reports, office supplies, catalogues, business cards.









































CROSS BRIGHT





	Ref.	Sizes (mm)	Gsm	Pallet Sizes (mm)	Stacks	Sheets / Pallet	Tabbed by	Pallet Net Weight (kg)
	2897C	450 x 320	80g	940 x 670	4	40 000	-	461
	2898C	450 x 320	90g	940 x 670	4	36 000	-	467
	1934C	450 x 320	50g	940 x 670	4	60 000	1000	432
	1937C	450 x 320	60g	940 x 670	4	52 000	500	449
	4532C	450 x 320	80g	940 x 670	4	40 000	500	461
	2891SC	450 x 320	90g	940 x 670	4	36 000	500	467
	1956SC	450 x 320	100g	940 x 670	4	30 000	500	432
	2892C	450 x 320	110g	940 x 670	4	24 000	250	380
	1958C	450 x 320	120g	940 x 670	4	20 000	250	346
	1957C	450 x 320	160g	940 x 670	4	20 000	250	461
	1963C	450 x 320	210g	940 x 670	4	18 000	125	544
	1964C	450 x 320	250g	940 x 670	4	15 000	125	540
	1961C	450 x 320	300g	940 x 670	4	10 000	125	432
	1985C	450 x 320	350g	940 x 670	4	10 000	125	504
	3963C	430 x 610	70g	920 x 660	2	20 000	500	367
	4300C	430 x 610	80g	920 x 660	2	18 000	500	378
	2803C	430 x 610	90g	920 x 660	2	16 000	500	378
	3965C	430 x 610	70g	940 x 670	2	28 000	500	514
	4361C	430 x 610	80g	940 x 670	2	24 000	500	504
	2805SC	430 x 610	90g	940 x 670	2	22 000	500	519
	3964C	440 x 630	80g	940 x 670	2	18 000	500	399
	2834SC	440 x 630	90g	940 x 670	2	16 000	500	399
	3966C	440 x 630	80g	940 x 670	2	24 000	500	532
	2818SC	450 x 640	50g	940 x 670	2	30 000	500	432
	2823SC	450 x 640	60g	940 x 670	2	22 000	500	380
	4500C	450 x 640	80g	940 x 670	2	18 000	500	415
	2808SC	450 x 640	90g	940 x 670	2	16 000	500	415
	2828C	450 x 640	100g	940 x 670	2	15 000	500	432
	2820C	450 x 640	110g	940 x 670	2	14 000	250	444
	2829C	450 x 640	120g	940 x 670	2	13 000	250	449
	2822C	450 x 640	160g	940 x 670	2	10 000	250	461
	2825C	450 x 640	200g	940 x 670	2	7 500	125	432
	2826C	450 x 640	240g	940 x 670	2	6 500	125	449
	3996SC	450 x 640	60g	960 x 690	2	32 000	500	553
	4564C	450 x 640	80g	960 x 690	2	24 000	500	553
	2806C	450 x 640	90g	960 x 690	2	22 000	500	570
	2824SC	450 x 640	100g	960 x 690	2	19 000	500	547
	2836SC	450 x 640	120g	960 x 690	2	13 000	250	449

CROSS BRIGHT

	Ref.	Sizes (mm)	Gsm	Pallet Sizes (mm)	Stacks	Sheets / Pallet	Tabbed by	Pallet Net Weight (kg)
	3967C	450 x 640	160g	960 x 690	2	12 000	250	553
	2837SC	450 x 640	200g	960 x 690	2	10 000	125	576
	2838C	450 x 640	240g	940 x 670	2	8 000	125	553
	3941C	460 x 640	60g	940 x 670	2	24 000	500	424
	3942C	460 x 640	70g	940 x 670	2	22 000	500	453
	3931C	460 x 640	80g	940 x 670	2	18 000	500	424
	3932C	460 x 640	90g	940 x 670	2	16 000	500	424
	3933C	460 x 640	100g	940 x 670	2	15 000	500	442
	3961C	460 x 640	110g	940 x 670	2	14 000	250	453
	3934C	460 x 640	120g	940 x 670	2	13 000	250	449
	3935C	460 x 640	160g	940 x 670	2	10 000	250	471
	3936C	460 x 640	200g	940 x 670	2	7 500	125	442
	3937C	460 x 640	240g	940 x 670	2	6 500	125	459
	3938C	640 x 460	100g	940 x 670	2	15 000	500	442
	3939C	640 x 460	120g	940 x 670	2	13 000	250	459
	3940C	640 x 460	160g	940 x 670	2	10 000	250	471
	2856C	630 x 880	50g	920 x 660	1	17 500	500	485
	2857C	880 x 630	50g	920 x 660	1	17 500	500	485
	2858C	880 x 630	60g	920 x 660	1	12 000	500	399
	8863C	880 x 630	80g	920 x 660	1	9 000	250	399
	2802C	880 x 630	90g	920 x 660	1	8 000	250	399
	2815C	880 x 630	120g	920 x 660	1	7 000	250	466
	2830C	880 x 630	160g	920 x 660	1	6 000	250	532
	3968C	880 x 630	70g	920 x 660	1	14 000	250	543
	3969C	880 x 630	80g	920 x 660	1	12 000	250	532
	3994C	880 x 630	90g	920 x 660	1	11 000	250	549
	2839SC	880 x 630	120g	920 x 660	1	7 000	250	466
	3995C	880 x 630	160g	920 x 660	1	6 000	250	532
	6011C	635 x 900	80g	920 x 660	1	9 000	250	411
	6012C	635 x 900	90g	920 x 660	1	8 000	250	411
	6016C	635 x 900	100g	920 x 660	1	7 500	250	429
	6017C	635 x 900	120g	920 x 660	1	6 500	250	446
	6018C	635 x 900	160g	920 x 660	1	5 000	125	457
	6019C	900 x 635	80g	920 x 660	1	9 000	250	411
	6020C	900 x 635	90g	920 x 660	1	8 000	250	411
	6023C	900 x 635	100g	920 x 660	1	7 500	250	429
	6024C	900 x 635	120g	920 x 660	1	6 500	250	446
	6025C	900 x 635	160g	920 x 660	1	5 000	125	457

CROSS BRIGHT

	Ref.	Sizes (mm)	Gsm	Pallet Sizes (mm)	Stacks	Sheets / Pallet	Tabbed by	Pallet Net Weight (kg)
	2819SC	650 x 920	50g	960 x 690	1	17 500	500	523
	6500C	650 x 920	80g	960 x 690	1	9 000	250	431
	2809C	650 x 920	90g	960 x 690	1	8 000	250	431
	2821SC	650 x 920	110g	960 x 690	1	7 000	250	460
	3943C	650 x 920	120g	960 x 690	1	6 500	250	466
	3944C	650 x 920	160g	960 x 690	1	5 000	125	478
	2860C	650 x 920	200g	960 x 690	1	3 750	125	449
	2861C	650 x 920	240g	960 x 690	1	3 250	125	466
	6592C	650 x 920	80g	960 x 690	1	12 000	250	574
	2807C	650 x 920	90g	960 x 690	1	11 000	250	592
	8661C	860 x 610	80g	900 x 640	1	9 000	500	378
	3822C	920 x 650	80g	960 x 690	1	9 000	250	431
	3823C	920 x 650	90g	960 x 690	1	8 000	250	431
	3945C	920 x 650	100g	960 x 690	1	7 500	250	449
	3946C	920 x 650	120g	960 x 690	1	6 500	250	466
	3947C	920 x 650	160g	960 x 690	1	5 000	125	478
	2862C	920 x 650	200g	960 x 690	1	3 750	125	449
	2865C	920 x 650	240g	960 x 690	1	3 250	125	466
	3948C	700 x 1000	80g	1040 x 720	1	9 000	250	504
	3949C	700 x 1000	90g	1040 x 720	1	8 000	250	504
	3950C	700 x 1000	100g	1040 x 720	1	7 500	250	525
	3951C	700 x 1000	120g	1040 x 720	1	6 500	250	546
	3952C	700 x 1000	160g	1040 x 720	1	5 000	125	560
	3953C	700 x 1000	200g	1040 x 720	1	3 750	125	525
	3954C	700 x 1000	240g	1040 x 720	1	3 250	125	546
	3890C	700 x 1000	240g	1040 x 720	1	3 250	125	546
	2851C	700 x 1000	300g	1040 x 720	1	2 600	100	546
	3891C	700 x 1000	300g	1040 x 720	1	2 600	100	546
	2853C	700 x 1000	400g	1040 x 720	1	2 000	50	560
	3892C	700 x 1000	400g	1040 x 720	1	2 000	50	560
	2811C	1000 x 700	80g	1040 x 720	1	9 000	250	504
	3955C	1000 x 700	90g	1040 x 720	1	8 000	250	504
	3956C	1000 x 700	100g	1040 x 720	1	7 500	250	525
	3957C	1000 x 700	120g	1040 x 720	1	6 500	250	546
	3958C	1000 x 700	160g	1040 x 720	1	5 000	125	560
	3959C	1000 x 700	200g	1040 x 720	1	3 750	125	525
	3960C	1000 x 700	240g	1040 x 720	1	3 250	125	546
	3893C	1000 x 700	240g	1040 x 720	1	3 250	125	546

	Ref.	Sizes (mm)	Gsm	Pallet Sizes (mm)	Stacks	Sheets / Pallet	Tabbed by	Pallet Net Weight (kg)
	2852C	1000 x 700	300g	1040 x 720	1	2 600	100	546
	3894C	1000 x 700	300g	1040 x 720	1	2 600	100	546
	2854C	1000 x 700	400g	1040 x 720	1	2 000	50	560
	3895C	1000 x 700	400g	1040 x 720	1	2 000	50	560