

Touch Extra White

Rebecca Touch

Description

Touch Extra White is a truly unique paper that is ideal for high-end illustrations or brochures. This paper has been specially formulated to combine a superior whiteness of 150 CIE, an ideal bulk of 1.5, and a special coating for an unrivalled print result. Versatile, this paper can be printed on a wide range of printing technologies. Available from 80 to 300g/m².

Technical specifications

Substance	gsm	80	90	100	120	150	240	300	NF EN ISO 536
Thickness	µm	120	135	150	180	225	350	450	NF EN ISO 534
Bulk	cm ³ /g	1.5	1.5	1.5	1.5	1.5	1.5	1.5	NF EN ISO 534
Whiteness	CIE	150	150	150	150	150	150	150	NF ISO 11475
Bendtsen roughness	ml/min	650	650	650	650	650	650	650	ISO 8791-2
Absolute humidity	%H ₂ O	5.5	5.5	5.5	5.5	5.5	5.5	5.5	NF EN ISO 20287
Relative humidity	% in the air	44	44	44	44	44	44	44	Sword measurement
Opacity	%	94	96	97	98	>99	>99	>99	NF ISO 2471

These values are not contractual.

Revision date: 07/02/2024

Certifications





Clairefontaine

Change
Picture
to your
Cert.

PRODUCT CLAIREFONTAINE Papers

COMPANY PAPETERIES DE CLAIREFONTAINE

MILL ETIVAL-CLAIREFONTAINE - FRANCE

Information gathered from 01/01/2022 to 31/12/2022 Date of issue 28/09/2023

PRODUCT ENVIRONMENTAL DATASHEET FOR PAPER

ENVIRONMENTAL MANAGEMENT

Certified environmental management system at ISO 14001 - ISO 50001

Company systems ensure traceability of the origin of wood: YES NO 100% RECOVERED PAPER NO

FSC Certificate number: BV-COC-050902

PEFC Certificate number: BV/CdC/070504

Some ranges are European Ecolabel and/or Blue Angel certified.

ENVIRONMENTAL PARAMETERS

The figures are based on methods and procedures of measurement approved by the local (or national) environmental regulators at the production site. The figures include pulp and paper production.

Water	Parameter	Value	Unit
	COD	7.96	kg/tonne
	AOX	0.07	kg/tonne
	NTot	0.07	kg/tonne
	PTot	0.02	kg/tonne

Air	Parameter	Value	Unit
	SO ₂	0.09	kg/tonne
	NO _x	1.29	kg/tonne
	CO ₂ (fossil)	487	kg/tonne

Solid waste landfilled 0* BDkg/tonne

Purchased electricity consumption
/tonne of final product 1131 kWh


MORE INFORMATION

Contact Raphaël MINODIER

Address 19 Rue de l'Abbaye

88480 ETIVAL-CLAIREFONTAINE

PRODUCT COMPOSITION



This product contains biomass carbon, equivalent to 1423 kg of CO₂ per tonne of product.

Phone +33 3 29 42 42 42

e-mail raphael.minodier@clairefontaine.eu

* For paper production