

# TOUCH NATURAL WHITE

## FICHE TECHNIQUE / code 816/566 TECHNICAL DATA SHEET

	80	90	100	1,5	120	150	240
Thickness (µm)	120	135	150		180	225	350
Bendsten Roughness (ml/min)	550	550	550		550	550	550
Absolute Humidity (%H <sub>2</sub> O)	5.5	5.5	5.5		5.5	5.5	5.5
Relative Humidity (% in the air)	44	44	44		44	44	44
Opacity (%)	94	96	97		98	>99	>99



## GAMME RANGE

	80	90	100	120	150	240
720 x 1020 mm	4620C	4621C	4622C	4623C	4624C	4625C
1020 x 720 mm	4626C	4627C	4628C	4629C	4630C	4631C



120 CIE

# TOUCH NATURAL WHITE













REBECCA Touch

Jouez la carte de la différence avec Touch Natural White, dont la blancheur de 120 CIE est parfaite pour promouvoir vos créations et véhiculer une image chaleureuse. Ce papier, non couché, au toucher authentique et au bouffant de 1.5, saura transmettre les valeurs de simplicité et de sobriété, recherchées actuellement. De plus, Touch Natural White dispose, en surface, d'une enduction qui améliore considérablement le rendu d'impression et lui permet d'être imprimé aussi bien en inkjet, laser et offset.

Set yourself apart with Touch Natural White, whose 120 CIE whiteness is perfect for promoting your creations and giving a warm image. This uncoated paper, with an authentic feel and a bulk of 1.5, will convey the values of simplicity and sobriety currently favoured. In addition, Touch Natural White has a surface coating which considerably improves the print result and allows it to be used for both inkjet, laser, and offset production.



## TOUCH NATURAL WHITE

	Ref.	Bulk	Sizes (mm)	Gsm	Pallet Sizes (mm)	Stacks	Sheets / Pallet	Tabbed by	Pallet Net Weight (kg)
	<b>4620C</b>	1,5	720 x 1020	80g	1050 x 750	1	9 000	250	529
	<b>4621C</b>	1,5	720 x 1020	90g	1050 x 750	1	8 000	250	529
	<b>4622C</b>	1,5	720 x 1020	100g	1050 x 750	1	7 000	250	514
	<b>4623C</b>	1,5	720 x 1020	120g	1050 x 750	1	6 000	250	529
	<b>4624C</b>	1,5	720 x 1020	150g	1050 x 750	1	5 000	125	551
	<b>4625C</b>	1,5	720 x 1020	240g	1050 x 750	1	3 000	125	529
	<b>4626C</b>	1,5	1020 x 720	80g	1050 x 750	1	9 000	250	529
	<b>4627C</b>	1,5	1020 x 720	90g	1050 x 750	1	8 000	250	529
	<b>4628C</b>	1,5	1020 x 720	100g	1050 x 750	1	7 000	250	514
	<b>4629C</b>	1,5	1020 x 720	120g	1050 x 750	1	6 000	250	529
	<b>4630C</b>	1,5	1020 x 720	150g	1050 x 750	1	5 000	125	551
	<b>4631C</b>	1,5	1020 x 720	240g	1050 x 750	1	3 000	125	529