

# DCP Green

Impression Couleur Laser

## Description

DCP quality in 100% recycled fibres.

Its high whiteness and perfectly smooth surface of DCP Green promote a high quality reproduction. Its high opacity guarantees double-sided printing.

Recommended for copiers, laser printers and inkjet systems.

Plain paper setting for inkjet printing.

## Applications

External communication. All documents containing text and colors. Reproduction of images.

## Technical specifications

Substance	gsm	90	100	120	160	200	250	NF EN ISO 536
Thickness	µm	91	101	121	163	198	248	NF EN ISO 534
Bulk	cm³/g	1.01	1.01	1.01	1.02	0.99	0.99	NF EN ISO 534
Whiteness	CIE	135	135	135	135	135	135	NF ISO 11475
	ISO	97	97	97	97	97	97	ISO 2470-2
Bekk smoothness	s	220	220	220	220	220	220	NF ISO 5627
Opacity	%	96	96	98	>99	>99	>99	NF ISO 2471
Permanence					DIN 6738 CL 24-85			

These values are not contractual.

Revision date: 27/01/2025

## Certifications



[www.blauer-engel.de/uz14a](http://www.blauer-engel.de/uz14a)



EU Ecolabel  
www.ecolabel.eu  
EU Ecolabel - FR/01/006  
Please collect used paper for recycling



FSC  
www.fsc.org  
FSC C002321  
The mark of responsible forestry



ISO 9001 ✓

ISO 14001 ✓

ISO 50001 ✓