

1

PaperPack

Clairefontaine




Dream, Breathe and Touch
our Paper Packaging Solutions and Uses



PaperPack

Clairefontaine



Dream, Breathe and Touch
our Paper Packaging Solutions and Uses



.....

.....

The Clairefontaine Spirit

The Paper Legacy
Always Greener Papers
Final PaperPack
Unashamedly Real





The Paper Legacy

It was in the Vosges region, amidst its towering blue pines, that the legacy took hold. With **Les Papeteries de Clairefontaine**. With **Papeterie de Mandeure**. And with **Schut Papier**. The story of the Papeterie de Mandeure paper mills in the Doubs region of France started way back in 1871. The **Schut Papier** mill in the Netherlands brings with it four centuries of expertise in speciality and fine art papers. **Everbal en Champagne** has embarked on an ambitious project to build a biomass energy plant. And Clairefontaine is now going one step further with the construction of a biomass heating plant at its historic site in the Vosges, which will reduce the plant's annual gas consumption by 45 percent. An investment of 37 million euros as we continue to tackle the environmental challenges of tomorrow's world.

Always Greener Papers

.....

Our reputation has been built on papers with perfect **form** and **regularity**, a **whiteness** that is easy on the eyes, and irreproachable **sizing** that ensures the ink doesn't bleed. After the *Spirit of Paper* adventure, and building on the success of *L'Art de l'étiquette*, Clairefontaine is using its knowledge and expertise to offer you a wide range of solutions to manufacture your packaging without compromising your environmental ambitions.

The production of papers made from recycled fibres is the fruit of our determination and ambition, begun 20 years ago, to forge ahead with our investments and lay the foundation for our commitment to future generations.





the 1990s, the number of people with a mental health problem has increased by 50% (Mental Health Foundation, 2000). The prevalence of mental health problems has increased in all age groups, but the increase has been most marked in the young (Mental Health Foundation, 2000).

There is a growing recognition that mental health problems are a significant public health problem. The World Health Organization (WHO) has estimated that mental health problems account for 10% of the total burden of disease and disability worldwide (WHO, 1999). The WHO has also estimated that mental health problems account for 10% of the total burden of disease and disability in the United Kingdom (WHO, 1999).

The WHO has also estimated that mental health problems account for 10% of the total burden of disease and disability in the United Kingdom (WHO, 1999). The WHO has also estimated that mental health problems account for 10% of the total burden of disease and disability in the United Kingdom (WHO, 1999). The WHO has also estimated that mental health problems account for 10% of the total burden of disease and disability in the United Kingdom (WHO, 1999).

The WHO has also estimated that mental health problems account for 10% of the total burden of disease and disability in the United Kingdom (WHO, 1999). The WHO has also estimated that mental health problems account for 10% of the total burden of disease and disability in the United Kingdom (WHO, 1999). The WHO has also estimated that mental health problems account for 10% of the total burden of disease and disability in the United Kingdom (WHO, 1999).

The WHO has also estimated that mental health problems account for 10% of the total burden of disease and disability in the United Kingdom (WHO, 1999). The WHO has also estimated that mental health problems account for 10% of the total burden of disease and disability in the United Kingdom (WHO, 1999). The WHO has also estimated that mental health problems account for 10% of the total burden of disease and disability in the United Kingdom (WHO, 1999).

The WHO has also estimated that mental health problems account for 10% of the total burden of disease and disability in the United Kingdom (WHO, 1999). The WHO has also estimated that mental health problems account for 10% of the total burden of disease and disability in the United Kingdom (WHO, 1999). The WHO has also estimated that mental health problems account for 10% of the total burden of disease and disability in the United Kingdom (WHO, 1999).

The WHO has also estimated that mental health problems account for 10% of the total burden of disease and disability in the United Kingdom (WHO, 1999). The WHO has also estimated that mental health problems account for 10% of the total burden of disease and disability in the United Kingdom (WHO, 1999). The WHO has also estimated that mental health problems account for 10% of the total burden of disease and disability in the United Kingdom (WHO, 1999).


The WHO has also estimated that mental health problems account for 10% of the total burden of disease and disability in the United Kingdom (WHO, 1999). The WHO has also estimated that mental health problems account for 10% of the total burden of disease and disability in the United Kingdom (WHO, 1999). The WHO has also estimated that mental health problems account for 10% of the total burden of disease and disability in the United Kingdom (WHO, 1999).

Final PaperPack

.....

What does it mean to **pack**? To bundle? To wrap? Wrapping something means the **thrill** of giving, the thrill and excitement of hurriedly **unpacking** to discover what's hidden inside a bag, a box, behind the cover of a book. Wrapping is an indescribable act of thoughtfulness, of attention, and a promise to fulfil someone's **desires**.

All the technical **mastery** of Clairefontaine papers goes into keeping this promise. With **premium** substrates and FSC® and PEFC certified papers, Clairefontaine offers you the refined workmanship of an industrial and technical heritage dating back 150 years, so that neither depth nor colour, grain nor opacity are sacrificed in any way for your creations, whether it be for communications or packaging.





Unashamedly Real

.....

It would have been easy to find a few nice illustrations, add some eye-catching photographs or attach all sorts of images to make a chic and elegant communication tool that, in the end, would have been flat and lifeless.

That's not the way Clairefontaine goes about its business. That's not what Clairefontaine intends to share with its customers. Our stationers take a different approach in this catalogue, and all for our customers. It's about reflecting on future generations, and about our precious asset, the forest.

We've asked **Didier Goupy**, a renowned photographer, to expand on these thoughts through his eyes.


A former member of the famous Sygma agency, and featured at the last Paris Photo 2024 exhibition at the Grand Palais, Paris. Didier Goupy's craft has long been synonymous with the art of portraiture and the mastery of colour. The global pandemic and confinement of 2020 forced him to adopt a different angle. From constraint came creation, with two series, *Fondation* – a transposition of his childhood on the edge of the forest of Évreux – and *Odyssées* – a pictorial adventure in Iceland.



Library of Papers – Part 1

Recycled

Life
Terra



Life

The recycled graphic paper “par excellence”, Everprint is designed for offset and preprint applications. Made from 100 percent recovered fibres, it never compromises on quality (with a limited environmental impact thanks to the absence of chlorine bleaching and very limited waste).

Paper or paperboard, from 70 g to 400 g/m².

2 colours in Everprint Premium White and Everprint White.

LIFE • EVERPRINT PREMIUM WHITE



Bulk-Packed
 Ream-Wrapped

TECHNICAL DATA SHEET

Gsm (g/m ²)	70	80	90	100	120	140	160	200	250	300	350	400
Thickness (µm)	89	102	114	126	150	171	195	244	305	357	417	476
Bulk (cm ³ /g)	1.27	1.27	1.27	1.26	1.22	1.22	1.22	1.22	1.22	1.19	1.19	1.19
Bendtsen Roughness (ml/min)	250	250	250	250	250	250	250	250	250	250	250	250
Absolute Humidity (%H ₂ O)	5.0	5.0	5.0	5.0	5.5	5.5	6.0	6.5	6.5	6.5	6.5	6.5
Relative Humidity (% in the air)	38	38	38	38	44	44	48	48	48	50	50	50
Opacity (%)	93	94	95	96	98	>99	>99	>99	>99	>99	>99	>99

RANGE

Sheet Sizes	70 g	80 g	90 g	100 g	120 g	140 g	
700 x 1000 mm	1554C	1557C	1569C	1570C	1566C	ZUT0237SC	
700 x 1000 mm		ZUT0298SC	ZUT0299SC	ZUT0300SC	ZUT0301SC	ZUT0302SC	
1000 x 700 mm		1560C	1572C	1573C	1565C	ZUT0240SC	
1000 x 700 mm		ZUT0307SC	ZUT0308SC	ZUT0309SC	ZUT0310SC	ZUT0311SC	

Sheet Sizes	160 g	200 g	250 g	300 g	350 g	400 g	
700 x 1000 mm	1558C	1626C	1559C	ZUT0640SC	ZUT0321SC		
700 x 1000 mm	ZUT0303SC	ZUT0304SC	ZUT0305SC	ZUT0306SC	ZUT0319SC		
1000 x 700 mm	1561C	1627C	1562C	ZUT0241SC	ZUT0320SC		
1000 x 700 mm	ZUT0312SC	ZUT0313SC	ZUT0314SC	ZUT0315SC	ZUT0318SC		
720 x 1020 mm				1564C		1590C	
1020 x 720 mm				1563C		1591C	


PALLETISATION

Sheet Sizes	Gsm	Stacks	Sheets	Tabbed by	Pallet Sizes	Pallet Weight	Ref.	
700 x 1000 mm	70 g	1	12 000	250	1040 x 700 mm	588	1554C	
700 x 1000 mm	80 g	1	9 000	250	1040 x 720 mm	504	1557C	
700 x 1000 mm	80 g	1	9 000	250	1040 x 720 mm	504	ZUT0298SC	
700 x 1000 mm	90 g	1	8 000	250	1040 x 720 mm	504	1569C	



Sheet Sizes	Gsm	Stacks	Sheets	Tabbed by	Pallet Sizes	Pallet Weight	Ref.	
700 x 1000 mm	90 g	1	8 000	250	1040 x 720 mm	504 kg	ZUT0299SC	
700 x 1000 mm	100 g	1	7 500	250	1040 x 720 mm	525 kg	1570C	
700 x 1000 mm	100 g	1	7 500	250	1040 x 720 mm	525 kg	ZUT0300SC	
700 x 1000 mm	120 g	1	5 500	125	1040 x 720 mm	462 kg	1566C	
700 x 1000 mm	120 g	1	5 500	125	1040 x 720 mm	462 kg	ZUT0301SC	
700 x 1000 mm	140 g	1	5 500	125	1040 x 720 mm	539 kg	ZUT0237SC	
700 x 1000 mm	140 g	1	5 500	125	1040 x 720 mm	539 kg	ZUT0302SC	
700 x 1000 mm	160 g	1	5 000	125	1040 x 720 mm	560 kg	1558C	
700 x 1000 mm	160 g	1	5 000	125	1040 x 720 mm	560 kg	ZUT0303SC	
700 x 1000 mm	200 g	1	4 500	125	1040 x 720 mm	630 kg	1626C	
700 x 1000 mm	200 g	1	4 500	125	1040 x 720 mm	630 kg	ZUT0304SC	
700 x 1000 mm	250 g	1	3 250	125	1040 x 720 mm	569 kg	1559C	
700 x 1000 mm	250 g	1	3 250	125	1040 x 720 mm	569 kg	ZUT0305SC	
700 x 1000 mm	300 g	1	2 500	100	1040 x 720 mm	525 kg	ZUT0306SC	
700 x 1000 mm	300 g	1	2 500	100	1040 x 720 mm	525 kg	ZUT0640SC	
700 x 1000 mm	350 g	1	2 250	75	1040 x 720 mm	551 kg	ZUT0319SC	
700 x 1000 mm	350 g	1	2 250	75	1040 x 720 mm	551 kg	ZUT0321SC	
1000 x 700 mm	80 g	1	9 000	250	1040 x 720 mm	504 kg	1560C	
1000 x 700 mm	80 g	1	9 000	250	1040 x 720 mm	504 kg	ZUT0307SC	
1000 x 700 mm	90 g	1	8 000	250	1040 x 720 mm	504 kg	1572C	
1000 x 700 mm	90 g	1	8 000	250	1040 x 720 mm	504 kg	ZUT0308SC	
1000 x 700 mm	100 g	1	7 500	250	1040 x 720 mm	525 kg	1573C	
1000 x 700 mm	100 g	1	7 500	250	1040 x 720 mm	525 kg	ZUT0309SC	
1000 x 700 mm	120 g	1	5 500	125	1040 x 720 mm	462 kg	1565C	
1000 x 700 mm	120 g	1	5 500	125	1040 x 720 mm	462 kg	ZUT0310SC	
1000 x 700 mm	140 g	1	5 500	125	1040 x 720 mm	539 kg	ZUT0240SC	
1000 x 700 mm	140 g	1	5 500	125	1040 x 720 mm	539 kg	ZUT0311SC	
1000 x 700 mm	160 g	1	5 000	125	1040 x 720 mm	560 kg	1561C	
1000 x 700 mm	160 g	1	5 000	125	1040 x 720 mm	560 kg	ZUT0312SC	
1000 x 700 mm	200 g	1	4 500	125	1040 x 720 mm	630 kg	1627C	
1000 x 700 mm	200 g	1	4 500	125	1040 x 720 mm	630 kg	ZUT0313SC	
1000 x 700 mm	250 g	1	3 250	125	1040 x 720 mm	569 kg	1562C	
1000 x 700 mm	250 g	1	3 250	125	1040 x 720 mm	569 kg	ZUT0314SC	
1000 x 700 mm	300 g	1	2 500	100	1040 x 720 mm	525 kg	ZUT0315SC	
1000 x 700 mm	300 g	1	2 500	100	1040 x 720 mm	525 kg	ZUT0241SC	
1000 x 700 mm	350 g	1	2 250	75	1040 x 720 mm	551 kg	ZUT0318SC	
1000 x 700 mm	350 g	1	2 250	75	1040 x 720 mm	551 kg	ZUT0320SC	
720 x 1020 mm	300 g	1	2 500	100	1050 x 750 mm	551 kg	1564C	
720 x 1020 mm	400 g	1	2 000	50	1050 x 750 mm	588 kg	1590C	
1020 x 720 mm	300 g	1	2 500	100	1050 x 750 mm	551 kg	1563C	
1020 x 720 mm	400 g	1	2 000	50	1050 x 750 mm	588 kg	1591C	





TECHNICAL DATA SHEET

Gsm (g/m ²)	70	80	90	100	110	135	150	170	250	300	350
Thickness (µm)	90	102	113	125	137	166	184	209	307	345	440
Bulk (cm ³ /g)	1.28	1.28	1.25	1.25	1.25	1.23	1.23	1.23	1.23	1.15	1.26
Bendtsen Roughness (ml/min)	250	250	250	250	250	250	250	250	250	250	250
Absolute Humidity (%H ₂ O)	5.0	5.0	5.0	5.0	5.0	5.5	6.0	6.0	6.5	6.5	6.5
Relative Humidity (% in the air)	38	38	38	38	38	44	44	45	48	50	50
Opacity (%)	94	96	97	97	98	>99	>99	>99	>99	>99	>99

RANGE

Sheet Sizes	70 g	80 g	90 g	100 g	110 g	135 g	
700 x 1000 mm	ZUT0206SC	ZUT0207SC	ZUT0208SC	ZUT0209SC	ZUT0210SC	LEC0041SC	
700 x 1000 mm	ZUT0263SC	ZUT0264SC	ZUT0265SC	ZUT0266SC	ZUT0267SC		
1000 x 700 mm	ZUT0214SC	ZUT0215SC		ZUT0216SC	ZUT0217SC		
1000 x 700 mm	ZUT0271SC	ZUT0272SC	ZUT0317SC	ZUT0273SC	ZUT0274SC		

Sheet Sizes	150 g	170 g	250 g	300 g	350 g	
700 x 1000 mm	ZUT0211SC	ZUT0212SC	ZUT0213SC			
700 x 1000 mm	ZUT0268SC	ZUT0269SC	ZUT0270SC			
1000 x 700 mm	ZUT0218SC	ZUT0219SC	ZUT0220SC			
1000 x 700 mm	ZUT0275SC	ZUT0276SC	ZUT0277SC			
720 x 1020 mm			LEC0054SC	ZUT0221SC	LEC0060SC	
720 x 1020 mm				ZUT0278SC		
1020 x 720 mm				ZUT0222SC		
1020 x 720 mm				ZUT0279SC		


In order to guarantee the thickness and the roughness of this paper, the grammage may be adjusted accordingly. This latter value should thus be considered as indicative.



PALLETISATION

Sheet Sizes	Gsm	Stacks	Sheets	Tabbed by	Pallet Sizes	Pallet Weight	Ref.	
700 x 1000 mm	70 g	1	12 000	250	720 x 1040 mm	588 kg	ZUT0206SC	
700 x 1000 mm	70 g	1	12 000	250	720 x 1040 mm	588 kg	ZUT0263SC	
700 x 1000 mm	80 g	1	9 000	250	720 x 1040 mm	504 kg	ZUT0207SC	
700 x 1000 mm	80 g	1	9 000	250	720 x 1040 mm	504 kg	ZUT0264SC	
700 x 1000 mm	90 g	1	8 000	250	720 x 1040 mm	504 kg	ZUT0208SC	
700 x 1000 mm	90 g	1	8 000	250	720 x 1040 mm	504 kg	ZUT0265SC	
700 x 1000 mm	100 g	1	7 500	250	720 x 1040 mm	525 kg	ZUT0209SC	
700 x 1000 mm	100 g	1	7 500	250	720 x 1040 mm	525 kg	ZUT0266SC	
700 x 1000 mm	110 g	1	8 000	250	720 x 1040 mm	616 kg	ZUT0210SC	
700 x 1000 mm	110 g	1	8 000	250	720 x 1040 mm	616 kg	ZUT0267SC	
700 x 1000 mm	135 g	1	5 500	125	720 x 1040 mm	520 kg	LEC0041SC	
700 x 1000 mm	150 g	1	5 500	125	720 x 1040 mm	578 kg	ZUT0211SC	
700 x 1000 mm	150 g	1	5 500	125	720 x 1040 mm	578 kg	ZUT0268SC	
700 x 1000 mm	170 g	1	5 500	125	720 x 1040 mm	655 kg	ZUT0212SC	
700 x 1000 mm	170 g	1	5 500	125	720 x 1040 mm	655 kg	ZUT0269SC	
700 x 1000 mm	250 g	1	3 250	125	720 x 1040 mm	569 kg	ZUT0213SC	
700 x 1000 mm	250 g	1	3 250	125	720 x 1040 mm	569 kg	ZUT0270SC	
1000 x 700 mm	70 g	1	12 000	250	720 x 1040 mm	588 kg	ZUT0214SC	
1000 x 700 mm	70 g	1	12 000	250	720 x 1040 mm	588 kg	ZUT0271SC	
1000 x 700 mm	80 g	1	9 000	250	720 x 1040 mm	504 kg	ZUT0215SC	
1000 x 700 mm	80 g	1	9 000	250	720 x 1040 mm	504 kg	ZUT0272SC	
1000 x 700 mm	90 g	1	8 000	250	720 x 1040 mm	504 kg	ZUT0317SC	
1000 x 700 mm	100 g	1	7 500	250	720 x 1040 mm	525 kg	ZUT0216SC	
1000 x 700 mm	100 g	1	7 500	250	720 x 1040 mm	525 kg	ZUT0273SC	
1000 x 700 mm	110 g	1	8 000	250	720 x 1040 mm	616 kg	ZUT0217SC	
1000 x 700 mm	110 g	1	8 000	250	720 x 1040 mm	616 kg	ZUT0274SC	
1000 x 700 mm	150 g	1	5 500	125	720 x 1040 mm	578 kg	ZUT0218SC	
1000 x 700 mm	150 g	1	5 500	125	720 x 1040 mm	578 kg	ZUT0275SC	
1000 x 700 mm	170 g	1	5 500	125	720 x 1040 mm	655 kg	ZUT0219SC	
1000 x 700 mm	170 g	1	5 500	125	720 x 1040 mm	655 kg	ZUT0276SC	
1000 x 700 mm	250 g	1	3 250	125	720 x 1040 mm	569 kg	ZUT0220SC	
1000 x 700 mm	250 g	1	3 250	125	720 x 1040 mm	569 kg	ZUT0277SC	
720 x 1020 mm	250 g	1	3 250	125	750 x 1050 mm	597 kg	LEC0054SC	
720 x 1020 mm	300 g	1	2 500	100	750 x 1050 mm	551 kg	ZUT0221SC	
720 x 1020 mm	300 g	1	2 500	100	750 x 1050 mm	551 kg	ZUT0278SC	
720 x 1020 mm	350 g	1	2 250	75	750 x 1050 mm	578 kg	LEC0060SC	
1020 x 720 mm	300 g	1	2 500	100	750 x 1050 mm	551 kg	ZUT0222SC	
1020 x 720 mm	300 g	1	2 500	100	750 x 1050 mm	551 kg	ZUT0279SC	





Terra

Terra, a Blauer Angel paper in our product lines, unfurls its magnificent array of colours with 100% recycled fibres. In an ultra-contemporary approach, this paper stubbornly resists UV exposure and lends itself to any customised creation that suits your fancy.

Paperboard from 120 g to 400 g/m².

21 colours in Prime White, Premium White, Ivory, Yellow, Banana, Orange, Red, Fuchsia, Purple, Deep Red, Sap Green, Green, Moss Green, Azur Blue, Royal Blue, Midnight Blue, Chocolate, Camel, Slate Gray, Black and Dark Black.



Every colours
are Blauer Engel
except Prime White.



Bulk-Packed
 Ream-Wrapped

TECHNICAL DATA SHEET

Gsm (g/m ²)	120	270	400
Thickness (µm)	192	378	560
Bulk (cm ³ /g)	1.6	1.4	1.4
Bendtsen Roughness (ml/min)	>750	>750	>750
Absolute Humidity (%H ₂ O)	7.0	7.5	7.5
Relative Humidity (% in the air)	58	65	65
Opacity (%)	98	>99	>99

RANGE

Tints	Sheet Sizes	120 g	270 g	400 g	
Prime White BLA02	1000 x 700 mm	50471RC	50473RC	50477RC	
Premium White BLA07	1000 x 700 mm	50467RC	50257RC	50478RC	
Ivory JAU05	1000 x 700 mm	50064RC	50259RC	50479RC	
Yellow JAU01	1000 x 700 mm	50062RC	50105RC	50480RC	
Banana JAU12	1000 x 700 mm	50056RC	50359RC	50481RC	
Orange ORA16	1000 x 700 mm	50067RC	50391RC	50482RC	
Red ROU01	1000 x 700 mm	50070RC	50313RC	50483RC	
Fuchsia ROU02	1000 x 700 mm	50063RC	50106RC	50484RC	
Purple VIO02	1000 x 700 mm	50068RC	50111RC	50485RC	
Deep Red ROU11	1000 x 700 mm	50060RC	50103RC	50486RC	
Sap Green VER07	1000 x 700 mm	50065RC	50108RC	50487RC	
Green VER06	1000 x 700 mm	50199RC	50262RC	50488RC	
Moss Green VER19	1000 x 700 mm	50434RC	50436RC	50489RC	
Azur Blue BLE02	1000 x 700 mm	50072RC	50400RC	50490RC	
Royal Blue BLE03	1000 x 700 mm	50058RC	50360RC	50491RC	
Midnight Blue BLE60	1000 x 700 mm	50474RC	50476RC	50492RC	
Chocolate BRU01	1000 x 700 mm	50061RC	50309RC	50493RC	
Camel BRU05	1000 x 700 mm	50198RC	50423RC	50494RC	
Slate Grey GRI02	1000 x 700 mm	50055RC	50098RC	50495RC	
Black NOI31	1000 x 700 mm	50066RC	50311RC	50496RC	
Dark Black NOI39	1000 x 700 mm	50468RC	50470RC	50497RC	

PALLETISATION

Sheet Sizes	Gsm	Stack	Sheets	Tabbed by	Pallet Sizes	Pallet Weight	
1000 x 700 mm	120 g	1	5 000	100	1040 x 720 mm	420 kg	
1000 x 700 mm	270 g	1	2 500	100	1040 x 720 mm	473 kg	
1000 x 700 mm	400 g	1	1 700	100	1040 x 720 mm	476 kg	



Library of Papers – Part 2

Virgin

Black

Kholos

Rock

Touch

Studio

Sauvage

Kraft





Virgin

Black

Dyed in the mass to obtain a deep and uniform black – resistant to light – resistant to whitening – no migration – carbon pigment free.

Premium Black is made from 100 percent cellulose fibres and PEFC or FSC® certified upon request.

Paper or paperboard, from 100 g to 590 g/m².

1 colour and many more to come...

BLACK • PREMIUM BLACK 8995



PEFC (PEFC/10-31-714)
or FSC® (FSC®-C002321)
certified upon request



Bulk-Packed



Ream-Wrapped

TECHNICAL DATA SHEET

Gsm (g/m ²)	100	120	185	240	270	300	350	400	450	500	590
Thickness (µm)	130	156	240	325	365	405	470	540	605	675	760
Bulk (cm ³ /g)	1.30	1.30	1.30	1.35	1.35	1.35	1.35	1.35	1.35	1.35	1.30
Bendtsen Roughness (ml/min)	160	200	250	300	350	350	350	400	450	500	600
Absolute Humidity (%H ₂ O)	6.7	6.7	6.8	6.8	6.8	6.8	6.8	6.8	6.8	6.8	6.8
Relative Humidity (% in the air)	51.3	51.3	51.5	51.5	51.5	51.5	51.5	51.5	51.5	51.5	51.5
Opacity (%)	>97	>98	>99	>99	>99	>99	>99	>99	>99	>99	>99

RANGE • FSC

Sheet Sizes	100 g	120 g	185 g	240 g	
700 x 1000 mm	7100100C0088G	5100120C0030G	5100185C0238G	2500240C0028G	
Sheet Sizes	270 g	300 g	350 g	400 g	
700 x 1000 mm	2500270C0216G	2500300C0003G	2500350C0002G	2510400C0003G	
Sheet Sizes	450 g	500 g	590 g		
700 x 1000 mm	2510450C0003G	2510500C0003G	2510590C0002G		

PALLETISATION • FSC

Sheet Sizes	Gsm	Stacks	Sheets	Tabbed by	Pallet Sizes	Pallet Weight	Ref.	
700 x 1000 mm	100	1	8 000	250	720 x 1040 mm	560 kg	7100100C0088G	
700 x 1000 mm	120	1	7 000	250	720 x 1040 mm	588 kg	5100120C0030G	
700 x 1000 mm	185	1	4 000	250	720 x 1040 mm	518 kg	5100185C0238G	
700 x 1000 mm	240	1	4 000	100	720 x 1040 mm	672 kg	2500240C0028G	
700 x 1000 mm	270	1	3 500	100	720 x 1040 mm	662 kg	2500270C0216G	
700 x 1000 mm	300	1	3 000	100	720 x 1040 mm	630 kg	2500300C0003G	
700 x 1000 mm	350	1	2 500	100	720 x 1040 mm	613 kg	2500350C0002G	
700 x 1000 mm	400	1	2 200	100	720 x 1040 mm	616 kg	2510400C0003G	
700 x 1000 mm	450	1	2 000	50	720 x 1040 mm	630 kg	2510450C0003G	
700 x 1000 mm	500	1	1 800	50	720 x 1040 mm	630 kg	2510500C0003G	
700 x 1000 mm	590	1	1 500	50	720 x 1040 mm	620 kg	2510590C0002G	



RANGE · PEFC

Sheet Sizes	100 g	120 g	185 g	240 g	
700 x 1000 mm	7100100C0087G	5100120C0057G	5100185C0003G	2500240C0026G	
Sheet Sizes	270 g	300 g	350 g	400 g	
700 x 1000 mm	2500270C0155G	2500300C0004G	2500350C0003G	2510400C0002G	
Sheet Sizes	450 g	500 g	590 g		
700 x 1000 mm	2510450C0004G	2510500C0004G	2510590C0003G		

PALLETISATION · PEFC

Sheet Sizes	Gsm	Stacks	Sheets	Tabbed by	Pallet Sizes	Pallet Weight	Ref.	
700 x 1000 mm	100	1	8 000	250	720 x 1040 mm	560 kg	7100100C0087G	
700 x 1000 mm	120	1	7 000	250	720 x 1040 mm	588 kg	5100120C0057G	
700 x 1000 mm	185	1	4 000	250	720 x 1040 mm	518 kg	5100185C0003G	
700 x 1000 mm	240	1	4 000	100	720 x 1040 mm	672 kg	2500240C0026G	
700 x 1000 mm	270	1	3 500	100	720 x 1040 mm	662 kg	2500270C0155G	
700 x 1000 mm	300	1	3 000	100	720 x 1040 mm	630 kg	2500300C0004G	
700 x 1000 mm	350	1	2 500	100	720 x 1040 mm	613 kg	2500350C0003G	
700 x 1000 mm	400	1	2 200	100	720 x 1040 mm	616 kg	2510400C0002G	
700 x 1000 mm	450	1	2 000	50	720 x 1040 mm	630 kg	2510450C0004G	
700 x 1000 mm	500	1	1 800	50	720 x 1040 mm	630 kg	2510500C0004G	
700 x 1000 mm	590	1	1 500	50	720 x 1040 mm	620 kg	2510590C0003G	







Virgin

Kholos

This bulk paper just loves to be crumpled, tortured and transformed. From sustainably managed forests, it's perfect for paperboard and premium packaging (folded boxes, rigid boxes, displays). PEFC or FSC® certified upon request.

Paperboard from 270 g to 400 g/m².

2 colours in Natural White and White.

KHOLOS • NATURAL WHITE 9003



PEFC (PEFC/10-31-714)
or FSC® (FSC®-C002321)
certified upon request



Bulk-Packed



Ream-Wrapped

TECHNICAL DATA SHEET

Gsm (g/m ²)	270	320	400
Thickness (µm)	405	480	600
Bulk (cm ³ /g)	1.5	1.5	1.5
Bendtsen Roughness (ml/min)	500	500	500
Absolute Humidity (%H ₂ O)	6.8	6.8	6.8
Relative Humidity (% in the air)	51.5	51.5	51.5
Opacity (%)	>99	>99	>99

RANGE • FSC

Sheet Sizes	270 g	320 g	400 g	
1020 x 720 mm	7510270C0004G	7510320C0004G	7510400C0004G	

PALLETISATION • FSC

Sheet Sizes	Gsm	Stacks	Sheets	Tabbed by	Pallet Sizes	Pallet Weight	Ref.	
1020 x 720 mm	270 g	1	3 000	100	760 x 1080 mm	595 kg	7510270C0004G	
1020 x 720 mm	320 g	1	2 700	100	760 x 1080 mm	635 kg	7510320C0004G	
1020 x 720 mm	400 g	1	2 000	100	760 x 1080 mm	588 kg	7510400C0004G	

RANGE • PEFC

Sheet Sizes	270 g	320 g	400 g	
1020 x 720 mm	7510270C0003G	7510320C0003G	7510400C0003G	

PALLETISATION • PEFC

Sheet Sizes	Gsm	Stacks	Sheets	Tabbed by	Pallet Sizes	Pallet Weight	Ref.	
1020 x 720 mm	270 g	1	3 000	100	760 x 1080 mm	595 kg	7510270C0003G	
1020 x 720 mm	320 g	1	2 700	100	760 x 1080 mm	635 kg	7510320C0003G	
1020 x 720 mm	400 g	1	2 000	100	760 x 1080 mm	588 kg	7510400C0003G	



KHOLOS • WHITE 9080



PEFC (PEFC/10-31-714)
or FSC® (FSC®-C002321)
certified upon request



Bulk-Packed



Ream-Wrapped

TECHNICAL DATA SHEET

Gsm (g/m ²)	270	320	400
Thickness (µm)	405	480	600
Bulk (cm ³ /g)	1.5	1.5	1.5
Bendtsen Roughness (ml/min)	500	500	500
Absolute Humidity (%H ₂ O)	6.8	6.8	6.8
Relative Humidity (% in the air)	51.5	51.5	51.5
Opacity (%)	>99	>99	>99

RANGE • FSC

Sheet Sizes	270 g	320 g	400 g	
1020 x 720 mm	7510270C0006G	7510320C0006G	7510400C0006G	

PALLETISATION • FSC

Sheet Sizes	Gsm	Stacks	Sheets	Tabbed by	Pallet Sizes	Pallet Weight	Ref.	
1020 x 720 mm	270 g	1	3 000	100	760 x 1080 mm	595 kg	7510270C0006G	
1020 x 720 mm	320 g	1	2 700	100	760 x 1080 mm	635 kg	7510320C0006G	
1020 x 720 mm	400 g	1	2 000	100	760 x 1080 mm	588 kg	7510400C0006G	

RANGE • PEFC

Sheet Sizes	270 g	320 g	400 g	
1020 x 720 mm	7510270C0005G	7510320C0005G	7510400C0005G	

PALLETISATION • PEFC

Sheet Sizes	Gsm	Stacks	Sheets	Tabbed by	Pallet Sizes	Pallet Weight	Ref.	
1020 x 720 mm	270 g	1	3 000	100	760 x 1080 mm	595 kg	7510270C0005G	
1020 x 720 mm	320 g	1	2 700	100	760 x 1080 mm	635 kg	7510320C0005G	
1020 x 720 mm	400 g	1	2 000	100	760 x 1080 mm	588 kg	7510400C0005G	







Virgin


Rock

Rock embodies all the know-how of Clairefontaine in multiple nuances of white, forming the perfect alliance between two feels (Brut and Rough) and, even more importantly, technical prowess. The great success of this feat makes it particularly well suited to direct marketing solutions.

Paper or paperboard, from 80 g to 400 g/m².

3 colours in Bright, Original, Natural,
with your roughness – Brut or Rough.

ROCK • BRUT BRIGHT



TECHNICAL DATA SHEET

Gsm (g/m ²)	120	150	200	240	300	400
Thickness (µm)	174	217	290	336	420	560
Bulk (cm ³ /g)	1.5	1.5	1.5	1.5	1.5	1.5
Bendtsen Roughness (ml/min)	550	550	550	550	550	550
Absolute Humidity (%H ₂ O)	5.5	6.0	6.5	6.5	6.5	6.5
Relative Humidity (% in the air)	44	44	48	48	50	50
Opacity (%)	98	>98	>99	>99	>99	>99


RANGE

Sheet Sizes	120 g	150 g	200 g	240 g	300 g	400 g	
700 x 1000 mm	5437C	5454C	5464C	5468C	5477C	5484C	
1000 x 700 mm	5444C	5457C	5467C	5474C	5479C	5487C	

PALLETISATION

Sheet Sizes	Gsm	Stacks	Sheets	Tabbed by	Pallet Sizes	Pallet Weight	Ref.	
700 x 1000 mm	120	1	7 000	250	720 x 1040 mm	588 kg	5437C	
700 x 1000 mm	150	1	5 000	125	720 x 1040 mm	525 kg	5454C	
700 x 1000 mm	200	1	3 750	125	720 x 1040 mm	525 kg	5464C	
700 x 1000 mm	240	1	3 000	125	720 x 1040 mm	504 kg	5468C	
700 x 1000 mm	300	1	2 800	100	720 x 1040 mm	588 kg	5477C	
700 x 1000 mm	400	1	2 000	50	720 x 1040 mm	560 kg	5484C	
1000 x 700 mm	120	1	7 000	250	1040 x 720 mm	588 kg	5444C	
1000 x 700 mm	150	1	5 000	125	1040 x 720 mm	525 kg	5457C	
1000 x 700 mm	200	1	3 750	125	1040 x 720 mm	525 kg	5467C	
1000 x 700 mm	240	1	3 000	125	1040 x 720 mm	504 kg	5474C	
1000 x 700 mm	300	1	2 800	100	1040 x 720 mm	588 kg	5479C	
1000 x 700 mm	400	1	2 000	50	1040 x 720 mm	560 kg	5487C	





TECHNICAL DATA SHEET

Gsm (g/m ²)	90	100	115	130	150	170	240	300	350
Thickness (µm)	130	145	166	189	217	248	348	435	490
Bulk (cm ³ /g)	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5
Bendtsen Roughness (ml/min)	550	550	550	550	550	550	550	550	550
Absolute Humidity (%H ₂ O)	5.3	5.3	5.3	5.3	6.0	6.0	6.5	6.5	6.5
Relative Humidity (% in the air)	42	42	42	42	42	42	42	50	50
Opacity (%)	91	92	93.5	>99	>99	>99	>99	>99	>99

RANGE

Sheet Sizes	90 g	100 g	115 g	130 g	150 g	170 g	240 g	300 g	350 g
720 x 1020 mm	5157C	5158C	5172C	5159C	5160C	5161C	5162C	5163C	5164C
1020 x 720 mm		5174C	5173C	5166C	5167C	5168C	5169C	5170C	5171C

PALLETISATION

Sheet Sizes	Gsm	Stacks	Sheets	Tabbed by	Pallet Sizes	Pallet Weight	Ref.
720 x 1020 mm	90	1	8 000	250	750 x 1050 mm	529 kg	5157C
720 x 1020 mm	100	1	7 500	250	750 x 1050 mm	551 kg	5158C
720 x 1020 mm	115	1	6 500	125	750 x 1050 mm	549 kg	5172C
720 x 1020 mm	130	1	5 400	200	750 x 1050 mm	516 kg	5159C
720 x 1020 mm	150	1	5 000	125	750 x 1050 mm	551 kg	5160C
720 x 1020 mm	170	1	4 250	125	750 x 1050 mm	531 kg	5161C
720 x 1020 mm	240	1	3 000	100	750 x 1050 mm	529 kg	5162C
720 x 1020 mm	300	1	2 550	75	750 x 1050 mm	562 kg	5163C
720 x 1020 mm	350	1	2 100	75	750 x 1050 mm	540 kg	5164C
1020 x 720 mm	100	1	7 500	250	750 x 1050 mm	551 kg	5174C
1020 x 720 mm	115	1	6 500	125	750 x 1050 mm	549 kg	5173C
1020 x 720 mm	130	1	5 400	200	750 x 1050 mm	516 kg	5166C
1020 x 720 mm	150	1	5 000	125	750 x 1050 mm	551 kg	5167C
1020 x 720 mm	170	1	4 250	125	750 x 1050 mm	531 kg	5168C
1020 x 720 mm	240	1	3 000	100	750 x 1050 mm	529 kg	5169C
1020 x 720 mm	300	1	2 550	75	750 x 1050 mm	562 kg	5170C
1020 x 720 mm	350	1	2 100	75	750 x 1050 mm	540 kg	5171C



ROCK • BRUT NATURAL



Bulk-Packed
 Ream-Wrapped

TECHNICAL DATA SHEET

Gsm (g/m ²)	90	120	150	200	300
Thickness (µm)	130	174	217	290	420
Bulk (cm ³ /g)	1.5	1.5	1.5	1.5	1.5
Bendtsen Roughness (ml/min)	550	550	550	550	550
Absolute Humidity (%H ₂ O)	5.0	5.0	6.0	6.5	6.5
Relative Humidity (% in the air)	38	44	44	48	50
Opacity (%)	90	95	97	>99	>99

RANGE


Sheet Sizes	90g	120g	150g	200g	300g	
720 x 1020 mm	4401C	4402C	4403C	4404C	4405C	
1020 x 720 mm	4406C	4407C	4408C	4409C	4410C	

PALLETISATION

Sheet Sizes	Gsm	Stacks	Sheets	Tabbed by	Pallet Sizes	Pallet Weight	Ref.	
720 x 1020 mm	90	1	9 000	250	1050 x 750 mm	595 kg	4401C	
720 x 1020 mm	120	1	6 500	250	1050 x 750 mm	573 kg	4402C	
720 x 1020 mm	150	1	5 000	125	1050 x 750 mm	551 kg	4403C	
720 x 1020 mm	200	1	4 000	125	1050 x 750 mm	588 kg	4404C	
720 x 1020 mm	300	1	2 500	50	1050 x 750 mm	551 kg	4405C	
1020 x 720 mm	90	1	9 000	250	1050 x 750 mm	595 kg	4406C	
1020 x 720 mm	120	1	6 500	250	1050 x 750 mm	573 kg	4407C	
1020 x 720 mm	150	1	5 000	125	1050 x 750 mm	551 kg	4408C	
1020 x 720 mm	200	1	4 000	125	1050 x 750 mm	588 kg	4409C	
1020 x 720 mm	300	1	2 500	50	1050 x 750 mm	551 kg	4410C	



ROCK • ROUGH BRIGHT



TECHNICAL DATA SHEET

Gsm (g/m ²)	80	90	100	120	150	170	200	240	300	400
Thickness (µm)	110	124	133	161	200	226	266	332	400	530
Bulk (cm ³ /g)	1.38	1.38	1.33	1.34	1.33	1.33	1.33	1.38	1.33	1.33
Bendtsen Roughness (ml/min)	245	245	245	245	245	245	245	300	300	245
Absolute Humidity (%H ₂ O)	5.0	5.0	5.0	5.5	6.0	6.0	6.5	6.5	6.5	6.5
Relative Humidity (% in the air)	38	38	38	44	44	44	48	48	50	50
Opacity (%)	94	96	97	98	>99	>99	>99	>99	>99	>99

RANGE

Sheet Sizes	80 g	90 g	100 g	120 g	150 g	
700 x 1000 mm	FCP0376SC	FCP0383SC	FCP0389SC	FCP0395SC	FCP0401SC	
720 x 1020 mm						
1000 x 700 mm		FCP0384SC	FCP0390SC	FCP0396SC	FCP0402SC	
1020 x 720 mm						

Sheet Sizes	170 g	200 g	240 g	300 g	400 g	
700 x 1000 mm	FCP0407SC	FCP0411SC				
720 x 1020 mm			FCP0426SC	FCP0681SC	FCP0430SC	
1000 x 700 mm	FCP0408SC	FCP0412SC				
1020 x 720 mm			FCP0427SC	FCP0682SC	FCP0431SC	



PALLETISATION

Sheet Sizes	Gsm	Stacks	Sheets	Tabbed by	Pallet Sizes	Pallet Weight	Ref.	
700 x 1000 mm	80	1	9 000	250	1040 x 720 mm	504 kg	FCP0376SC	
700 x 1000 mm	90	1	9 000	250	1040 x 720 mm	567 kg	FCP0383SC	
700 x 1000 mm	100	1	8 000	250	1040 x 720 mm	560 kg	FCP0389SC	
700 x 1000 mm	120	1	7 000	250	1040 x 720 mm	588 kg	FCP0395SC	
700 x 1000 mm	150	1	5 000	125	1040 x 720 mm	525 kg	FCP0401SC	
700 x 1000 mm	170	1	4 000	125	1040 x 720 mm	476 kg	FCP0407SC	
700 x 1000 mm	200	1	4 500	125	1040 x 720 mm	630 kg	FCP0411SC	
720 x 1020 mm	240	1	3 000	125	1050 x 750 mm	529 kg	FCP0426SC	
720 x 1020 mm	300	1	3 000	50	1050 x 750 mm	661 kg	FCP0681SC	
720 x 1020 mm	400	1	2 000	50	1050 x 750 mm	588 kg	FCP0430SC	
1000 x 700 mm	90	1	9 000	250	1040 x 720 mm	567 kg	FCP0384SC	
1000 x 700 mm	100	1	8 000	250	1040 x 720 mm	560 kg	FCP0390SC	
1000 x 700 mm	120	1	7 000	250	1040 x 720 mm	588 kg	FCP0396SC	
1000 x 700 mm	150	1	5 000	125	1040 x 720 mm	525 kg	FCP0402SC	
1000 x 700 mm	170	1	4 000	125	1040 x 720 mm	476 kg	FCP0408SC	
1000 x 700 mm	200	1	4 500	125	1040 x 720 mm	630 kg	FCP0412SC	
1020 x 720 mm	240	1	3 000	125	1050 x 750 mm	529 kg	FCP0427SC	
1020 x 720 mm	300	1	3 000	50	1050 x 750 mm	661 kg	FCP0682SC	
1020 x 720 mm	400	1	2 000	50	1050 x 750 mm	588 kg	FCP0431SC	



ROCK • ROUGH ORIGINAL



Bulk-Packed
 Ream-Wrapped

TECHNICAL DATA SHEET

Gsm (g/m ²)	90	100	115	130	150	170	200	240	300	350	400
Thickness (µm)	120	133	153	173	200	226	266	317	396	432	495
Bulk (cm ³ /g)	1.33	1.33	1.33	1.33	1.33	1.33	1.33	1.32	1.32	1.23	1.23
Bendtsen Roughness (ml/min)	250	250	250	250	250	250	250	250	250	250	200
Absolute Humidity (%H ₂ O)	5.6	5.6	5.6	5.6	6.0	6.0	6.5	6.5	6.5	6.5	6.5
Relative Humidity (% in the air)	45	45	45	45	45	45	50	50	50	50	50
Opacity (%)	92	92.5	95	96	97	98	98	>99	>99	>99	>99

RANGE

Sheet Sizes	90 g	100 g	115 g	130 g	150 g	170 g	
720 x 1020 mm	YUS0094SC	YUS0095SC	YUS0096SC	YUS0097SC	YUS0098SC	YUS0099SC	
1020 x 720 mm			YUS0118SC	YUS0119SC	YUS0120SC	YUS0121SC	
720 x 1020 mm				20616C			
1020 x 720 mm							

Sheet Sizes	200 g	240 g	300 g	350 g	400 g	
720 x 1020 mm	YUS0100SC	YUS0101SC	YUS0102SC	YUS0103SC	YUS0104SC	
1020 x 720 mm	YUS0122SC	YUS0123SC	YUS0124SC	YUS0125SC		
720 x 1020 mm	20617C	20618C	20619C	20620C	20621C	
1020 x 720 mm		20626C	20627C	20628C	20629C	




PALLETISATION

Sheet Sizes	Gsm	Stacks	Sheets	Tabbed by	Pallet Sizes	Pallet Weight	Ref.	
720 x 1020 mm	90	1	8 000	250	750 x 1050 mm	529 kg	YUS0094SC	
720 x 1020 mm	100	1	7 500	250	750 x 1050 mm	551 kg	YUS0095SC	
720 x 1020 mm	115	1	6 500	125	750 x 1050 mm	549 kg	YUS0096SC	
720 x 1020 mm	130	1	5 400	200	750 x 1050 mm	516 kg	YUS0097SC	
720 x 1020 mm	130	1	5 400	200	750 x 1050 mm	516 kg	20616C	
720 x 1020 mm	150	1	5 000	125	750 x 1050 mm	551 kg	YUS0098SC	
720 x 1020 mm	170	1	4 250	125	750 x 1050 mm	531 kg	YUS0099SC	
720 x 1020 mm	200	1	3 750	125	750 x 1050 mm	551 kg	20617C	
720 x 1020 mm	200	1	3 750	125	750 x 1050 mm	551 kg	YUS0100SC	
720 x 1020 mm	240	1	3 000	100	750 x 1050 mm	529 kg	20618C	
720 x 1020 mm	240	1	3 000	100	750 x 1050 mm	529 kg	YUS0101SC	
720 x 1020 mm	300	1	2 550	75	750 x 1050 mm	562 kg	20619C	
720 x 1020 mm	300	1	2 550	75	750 x 1050 mm	562 kg	YUS0102SC	
720 x 1020 mm	350	1	2 100	75	750 x 1050 mm	540 kg	20620C	
720 x 1020 mm	350	1	2 100	75	750 x 1050 mm	540 kg	YUS0103SC	
720 x 1020 mm	400	1	1 800	50	750 x 1050 mm	529 kg	20621C	
720 x 1020 mm	400	1	1 800	50	750 x 1050 mm	529 kg	YUS0104SC	
1020 x 720 mm	115	1	6 500	125	750 x 1050 mm	549 kg	YUS0118SC	
1020 x 720 mm	130	1	5 400	200	750 x 1050 mm	516 kg	YUS0119SC	
1020 x 720 mm	150	1	5 000	125	750 x 1050 mm	551 kg	YUS0120SC	
1020 x 720 mm	170	1	4 250	125	750 x 1050 mm	531 kg	YUS0121SC	
1020 x 720 mm	200	1	3 750	125	750 x 1050 mm	551 kg	YUS0122SC	
1020 x 720 mm	240	1	3 000	100	750 x 1050 mm	529 kg	20626C	
1020 x 720 mm	240	1	3 000	100	750 x 1050 mm	529 kg	YUS0123SC	
1020 x 720 mm	300	1	2 550	75	750 x 1050 mm	562 kg	YUS0124SC	
1020 x 720 mm	300	1	2 550	75	750 x 1050 mm	562 kg	20627C	
1020 x 720 mm	350	1	2 100	75	750 x 1050 mm	540 kg	YUS0125SC	
1020 x 720 mm	350	1	2 100	75	750 x 1050 mm	540 kg	20628C	
1020 x 720 mm	400	1	1 800	50	750 x 1050 mm	529 kg	20629C	



ROCK • ROUGH NATURAL



TECHNICAL DATA SHEET

Gsm (g/m ²)	80	90	100	120	130	150	170	200	240	300	350	400
Thickness (µm)	106	122	132	157	170	194	219	258	307	375	440	504
Bulk (cm ³ /g)	1.33	1.35	1.32	1.31	1.31	1.29	1.29	1.29	1.28	1.25	1.26	1.26
Bendtsen Roughness (ml/min)	200	200	200	200	200	200	200	200	200	200	200	200
Absolute Humidity (%H ₂ O)	4.6	4.6	5.0	5.5	5.5	6.0	6.0	6.5	6.5	6.5	6.5	6.5
Relative Humidity (% in the air)	32	32	38	44	44	44	44	48	48	50	50	50
Opacity (%)	90	92	91	95	95	96	97	>98	>99	>99	>99	>99

RANGE


Sheet Sizes	80 g	90 g	100 g	120 g	130 g	150 g	
720 x 1020 mm	5015C	3340C	YUS0168SC	3343C	YUS0169SC	YUS0170SC	
1020 x 720 mm			5017C	5020C		5021C	
720 x 1020 mm		20525C	20526C		20527C	20528C	
1020 x 720 mm		20540C			20541C	20542C	
Sheet Sizes	170 g	200 g	240 g	300 g	350 g	400 g	
720 x 1020 mm							
1020 x 720 mm							
720 x 1020 mm	20529C	20530C	20531C	20532C	20533C	5019C	
1020 x 720 mm			20543C	20544C			



PALLETISATION

Sheet Sizes	Gsm	Stacks	Sheets	Tabbed by	Pallet Sizes	Pallet Weight	Ref.	
720 x 1020 mm	80	1	9 000	250	750 x 1050 mm	529 kg	5015C	
720 x 1020 mm	90	1	8 000	250	750 x 1050 mm	529 kg	3340C	
720 x 1020 mm	100	1	7 500	250	750 x 1050 mm	551 kg	YUS0168SC	
720 x 1020 mm	120	1	6 500	250	750 x 1050 mm	573 kg	3343C	
720 x 1020 mm	130	1	5 400	200	750 x 1050 mm	516 kg	YUS0169SC	
720 x 1020 mm	150	1	5 000	125	750 x 1050 mm	551 kg	YUS0170SC	
720 x 1020 mm	90	1	8 000	250	750 x 1050 mm	529 kg	20525C	
720 x 1020 mm	100	1	7 500	250	750 x 1050 mm	551 kg	20526C	
720 x 1020 mm	130	1	5 400	200	750 x 1050 mm	516 kg	20527C	
720 x 1020 mm	150	1	5 000	125	750 x 1050 mm	551 kg	20528C	
720 x 1020 mm	170	1	4 250	125	750 x 1050 mm	531 kg	20529C	
720 x 1020 mm	200	1	3 750	125	750 x 1050 mm	551 kg	20530C	
720 x 1020 mm	240	1	3 000	100	750 x 1050 mm	529 kg	20531C	
720 x 1020 mm	300	1	2 550	75	750 x 1050 mm	562 kg	20532C	
720 x 1020 mm	350	1	2 100	75	750 x 1050 mm	540 kg	20533C	
720 x 1020 mm	400	1	1 800	50	750 x 1050 mm	529 kg	5019C	
1020 x 720 mm	100	1	7 500	250	750 x 1050 mm	432 kg	5017C	
1020 x 720 mm	120	1	6 500	250	750 x 1050 mm	573 kg	5020C	
1020 x 720 mm	150	1	5 000	125	750 x 1050 mm	551 kg	5021C	
1020 x 720 mm	90	1	8 000	250	750 x 1050 mm	529 kg	20540C	
1020 x 720 mm	130	1	5 400	200	750 x 1050 mm	516 kg	20541C	
1020 x 720 mm	150	1	5 000	125	750 x 1050 mm	551 kg	20542C	
1020 x 720 mm	240	1	3 000	100	750 x 1050 mm	529 kg	20543C	
1020 x 720 mm	300	1	2 550	75	750 x 1050 mm	562 kg	20544C	





TECHNICAL DATA SHEET

Gsm (g/m ²)	90	100	120	160	200	250	300	350
Thickness (µm)	100	109	128	165	200	250	300	350
Bulk (cm ³ /g)	1.11	1.09	1.07	1.03	1.00	1.00	1.00	1.00
Bendtsen Roughness (ml/min)	120	120	120	120	120	90	75	75
Absolute Humidity (%H ₂ O)	6.5	6.5	6.5	6.0	6.5	6.5	6.5	6.5
Relative Humidity (% in the air)	50	50	50	50	50	50	50	50
Opacity (%)	93	94.5	97	>99	>99	>99	>99	>99

RANGE

Sheet Sizes	90g	100g	120g	160g	200g	250g	300g	350g
700 x 1000 mm	3506C	3507C	3508C	3509C	3510C	3161C	3165SC	3166SC
1000 x 700 mm		3511C	3512C	3513C	3514C	3163C	3167SC	3168SC

PALLETISATION

Sheet Sizes	Gsm	Stacks	Sheets	Tabbed by	Pallet Sizes	Pallet Weight	Ref.
700 x 1000 mm	90	1	9 000	250	1040 x 720 mm	567 kg	3506C
700 x 1000 mm	100	1	8 000	250	1040 x 720 mm	560 kg	3507C
700 x 1000 mm	120	1	7 000	250	1040 x 720 mm	588 kg	3508C
700 x 1000 mm	160	1	5 000	125	1040 x 720 mm	560 kg	3509C
700 x 1000 mm	200	1	3 500	125	1040 x 720 mm	490 kg	3510C
700 x 1000 mm	250	1	3 000	100	1040 x 720 mm	525 kg	3161C
700 x 1000 mm	300	1	2 600	100	1040 x 720 mm	546 kg	3165SC
700 x 1000 mm	350	1	2 400	100	1040 x 720 mm	588 kg	3166SC
1000 x 700 mm	100	1	8 000	250	1040 x 720 mm	560 kg	3511C
1000 x 700 mm	120	1	7 000	250	1040 x 720 mm	588 kg	3512C
1000 x 700 mm	160	1	5 000	125	1040 x 720 mm	560 kg	3513C
1000 x 700 mm	200	1	3 500	125	1040 x 720 mm	490 kg	3514C
1000 x 700 mm	250	1	3 000	100	1040 x 720 mm	525 kg	3163C
1000 x 700 mm	300	1	2 600	100	1040 x 720 mm	546 kg	3167SC
1000 x 700 mm	350	1	2 400	100	1040 x 720 mm	588 kg	3168SC



ROCK • INDIGO BRIGHT



Bulk-Packed
 Ream-Wrapped

TECHNICAL DATA SHEET

Gsm (g/m ²)	90	100	120	240	300
Thickness (µm)	122	136	162	326	380
Bulk (cm ³ /g)	1.36	1.36	1.36	1.36	1.27
Bendtsen Roughness (ml/min)	245	245	245	245	245
Absolute Humidity (%H ₂ O)	5.3	5.3	5.3	6.5	6.0
Relative Humidity (% in the air)	42	42	42	42	48
Opacity (%)	93	94.5	>99	>99	>99


RANGE

Sheet Sizes	90 g	100 g	120 g	240 g	300 g
460 x 320 mm	4066C	4067C	4068C	4072C	4073C

PALLETISATION

Sheet Sizes	Gsm	Stacks	Sheets	Tabbed by	Pallet Sizes	Pallet Weight	Ref.	
460 x 320 mm	90	4	36 000	500	940 x 670 mm	477 kg	4066C	
460 x 320 mm	100	4	28 000	500	940 x 670 mm	412 kg	4067C	
460 x 320 mm	120	4	24 000	250	940 x 670 mm	424 kg	4068C	
460 x 320 mm	240	4	12 000	125	940 x 670 mm	424 kg	4072C	
460 x 320 mm	300	4	10 000	125	940 x 670 mm	442 kg	4073C	





TECHNICAL DATA SHEET

Gsm (g/m ²)	100	130	150	170	240	300
Thickness (µm)	135	175	202	229	324	405
Bulk (cm ³ /g)	1.35	1.35	1.35	1.35	1.35	1.31
Bendtsen Roughness (ml/min)	245	245	245	245	245	245
Absolute Humidity (%H ₂ O)	5.3	5.3	6.0	6.0	6.5	6.5
Relative Humidity (% in the air)	42	42	42	42	42	42
Opacity (%)	94.5	97	98	99	>99	>99

RANGE

Sheet Sizes	100g	130g	150g	170g	240g	300g
460 x 320 mm	20570C	20571C	20572C	20573C	20574C	20575C

PALLETISATION

Sheet Sizes	Gsm	Stacks	Sheets	Tabbed by	Pallet Sizes	Pallet Weight	Ref.
460 x 320 mm	100	4	28 000	500	940 x 670 mm	412 kg	20570C
460 x 320 mm	130	4	22 000	250	940 x 670 mm	421 kg	20571C
460 x 320 mm	150	4	20 000	250	940 x 670 mm	442 kg	20572C
460 x 320 mm	170	4	19 000	125	940 x 670 mm	475 kg	20573C
460 x 320 mm	240	4	12 000	125	940 x 670 mm	424 kg	20574C
460 x 320 mm	300	4	10 000	125	940 x 670 mm	442 kg	20575C





Touch

When you run your finger over Touch, you'll quickly understand why it's become a reference in printing papers. Continuously improved, Touch is a bulk paper with a distinctive feel and whiteness (CIE of 120 to 150). In short, the perfect thickness to grammage ratio (1.5 or 1.8) and a special coating.

Paper or paperboard, 80 g to 300 g/m².

3 colours in Extra White, Natural White and Ivory.

TOUCH • 1.5 EXTRA WHITE



Bulk-Packed
 Ream-Wrapped

TECHNICAL DATA SHEET

Gsm (g/m ²)	80	90	100	120	150	240	300
Thickness (µm)	120	135	150	180	225	350	450
Bulk (cm ³ /g)	1.5	1.5	1.5	1.5	1.5	1.5	1.5
Bendtsen Roughness (ml/min)	650	650	650	650	650	650	650
Absolute Humidity (%H ₂ O)	5.5	5.5	5.5	5.5	6.0	5.5	5.5
Relative Humidity (% in the air)	44	44	44	44	44	44	44
Opacity (%)	94	95	96	98	>99	>99	>99

RANGE

Sheet Sizes	80 g	90 g	100 g	120 g	150 g	240 g	300 g	
720 x 1020 mm	4607C	4608C	4609C	4610C	4611C	4606C	4634C	
1020 x 720 mm	4613C	4614C	4615C	4616C	4617C	4612C	4635C	

PALLETISATION

Sheet Sizes	Gsm	Stacks	Sheets	Tabbed by	Pallet Sizes	Pallet Weight	Ref.	
720 x 1020 mm	80	1	9 000	250	1050 x 750 mm	529 kg	4607C	
720 x 1020 mm	90	1	8 000	250	1050 x 750 mm	529 kg	4608C	
720 x 1020 mm	100	1	7 000	250	1050 x 750 mm	514 kg	4609C	
720 x 1020 mm	120	1	6 000	250	1050 x 750 mm	529 kg	4610C	
720 x 1020 mm	150	1	5 000	125	1050 x 750 mm	551 kg	4611C	
720 x 1020 mm	240	1	3 000	125	1050 x 750 mm	529 kg	4606C	
720 x 1020 mm	300	1	2 500	50	1050 x 750 mm	551 kg	4634C	
1020 x 720 mm	80	1	9 000	250	1050 x 750 mm	529 kg	4613C	
1020 x 720 mm	90	1	8 000	250	1050 x 750 mm	529 kg	4614C	
1020 x 720 mm	100	1	7 000	250	1050 x 750 mm	514 kg	4615C	
1020 x 720 mm	120	1	6 000	250	1050 x 750 mm	529 kg	4616C	
1020 x 720 mm	150	1	5 000	125	1050 x 750 mm	551 kg	4617C	
1020 x 720 mm	240	1	3 000	125	1050 x 750 mm	529 kg	4612C	
1020 x 720 mm	300	1	2 500	50	1050 x 750 mm	551 kg	4635C	



TOUCH • 1.5 NATURAL WHITE



Bulk-Packed
 Ream-Wrapped

TECHNICAL DATA SHEET

Gsm (g/m ²)	80	90	100	120	150	240	300
Thickness (µm)	120	135	150	180	225	350	450
Bulk (cm ³ /g)	1.5	1.5	1.5	1.5	1.5	1.5	1.5
Bendtsen Roughness (ml/min)	650	650	650	650	650	650	650
Absolute Humidity (%H ₂ O)	5.5	5.5	5.5	5.5	6.0	5.5	5.5
Relative Humidity (% in the air)	44	44	44	44	48	44	44
Opacity (%)	93	94	95	98	>99	>99	>99

RANGE

Sheet Sizes	80 g	90 g	100 g	120 g	150 g	240 g	300 g	
720 x 1020 mm	4620C	4621C	4622C	4623C	4624C	4625C	4632C	
1020 x 720 mm	4626C	4627C	4628C	4629C	4630C	4631C	4633C	

PALLETISATION

Sheet Sizes	Gsm	Stacks	Sheets	Tabbed by	Pallet Sizes	Pallet Weight	Ref.	
720 x 1020 mm	80	1	9 000	250	1050 x 750 mm	529 kg	4620C	
720 x 1020 mm	90	1	8 000	250	1050 x 750 mm	529 kg	4621C	
720 x 1020 mm	100	1	7 000	250	1050 x 750 mm	514 kg	4622C	
720 x 1020 mm	120	1	6 000	250	1050 x 750 mm	529 kg	4623C	
720 x 1020 mm	150	1	5 000	125	1050 x 750 mm	551 kg	4624C	
720 x 1020 mm	240	1	3 000	125	1050 x 750 mm	529 kg	4625C	
720 x 1020 mm	300	1	2 500	50	1050 x 750 mm	551 kg	4632C	
1020 x 720 mm	80	1	9 000	250	1050 x 750 mm	529 kg	4626C	
1020 x 720 mm	90	1	8 000	250	1050 x 750 mm	529 kg	4627C	
1020 x 720 mm	100	1	7 000	250	1050 x 750 mm	514 kg	4628C	
1020 x 720 mm	120	1	6 000	250	1050 x 750 mm	529 kg	4629C	
1020 x 720 mm	150	1	5 000	125	1050 x 750 mm	551 kg	4630C	
1020 x 720 mm	240	1	3 000	125	1050 x 750 mm	529 kg	4631C	
1020 x 720 mm	300	1	2 500	50	1050 x 750 mm	551 kg	4633C	



TOUCH • 1.8 NATURAL WHITE



 Bulk-Packed
 Ream-Wrapped

TECHNICAL DATA SHEET

Gsm (g/m ²)	80	90
Thickness (µm)	148	167
Bulk (cm ³ /g)	1.8	1.8
Bendtsen Roughness (ml/min)	650	650
Absolute Humidity (%H ₂ O)	5.0	5.0
Relative Humidity (% in the air)	38	38
Opacity (%)	93	94

RANGE


Sheet Sizes	80 g	90 g	
720 x 1020 mm	3729C	3743C	
1020 x 720 mm	3760C	3747C	

PALLETISATION

Sheet Sizes	Gsm	Stacks	Sheets	Tabbed by	Pallet Sizes	Pallet Weight	Ref.	
720 x 1020 mm	80	1	7 500	250	750 x 1050 mm	441 kg	3729C	
1020 x 720 mm	80	1	7 500	250	750 x 1050 mm	441 kg	3760C	
720 x 1020 mm	90	1	6 500	250	750 x 1050 mm	430 kg	3743C	
1020 x 720 mm	90	1	6 500	250	750 x 1050 mm	430 kg	3747C	



TOUCH • 1.8 IVORY



TECHNICAL DATA SHEET

Gsm (g/m ²)	80	90
Thickness (µm)	148	167
Bulk (cm ³ /g)	1.8	1.8
Bendtsen Roughness (ml/min)	650	650
Absolute Humidity (%H ₂ O)	5.0	5.0
Relative Humidity (% in the air)	38	38
Opacity (%)	92	93.5

RANGE

Sheet Sizes	80 g	90 g	
720 x 1020 mm	3699C	3776C	
1020 x 720 mm	3765C		

PALLETISATION

Sheet Sizes	Gsm	Stacks	Sheets	Tabbed by	Pallet Sizes	Pallet Weight	Ref.	
720 x 1020 mm	80	1	7 500	250	750 x 1050 mm	441 kg	3699C	
1020 x 720 mm	80	1	7 500	250	750 x 1050 mm	441 kg	3765C	
720 x 1020 mm	90	1	6 500	250	750 x 1050 mm	430 kg	3776C	








Virgin

Studio

Creative papers with four recipes. Each one retains its identity: Tradition with 25 percent cotton; Heritage, a paper felted on both sides; Valorise, made with particles of maritime pine bark; and finally Eco Kraft, composed of 50 percent recycled fibres and 50 percent virgin fibres.

Paperboard starting at 120 g up to board of 710 g/m².

9 colours total based on four recipes.



TECHNICAL DATA SHEET

Gsm (g/m ²)	135	160	270	350	710
Thickness (µm)	195	230	390	500	1020
Bulk (cm ³ /g)	1.4	1.4	1.4	1.4	1.4
Bendtsen Roughness (ml/min)	800	800	800	800	>1200
Absolute Humidity (%H ₂ O)	6.5	6.5	6.5	6.5	7
Relative Humidity (% in the air)	50	50	50	50	50
Opacity (%)	85	85	>99	98	>99


RANGE

Sheet Sizes	135 g	160 g	270 g	350 g	710 g
1000 x 700 mm	5706C	5707C	5708C	5704C	5705C 

PALLETISATION

Sheet Sizes	Gsm	Stacks	Sheets	Tabbed by	Pallet Sizes	Pallet Weight	Ref.	
1000 x 700 mm	135	1	5 000	125	1040 x 720 mm	473 kg	5706C	
1000 x 700 mm	160	1	4 250	125	1040 x 720 mm	476 kg	5707C	
1000 x 700 mm	270	1	2 500	100	1040 x 720 mm	473 kg	5708C	
1000 x 700 mm	350	1	2 100	75	1040 x 720 mm	515 kg	5704C	
1000 x 700 mm	710	1	1 050	30	1040 x 720 mm	522 kg	5705C	





TECHNICAL DATA SHEET

Gsm (g/m ²)	120	260	320
Thickness (µm)	170	360	450
Bulk (cm ³ /g)	1.4	1.4	1.4
Bendtsen Roughness (ml/min)	1300	3000	3000
Absolute Humidity (%H ₂ O)	6.5	6.5	6.5
Relative Humidity (% in the air)	50	50	50
Opacity (%)	>93	>99	>99

RANGE

Sheet Sizes	120 g	260 g	320 g
1000 x 700 mm	5710C	5711C	5712SC 

PALLETISATION

Sheet Sizes	Gsm	Stacks	Sheets	Tabbed by	Pallet Sizes	Pallet Weight	Ref.
1000 x 700 mm	120	1	5 750	125	1040 x 720 mm	483 kg	5710C 
1000 x 700 mm	260	1	2 700	100	1040 x 720 mm	491 kg	5711C 
1000 x 700 mm	320	1	2 150	50	1040 x 720 mm	482 kg	5712SC 



STUDIO • HERITAGE NATURAL WHITE



 Bulk-Packed
 Ream-Wrapped

TECHNICAL DATA SHEET

Gsm (g/m ²)	120	260	320
Thickness (µm)	170	360	450
Bulk (cm ³ /g)	1.4	1.4	1.4
Bendtsen Roughness (ml/min)	1300	3000	3000
Absolute Humidity (%H ₂ O)	6.5	6.5	6.5
Relative Humidity (% in the air)	50	50	50
Opacity (%)	>93	>99	>99


RANGE

Sheet Sizes	120 g	260 g	320 g
1000 x 700 mm	5720C	5721SC	5722SC 

PALLETISATION

Sheet Sizes	Gsm	Stacks	Sheets	Tabbed by	Pallet Sizes	Pallet Weight	Ref.
1000 x 700 mm	120	1	5 750	125	1040 x 720 mm	483 kg	5720C 
1000 x 700 mm	260	1	2 700	100	1040 x 720 mm	491 kg	5721SC 
1000 x 700 mm	320	1	2 150	50	1040 x 720 mm	482 kg	5722SC 





TECHNICAL DATA SHEET

Gsm (g/m ²)	120	240	350
Thickness (µm)	168	335	470
Bulk (cm ³ /g)	1.4	1.4	1.34
Bendtsen Roughness (ml/min)	600	800	1000
Absolute Humidity (%H ₂ O)	6.5	6.5	6.5
Relative Humidity (% in the air)	50	50	50
Opacity (%)	97	97	97


RANGE

Sheet Sizes	120 g	240 g	350 g
1000 x 700 mm	5800C	5801C	5802C 

PALLETISATION

Sheet Sizes	Gsm	Stacks	Sheets	Tabbed by	Pallet Sizes	Pallet Weight	Ref.
1000 x 700 mm	120	1	5750	125	1040 x 720 mm	483 kg	5800C 
1000 x 700 mm	240	1	3000	100	1040 x 720 mm	504 kg	5801C 
1000 x 700 mm	350	1	2100	75	1040 x 720 mm	515 kg	5802C 





TECHNICAL DATA SHEET

Gsm (g/m ²)	120	240	350
Thickness (µm)	168	335	470
Bulk (cm ³ /g)	1.4	1.4	1.34
Bendtsen Roughness (ml/min)	600	800	1000
Absolute Humidity (%H ₂ O)	6.5	6.5	6.5
Relative Humidity (% in the air)	50	50	50
Opacity (%)	97	97	97

RANGE

Sheet Sizes	120 g	240 g	350 g
1000 x 700 mm	5810SC	5811C	5812SC

PALLETISATION

Sheet Sizes	Gsm	Stacks	Sheets	Tabbed by	Pallet Sizes	Pallet Weight	Ref.
1000 x 700 mm	120	1	5 750	125	1040 x 720 mm	483 kg	5810SC
1000 x 700 mm	240	1	3 000	100	1040 x 720 mm	504 kg	5811C
1000 x 700 mm	350	1	2 100	75	1040 x 720 mm	515 kg	5812SC





 Bulk-Packed
 Ream-Wrapped

TECHNICAL DATA SHEET

Gsm (g/m ²)	120	240	350
Thickness (µm)	168	335	470
Bulk (cm ³ /g)	1.4	1.4	1.34
Bendtsen Roughness (ml/min)	600	800	1000
Absolute Humidity (%H ₂ O)	6.5	6.5	6.5
Relative Humidity (% in the air)	50	50	50
Opacity (%)	97	97	97

RANGE

Sheet Sizes	120 g	240 g	350 g	
1000 x 700 mm	5820C	5821SC	5822SC	

PALLETISATION

Sheet Sizes	Gsm	Stacks	Sheets	Tabbed by	Pallet Sizes	Pallet Weight	Ref.	
1000 x 700 mm	120	1	5750	125	1040 x 720 mm	483 kg	5820C	
1000 x 700 mm	240	1	3000	100	1040 x 720 mm	504 kg	5821SC	
1000 x 700 mm	350	1	2100	75	1040 x 720 mm	515 kg	5822SC	





- Bulk-Packed
- Ream-Wrapped

TECHNICAL DATA SHEET

Gsm (g/m²)	120	300
Thickness (µm)	142	340
Bulk (cm³/g)	1.18	1.13
Bekk Smoothness (s)	15	15
Absolute Humidity (%H₂O)	6.5	6.5
Relative Humidity (% in the air)	50	50



ECO KRAFT BOULEAU

RANGE

Sheet Sizes	120 g	300 g
700 x 1000 mm	27101C	
1000 x 700 mm	27102C	

PALLETISATION

Sheet Sizes	Gsm	Stacks	Sheets	Tabbed by	Pallet Sizes	Pallet Weight	Ref.	
700 x 1000 mm	120	1	7 000	200	1040 x 720 mm	588 kg	27101C	
1000 x 700 mm	300	1	3 000	100	1040 x 720 mm	630 kg	27102C	

ECO KRAFT ECRU

RANGE

Sheet Sizes	120 g	300 g
700 x 1000 mm	27103C	
1000 x 700 mm	27104C	

PALLETISATION

Sheet Sizes	Gsm	Stacks	Sheets	Tabbed by	Pallet Sizes	Pallet Weight	Ref.	
700 x 1000 mm	120	1	7 000	200	1040 x 720 mm	588 kg	27103C	
1000 x 700 mm	300	1	3 000	100	1040 x 720 mm	630 kg	27104C	

ECO KRAFT MUSCAT

RANGE

Sheet Sizes	120 g	300 g
700 x 1000 mm	27105C	
1000 x 700 mm	27106C	

PALLETISATION

Sheet Sizes	Gsm	Stacks	Sheets	Tabbed by	Pallet Sizes	Pallet Weight	Ref.	
700 x 1000 mm	120	1	7 000	200	1040 x 720 mm	588 kg	27105C	
1000 x 700 mm	300	1	3 000	100	1040 x 720 mm	630 kg	27106C	





Sauvage

Again and again, from sustainably managed forests. Sauvage has been developed for the world of packaging. Sauvage is an identity, a personality that immediately imposes a certain look and a resolute choice for its final destination. PEFC or FSC® certified upon request.

Paper or paperboard, from 120 g to 330 g/m².

1 colour: White.

SAUVAGE • BLANC 9050



PEFC (PEFC/10-31-714)
or FSC® (FSC®-C002321)
certified upon request



Bulk-Packed



Ream-Wrapped

TECHNICAL DATA SHEET

Gsm (g/m ²)	120	330
Thickness (µm)	170	470
Bulk (cm ³ /g)	1.42	1.42
Bendtsen Roughness (ml/min)	1200	2300
Absolute Humidity (%H ₂ O)	7	7.5
Relative Humidity (% in the air)	51	51
Opacity (%)	>90	>99

RANGE • FSC

Sheet Sizes	120 g	330 g
1020 x 720 mm	0500120C0002G	0500330C0002G

PALLETISATION • FSC

Sheet Sizes	Gsm	Stacks	Sheets	Tabbed by	Pallet Sizes	Pallet Weight	Ref.
1020 x 720 mm	120	1	6 000	Sans	760 x 1080 mm	529 kg	0500120C0002G
1020 x 720 mm	330	1	2 400	Sans	760 x 1080 mm	582 kg	0500330C0002G

RANGE • PEFC

Sheet Sizes	120 g	330 g
1020 x 720 mm	0500120C0001G	0500330C0001G

PALLETISATION • PEFC

Sheet Sizes	Gsm	Stacks	Sheets	Tabbed by	Pallet Sizes	Pallet Weight	Ref.
1020 x 720 mm	120	1	6 000	Sans	760 x 1080 mm	529 kg	0500120C0001G
1020 x 720 mm	330	1	2 400	Sans	760 x 1080 mm	582 kg	0500330C0001G







Virgin

Kraft

Let's start with its certification: PEFC upon request (100 percent cellulose fibres, virgin, natural and unbleached) or FSC®, in a single, biodegradable, compostable and recyclable material—what more could you ask for? Whether it be a stylish label or an eye-catching folder, Kraft is the ideal partner for boxes, cases, and shopping bags.

Paperboard from 180 g to 450 g/m².

1 colour: Chevi Ecu.

KRAFT • CHEVI ECRU 0400



PEFC (PEFC/10-31-714)
or FSC® (FSC®-C002321)
certified upon request

Bulk-Packed
 Ream-Wrapped

TECHNICAL DATA SHEET

Gsm (g/m ²)	180	200	280	450
Thickness (µm)	234	260	360	585
Bulk (cm ³ /g)	1.30	1.30	1.30	1.30
Bendtsen Roughness (ml/min)	500	400	350	350
Absolute Humidity (%H ₂ O)	6.8	6.8	6.8	6.8
Relative Humidity (% in the air)	51.5	51.5	51.5	51.5
Opacity (%)	>97	>98	>99	>99

RANGE • FSC

Sheet Sizes	180 g	200 g	280 g	450 g	
700 x 1000 mm	4510180C0003G	4510200C0003G	4510280C0003G	4510450C0003G	

PALLETISATION • FSC

Sheet Sizes	Gsm	Stacks	Sheets	Tabbed by	Pallet Sizes	Pallet Weight	Ref.	
700 x 1000 mm	180	1	6 000	125	720 x 1040 mm	756 kg	4510180C0003G	
700 x 1000 mm	200	1	4 000	100	720 x 1040 mm	560 kg	4510200C0003G	
700 x 1000 mm	280	1	3 000	100	720 x 1040 mm	588 kg	4510280C0003G	
700 x 1000 mm	450	1	2 000	50	720 x 1040 mm	630 kg	4510450C0003G	

RANGE • PEFC

Sheet Sizes	180 g	200 g	280 g	450 g	
700 x 1000 mm	4510180C0002G	4510200C0002G	4510280C0002G	4510450C0002G	

PALLETISATION • PEFC

Sheet Sizes	Gsm	Stacks	Sheets	Tabbed by	Pallet Sizes	Pallet Weight	Ref.	
700 x 1000 mm	180	1	6 000	125	720 x 1040 mm	756 kg	4510180C0002G	
700 x 1000 mm	200	1	4 000	100	720 x 1040 mm	560 kg	4510200C0002G	
700 x 1000 mm	280	1	3 000	100	720 x 1040 mm	588 kg	4510280C0002G	
700 x 1000 mm	450	1	2 000	50	720 x 1040 mm	630 kg	4510450C0002G	



Library of Papers – Part 3

Colours and Combinations

FoodPack

Bahia

Seveux

Papago



Food Pack

This all-purpose paper complies with the highest standards for food packaging, with or without grease barrier, in temperatures ranging from 0 to 200°C –what could be better than FoodPack? Complies with BfR36 standards (suitable for contact with food products of paper and paperboard materials for all your moulds, trays and baking paper) and PEFC or FSC® certified upon request.

Paper or paperboard, from 110 to 400 g/m².

7 colours in Incolore, Ecrû, Cacao Milk, Brun, Marron Noir and Blanc.

FOODPACK



PEFC (PEFC/10-31-714)
or FSC® (FSC®-C002321)
certified upon request



Bulk-Packed



Ream-Wrapped

TECHNICAL DATA SHEET

Tints	Marron	Cacao Milk	Cacao Milk	Brun Marron Noir Blanc	Incolore Ecu	Cacao Milk	Brun Marron Noir Blanc	Incolore Ecu
Gsm (g/m ²)	110	120	250	300	300	350	400	400
Thickness (µm)	143	160	325	390	390	455	500	500
Bulk (cm ³ /g)	1.30	1.30	1.30	1.30	1.30	1.25	1.25	1.25
Bendtsen Roughness (ml/min)	200	650	700	300	300	800	400	400
Absolute Humidity (%H ₂ O)	6	6.5	6.5	6	5.5	6.5	6	5.5
Relative Humidity (% in the air)	48.1	50.7	50.7	48.1	43.8	50.7	48.1	43.8
Opacity (%)	>97	>97	>99	>99	>99	>99	>99	>99



RANGE · FSC

Tints	Sheet Sizes	110 g	120 g	250 g	
HT Incolore 0000	700 x 1000 mm				
HT Ecu 0450	700 x 1000 mm				
TGS Cacao Milk 0020	700 x 1000 mm		9740120C0003G	9740250C0002G	
TGS Brun 1710	700 x 1000 mm				
TGS Marron 1770	1000 x 700 mm	9700110C0003G			
TGS Marron 1770	700 x 1000 mm				
TGS Noir 8995	700 x 1000 mm				
TGS Blanc 9240	700 x 1000 mm				

Tints	Sheet Sizes	300 g	350 g	400 g	
HT Incolore 0000	700 x 1000 mm	9500300C0001G		9500400C0002G	
HT Ecu 0450	700 x 1000 mm	9510300C0002G		9510400C0003G	
TGS Cacao Milk 0020	700 x 1000 mm		9740350C0001G		
TGS Brun 1710	700 x 1000 mm	9700300C0002G		9700400C0007G	
TGS Marron 1770	1000 x 700 mm				
TGS Marron 1770	700 x 1000 mm	9700300C0007G		9700400C0008G	
TGS Noir 8995	700 x 1000 mm	9700300C0004G		9700400C0011G	
TGS Blanc 9240	700 x 1000 mm	9700300C0012G		9700400C0012G	

PALLETISATION · FSC

Tints	Sheet Sizes	Gsm	Stack	Sheets	Tabbed by	Pallet Sizes	Pallet Weight	Ref.	
HT Incolore 0000	700 x 1000 mm	300	1	3 000	100	720 x 1040 mm	630 kg	9500300C0001G	
HT Incolore 0000	700 x 1000 mm	400	1	2 500	100	720 x 1040 mm	700 kg	9500400C0002G	
HT Ecu 0450	700 x 1000 mm	300	1	3 000	100	720 x 1040 mm	630 kg	9510300C0002G	
HT Ecu 0450	700 x 1000 mm	400	1	2 500	100	720 x 1040 mm	700 kg	9510400C0003G	
TGS Cacao Milk 0020	700 x 1000 mm	120	1	7 000	100	720 x 1040 mm	588 kg	9740120C0003G	
TGS Cacao Milk 0020	700 x 1000 mm	250	1	3 000	100	720 x 1040 mm	525 kg	9740250C0002G	
TGS Cacao Milk 0020	700 x 1000 mm	350	1	2 300	100	720 x 1040 mm	564 kg	9740350C0001G	
TGS Brun 1710	700 x 1000 mm	300	1	3 000	100	720 x 1040 mm	630 kg	9700300C0002G	
TGS Brun 1710	700 x 1000 mm	400	1	2 500	100	720 x 1040 mm	700 kg	9700400C0007G	
TGS Marron 1770	1000 x 700 mm	110	1	7 000	250	720 x 1040 mm	539 kg	9700110C0003G	
TGS Marron 1770	700 x 1000 mm	300	1	3 000	100	720 x 1040 mm	630 kg	9700300C0007G	
TGS Marron 1770	700 x 1000 mm	400	1	2 500	100	720 x 1040 mm	700 kg	9700400C0008G	
TGS Noir 8995	700 x 1000 mm	300	1	3 000	100	720 x 1040 mm	630 kg	9700300C0004G	
TGS Noir 8995	700 x 1000 mm	400	1	2 500	100	720 x 1040 mm	700 kg	9700400C0011G	
TGS Blanc 9240	700 x 1000 mm	300	1	3 000	100	720 x 1040 mm	630 kg	9700300C0012G	
TGS Blanc 9240	700 x 1000 mm	400	1	2 500	100	720 x 1040 mm	700 kg	9700400C0012G	



RANGE · PEFC

Tints	Sheet Sizes	110 g	120 g	250 g	
HT Incolore 0000	700 x 1000 mm				
HT Ecrû 0450	700 x 1000 mm				
TGS Cacao Milk 0020	700 x 1000 mm		9740120C0005G	9740250C0003G	
TGS Brun 1710	700 x 1000 mm				
TGS Marron 1770	1000 x 700 mm	9700110C0005G			
TGS Marron 1770	700 x 1000 mm				
TGS Noir 8995	700 x 1000 mm				
TGS Blanc 9240	700 x 1000 mm				

Tints	Sheet Sizes	300 g	350 g	400 g	
HT Incolore 0000	700 x 1000 mm	9500300C0004G		9500400C0003G	
HT Ecrû 0450	700 x 1000 mm	9510300C0003G		9510400C0004G	
TGS Cacao Milk 0020	700 x 1000 mm		9740350C0005G		
TGS Brun 1710	700 x 1000 mm	9700300C0015G		9700400C0017G	
TGS Marron 1770	1000 x 700 mm				
TGS Marron 1770	700 x 1000 mm	9700300C0016G		9700400C0018G	
TGS Noir 8995	700 x 1000 mm	9700300C0017G		9700400C0019G	
TGS Blanc 9240	700 x 1000 mm	9700300C0018G		9700400C0020G	

PALLETISATION · PEFC

Tints	Sheet Sizes	Gsm	Stack	Sheets	Tabbed by	Pallet Sizes	Pallet Weight	Ref.	
HT Incolore 0000	700 x 1000 mm	300	1	3 000	100	720 x 1040 mm	630 kg	9500300C0004G	
HT Incolore 0000	700 x 1000 mm	400	1	2 500	100	720 x 1040 mm	700 kg	9500400C0003G	
HT Ecrû 0450	700 x 1000 mm	300	1	3 000	100	720 x 1040 mm	630 kg	9510300C0003G	
HT Ecrû 0450	700 x 1000 mm	400	1	2 500	100	720 x 1040 mm	700 kg	9510400C0004G	
TGS Cacao Milk 0020	700 x 1000 mm	120	1	7 000	100	720 x 1040 mm	588 kg	9740120C0005G	
TGS Cacao Milk 0020	700 x 1000 mm	250	1	3 000	100	720 x 1040 mm	525 kg	9740250C0003G	
TGS Cacao Milk 0020	700 x 1000 mm	350	1	2 300	100	720 x 1040 mm	564 kg	9740350C0005G	
TGS Brun 1710	700 x 1000 mm	300	1	3 000	100	720 x 1040 mm	630 kg	9700300C0015G	
TGS Brun 1710	700 x 1000 mm	400	1	2 500	100	720 x 1040 mm	700 kg	9700400C0017G	
TGS Marron 1770	1000 x 700 mm	110	1	7 000	250	720 x 1040 mm	539 kg	9700110C0005G	
TGS Marron 1770	700 x 1000 mm	300	1	3 000	100	720 x 1040 mm	630 kg	9700300C0016G	
TGS Marron 1770	700 x 1000 mm	400	1	2 500	100	720 x 1040 mm	700 kg	9700400C0018G	
TGS Noir 8995	700 x 1000 mm	300	1	3 000	100	720 x 1040 mm	630 kg	9700300C0017G	
TGS Noir 8995	700 x 1000 mm	400	1	2 500	100	720 x 1040 mm	700 kg	9700400C0019G	
TGS Blanc 9240	700 x 1000 mm	300	1	3 000	100	720 x 1040 mm	630 kg	9700300C0018G	
TGS Blanc 9240	700 x 1000 mm	400	1	2 500	100	720 x 1040 mm	700 kg	9700400C0020G	







Bahia

Bahia fibres are made to be seen. Pure and vibrant, it's the colours that make this paper a timeless classic for signs and case manufacturing. 100 percent cellulose fibres and PEFC or FSC® certified upon request.

Paperboard of 120 g or 270 g/m².

33 colours in Blanc Ivoire, Cream, Brun, Marron, Bulle Saumon, Rose, Rose Fuchsia, Capucine, Rouge Coquelicot, Groseille, Bordeaux, Clementine, Sable, Jaune, Soleil, Tournesol, Vert Empire, Vert Clair, Vert Mousse, Vert Sapin, Emeraude, Vert Antique, Lazulite, Bleu Vif, Bleu, Bleu Nuit, Lilas, Violet, Gris Souris, Gris, Taupe, Noir, Blanc.

BAHIA



PEFC (PEFC/10-31-714)
or FSC® (FSC®-C002321)
certified upon request



Bulk-Packed



Ream-Wrapped

TECHNICAL DATA SHEET

Gsm (g/m ²)	120	270
Thickness (µm)	155	360
Bulk (cm ³ /g)	1.3	1.3
Bendtsen Roughness (ml/min)	250	350
Absolute Humidity (%H ₂ O)	6.7	6.8
Relative Humidity (% in the air)	51.3	51.5
Opacity (%)	>92	>99

Tints	120	270
Blanc Ivoire 0360	93.6	>99
Cream 1150	92.5	>99
Brun 1250		>99
Marron 1286		>99
Bulle Saumon 1360	95.9	>99
Rose 2020		>99
Rose Fuchsia 2146		>99
Capucine 2751		>99
Rouge Coquelicot 2790		>99
Groseille 2900		>99
Bordeaux 2980		>99
Clémentine 3481		>99
Sable 4004	93.9	>99
Jaune 4300		>99
Soleil 4610	93	>99
Tournesol 4630	94.8	>99

Vert Empire 5085		>99
Vert Clair 5160		>99
Vert Mousse 5361		>99
Vert Sapin 5510		>99
Emeraude 5711	99.3	>99
Vert Antique 5840		>99
Lazulite 6300		>99
Bleu vif 6410		>99
Bleu 6586		>99
Bleu Nuit 6900		>99
Lilas 7020		>99
Violet 7421		>99
Gris Souris 8005		>99
Gris 8030		>99
Taupe 8322		>99
Noir 8995		>99
Blanc 9039	95.4	>99



Tints	Sheet Sizes	120 g	270 g	
Blanc Ivoire 0360	700 x 1000 mm	5100120C0031G	5100270C0188G	
Cream 1150	700 x 1000 mm		5100270C0247G	
Brun 1250	700 x 1000 mm	5100120C0032G	5100270C0248G	
Marron 1286	700 x 1000 mm	5100120C0033G	5100270C0249G	
Bulle Saumon 1360	700 x 1000 mm	5100120C0034G	5100270C0250G	
Rose 2020	700 x 1000 mm	5100120C0133G	5100270C0251G	
Rose Fuchsia 2146	700 x 1000 mm	5140120C0009G	5140270C0014G	
Capucine 2751	700 x 1000 mm	5100120C0036G	5100270C0253G	
Rouge Coquelicot 2790	700 x 1000 mm	5100120C0037G	5100270C0254G	
Groseille 2900	700 x 1000 mm	5140120C0002G	5140270C0009G	
Bordeaux 2980	700 x 1000 mm	5100120C0038G	5100270C0255G	
Clémentine 3481	700 x 1000 mm	5100120C0039G	5100270C0256G	
Sable 4004	700 x 1000 mm	5100120C0040G	5100270C0257G	
Jaune 4300	700 x 1000 mm		5100270C0258G	
Soleil 4610	700 x 1000 mm	5100120C0041G	5100270C0259G	
Tournesol 4630	700 x 1000 mm	5100120C0042G	5100270C0260G	
Vert Empire 5085	700 x 1000 mm		5100270C0261G	
Vert Clair 5160	700 x 1000 mm	5100120C0043G	5100270C0262G	
Vert Mousse 5361	700 x 1000 mm	5100120C0044G	5100270C0198G	
Vert Sapin 5510	700 x 1000 mm	5100120C0045G	5100270C0263G	
Emeraude 5711	700 x 1000 mm	5100120C0046G	5100270C0264G	
Vert Antique 5840	700 x 1000 mm	5100120C0047G	5100270C0265G	
Lazulite 6300	700 x 1000 mm	5100120C0048G	5100270C0266G	
Bleu Vif 6410	700 x 1000 mm	5100120C0049G	5100270C0267G	
Bleu 6586	700 x 1000 mm	5100120C0050G	5100270C0038G	
Bleu Nuit 6900	700 x 1000 mm	5100120C0051G	5100270C0269G	
Lilas 7020	700 x 1000 mm	5100120C0052G	5100270C0270G	
Violet 7421	700 x 1000 mm	5100120C0053G	5100270C0271G	
Gris Souris 8005	700 x 1000 mm	5100120C0054G	5100270C0272G	
Gris 8030	700 x 1000 mm	5100120C0154G	5100270C0273G	
Taupe 8322	700 x 1000 mm	5100120C0055G	5100270C0274G	
Noir 8995	700 x 1000 mm	5100120C0030G	5100270C0275G	
Blanc 9039	700 x 1000 mm	5100120C0056G	5100270C0276G	

PALLETISATION • FSC

Tints	Sheet Sizes	Gsm	Stack	Sheets	Tabbed by	Pallet Sizes	Pallet Weight	Ref.	
Blanc Ivoire 0360	700 x 1000 mm	120	1	7 000	250	720 x 1040 mm	588 kg	5100120C0031G	
Brun 1250	700 x 1000 mm	120	1	7 000	250	720 x 1040 mm	588 kg	5100120C0032G	
Marron 1286	700 x 1000 mm	120	1	7 000	250	720 x 1040 mm	588 kg	5100120C0033G	
Bulle Saumon 1360	700 x 1000 mm	120	1	7 000	250	720 x 1040 mm	588 kg	5100120C0034G	
Rose 2020	700 x 1000 mm	120	1	7 000	250	720 x 1040 mm	588 kg	5100120C0133G	
Rose Fuchsia 2146	700 x 1000 mm	120	1	7 000	250	720 x 1040 mm	588 kg	5140120C0009G	
Capucine 2751	700 x 1000 mm	120	1	7 000	250	720 x 1040 mm	588 kg	5100120C0036G	
Rouge Coquelicot 2790	700 x 1000 mm	120	1	7 000	250	720 x 1040 mm	588 kg	5100120C0037G	
Groseille 2900	700 x 1000 mm	120	1	7 000	250	720 x 1040 mm	588 kg	5140120C0002G	
Bordeaux 2980	700 x 1000 mm	120	1	7 000	250	720 x 1040 mm	588 kg	5100120C0038G	
Clémentine 3481	700 x 1000 mm	120	1	7 000	250	720 x 1040 mm	588 kg	5100120C0039G	
Sable 4004	700 x 1000 mm	120	1	7 000	250	720 x 1040 mm	588 kg	5100120C0040G	
Soleil 4610	700 x 1000 mm	120	1	7 000	250	720 x 1040 mm	588 kg	5100120C0041G	
Tournesol 4630	700 x 1000 mm	120	1	7 000	250	720 x 1040 mm	588 kg	5100120C0042G	
Vert Clair 5160	700 x 1000 mm	120	1	7 000	250	720 x 1040 mm	588 kg	5100120C0043G	
Vert Mousse 5361	700 x 1000 mm	120	1	7 000	250	720 x 1040 mm	588 kg	5100120C0044G	
Vert Sapin 5510	700 x 1000 mm	120	1	7 000	250	720 x 1040 mm	588 kg	5100120C0045G	
Emeraude 5711	700 x 1000 mm	120	1	7 000	250	720 x 1040 mm	588 kg	5100120C0046G	
Vert Antique 5840	700 x 1000 mm	120	1	7 000	250	720 x 1040 mm	588 kg	5100120C0047G	
Lazulite 6300	700 x 1000 mm	120	1	7 000	250	720 x 1040 mm	588 kg	5100120C0048G	
Bleu Vif 6410	700 x 1000 mm	120	1	7 000	250	720 x 1040 mm	588 kg	5100120C0049G	
Bleu 6586	700 x 1000 mm	120	1	7 000	250	720 x 1040 mm	588 kg	5100120C0050G	
Bleu Nuit 6900	700 x 1000 mm	120	1	7 000	250	720 x 1040 mm	588 kg	5100120C0051G	
Lilas 7020	700 x 1000 mm	120	1	7 000	250	720 x 1040 mm	588 kg	5100120C0052G	
Violet 7421	700 x 1000 mm	120	1	7 000	250	720 x 1040 mm	588 kg	5100120C0053G	
Gris Souris 8005	700 x 1000 mm	120	1	7 000	250	720 x 1040 mm	588 kg	5100120C0054G	
Gris 8030	700 x 1000 mm	120	1	7 000	250	720 x 1040 mm	588 kg	5100120C0154G	
Taupe 8322	700 x 1000 mm	120	1	7 000	250	720 x 1040 mm	588 kg	5100120C0055G	
Noir 8995	700 x 1000 mm	120	1	7 000	250	720 x 1040 mm	588 kg	5100120C0030G	
Blanc 9039	700 x 1000 mm	120	1	7 000	250	720 x 1040 mm	588 kg	5100120C0056G	



PALLETISATION • FSC

Tints	Sheet Sizes	Gsm	Stack	Sheets	Tabbed by	Pallet Sizes	Pallet Weight	Ref.	
Blanc Ivoire 0360	700 x 1000 mm	270	1	3500	125	720 x 1040 mm	662 kg	5100270C0188G	
Cream 1150	700 x 1000 mm	270	1	3500	125	720 x 1040 mm	662 kg	5100270C0247G	
Brun 1250	700 x 1000 mm	270	1	3500	125	720 x 1040 mm	662 kg	5100270C0248G	
Marron 1286	700 x 1000 mm	270	1	3500	125	720 x 1040 mm	662 kg	5100270C0249G	
Bulle Saumon 1360	700 x 1000 mm	270	1	3500	125	720 x 1040 mm	662 kg	5100270C0250G	
Rose 2020	700 x 1000 mm	270	1	3500	125	720 x 1040 mm	662 kg	5100270C0251G	
Rose Fuchsia 2146	700 x 1000 mm	270	1	3500	125	720 x 1040 mm	662 kg	5140270C0014G	
Capucine 2751	700 x 1000 mm	270	1	3500	125	720 x 1040 mm	662 kg	5100270C0253G	
Rouge Coquelicot 2790	700 x 1000 mm	270	1	3500	125	720 x 1040 mm	662 kg	5100270C0254G	
Groseille 2900	700 x 1000 mm	270	1	3500	125	720 x 1040 mm	662 kg	5140270C0009G	
Bordeaux 2980	700 x 1000 mm	270	1	3500	125	720 x 1040 mm	662 kg	5100270C0255G	
Clémentine 3481	700 x 1000 mm	270	1	3500	125	720 x 1040 mm	662 kg	5100270C0256G	
Sable 4004	700 x 1000 mm	270	1	3500	125	720 x 1040 mm	662 kg	5100270C0257G	
Jaune 4300	700 x 1000 mm	270	1	3500	125	720 x 1040 mm	662 kg	5100270C0258G	
Soleil 4610	700 x 1000 mm	270	1	3500	125	720 x 1040 mm	662 kg	5100270C0259G	
Tournesol 4630	700 x 1000 mm	270	1	3500	125	720 x 1040 mm	662 kg	5100270C0260G	
Vert Empire 5085	700 x 1000 mm	270	1	3500	125	720 x 1040 mm	662 kg	5100270C0261G	
Vert Clair 5160	700 x 1000 mm	270	1	3500	125	720 x 1040 mm	662 kg	5100270C0262G	
Vert Mousse 5361	700 x 1000 mm	270	1	3500	125	720 x 1040 mm	662 kg	5100270C0198G	
Vert Sapin 5510	700 x 1000 mm	270	1	3500	125	720 x 1040 mm	662 kg	5100270C0263G	
Emeraude 5711	700 x 1000 mm	270	1	3500	125	720 x 1040 mm	662 kg	5100270C0264G	
Vert Antique 5840	700 x 1000 mm	270	1	3500	125	720 x 1040 mm	662 kg	5100270C0265G	
Lazulite 6300	700 x 1000 mm	270	1	3500	125	720 x 1040 mm	662 kg	5100270C0266G	
Bleu Vif 6410	700 x 1000 mm	270	1	3500	125	720 x 1040 mm	662 kg	5100270C0267G	
Bleu 6586	700 x 1000 mm	270	1	3500	125	720 x 1040 mm	662 kg	5100270C0038G	
Bleu Nuit 6900	700 x 1000 mm	270	1	3500	125	720 x 1040 mm	662 kg	5100270C0269G	
Lilas 7020	700 x 1000 mm	270	1	3500	125	720 x 1040 mm	662 kg	5100270C0270G	
Violet 7421	700 x 1000 mm	270	1	3500	125	720 x 1040 mm	662 kg	5100270C0271G	
Gris Souris 8005	700 x 1000 mm	270	1	3500	125	720 x 1040 mm	662 kg	5100270C0272G	
Gris 8030	700 x 1000 mm	270	1	3500	125	720 x 1040 mm	662 kg	5100270C0273G	
Taupe 8322	700 x 1000 mm	270	1	3500	125	720 x 1040 mm	662 kg	5100270C0274G	
Noir 8995	700 x 1000 mm	270	1	3500	125	720 x 1040 mm	662 kg	5100270C0275G	
Blanc 9039	700 x 1000 mm	270	1	3500	125	720 x 1040 mm	662 kg	5100270C0276G	



RANGE · PEFC

Tints	Sheet Sizes	120 g	270 g	
Blanc Ivoire 0360	700 x 1000 mm	5100120C0058G	5100270C0189G	
Cream 1150	700 x 1000 mm		5100270C0203G	
Brun 1250	700 x 1000 mm	5100120C0059G	5100270C0051G	
Marron 1286	700 x 1000 mm	5100120C0060G	5100270C0052G	
Bulle Saumon 1360	700 x 1000 mm	5100120C0061G	5100270C0053G	
Rose 2020	700 x 1000 mm	5100120C0006G	5100270C0190G	
Rose Fuchsia 2146	700 x 1000 mm	5140120C0008G	5140270C0011G	
Capucine 2751	700 x 1000 mm	5100120C0063G	5100270C0055G	
Rouge Coquelicot 2790	700 x 1000 mm	5100120C0064G	5100270C0202G	
Groseille 2900	700 x 1000 mm	5140120C0003G	5140270C0003G	
Bordeaux 2980	700 x 1000 mm	5100120C0065G	5100270C0056G	
Clémentine 3481	700 x 1000 mm	5100120C0066G	5100270C0057G	
Sable 4004	700 x 1000 mm	5100120C0067G	5100270C0058G	
Jaune 4300	700 x 1000 mm		5100270C0059G	
Soleil 4610	700 x 1000 mm	5100120C0068G	5100270C0191G	
Tournesol 4630	700 x 1000 mm	5100120C0069G	5100270C0192G	
Vert Empire 5085	700 x 1000 mm		5100270C0205G	
Vert Clair 5160	700 x 1000 mm	5100120C0188G	5100270C0060G	
Vert Mousse 5361	700 x 1000 mm	5100120C0070G	5100270C0061G	
Vert Sapin 5510	700 x 1000 mm	5100120C0071G	5100270C0193G	
Emeraude 5711	700 x 1000 mm	5100120C0072G	5100270C0062G	
Vert Antique 5840	700 x 1000 mm	5100120C0073G	5100270C0063G	
Lazulite 6300	700 x 1000 mm	5100120C0074G	5100270C0194G	
Bleu Vif 6410	700 x 1000 mm	5100120C0075G	5100270C0195G	
Bleu 6586	700 x 1000 mm	5100120C0076G	5100270C0196G	
Bleu Nuit 6900	700 x 1000 mm	5100120C0077G	5100270C0197G	
Lilas 7020	700 x 1000 mm	5100120C0078G	5100270C0064G	
Violet 7421	700 x 1000 mm	5100120C0079G	5100270C0065G	
Gris Souris 8005	700 x 1000 mm	5100120C0080G	5100270C0066G	
Gris 8030	700 x 1000 mm	5100120C0155G	5100270C0214G	
Taupe 8322	700 x 1000 mm	5100120C0081G	5100270C0067G	
Noir 8995	700 x 1000 mm	5100120C0057G	5100270C0069G	
Blanc 9039	700 x 1000 mm	5100120C0082G	5100270C0071G	



PALLETISATION • PEFC

Tints	Sheet Sizes	Gsm	Stack	Sheets	Tabbed by	Pallet Sizes	Pallet Weight	Ref.	
Blanc Ivoire 0360	700 x 1000 mm	120	1	7 000	250	720 x 1040 mm	588 kg	5100120C0058G	
Brun 1250	700 x 1000 mm	120	1	7 000	250	720 x 1040 mm	588 kg	5100120C0059G	
Marron 1286	700 x 1000 mm	120	1	7 000	250	720 x 1040 mm	588 kg	5100120C0060G	
Bulle Saumon 1360	700 x 1000 mm	120	1	7 000	250	720 x 1040 mm	588 kg	5100120C0061G	
Rose 2020	700 x 1000 mm	120	1	7 000	250	720 x 1040 mm	588 kg	5100120C0006G	
Rose Fuchsia 2146	700 x 1000 mm	120	1	7 000	250	720 x 1040 mm	588 kg	5140120C0008G	
Capucine 2751	700 x 1000 mm	120	1	7 000	250	720 x 1040 mm	588 kg	5100120C0063G	
Rouge Coquelicot 2790	700 x 1000 mm	120	1	7 000	250	720 x 1040 mm	588 kg	5100120C0064G	
Groseille 2900	700 x 1000 mm	120	1	7 000	250	720 x 1040 mm	588 kg	5140120C0003G	
Bordeaux 2980	700 x 1000 mm	120	1	7 000	250	720 x 1040 mm	588 kg	5100120C0065G	
Clémentine 3481	700 x 1000 mm	120	1	7 000	250	720 x 1040 mm	588 kg	5100120C0066G	
Sable 4004	700 x 1000 mm	120	1	7 000	250	720 x 1040 mm	588 kg	5100120C0067G	
Soleil 4610	700 x 1000 mm	120	1	7 000	250	720 x 1040 mm	588 kg	5100120C0068G	
Tournesol 4630	700 x 1000 mm	120	1	7 000	250	720 x 1040 mm	588 kg	5100120C0069G	
Vert Clair 5160	700 x 1000 mm	120	1	7 000	250	720 x 1040 mm	588 kg	5100120C0188G	
Vert Mousse 5361	700 x 1000 mm	120	1	7 000	250	720 x 1040 mm	588 kg	5100120C0070G	
Vert Sapin 5510	700 x 1000 mm	120	1	7 000	250	720 x 1040 mm	588 kg	5100120C0071G	
Emeraude 5711	700 x 1000 mm	120	1	7 000	250	720 x 1040 mm	588 kg	5100120C0072G	
Vert Antique 5840	700 x 1000 mm	120	1	7 000	250	720 x 1040 mm	588 kg	5100120C0073G	
Lazulite 6300	700 x 1000 mm	120	1	7 000	250	720 x 1040 mm	588 kg	5100120C0074G	
Bleu Vif 6410	700 x 1000 mm	120	1	7 000	250	720 x 1040 mm	588 kg	5100120C0075G	
Bleu 6586	700 x 1000 mm	120	1	7 000	250	720 x 1040 mm	588 kg	5100120C0076G	
Bleu Nuit 6900	700 x 1000 mm	120	1	7 000	250	720 x 1040 mm	588 kg	5100120C0077G	
Lilas 7020	700 x 1000 mm	120	1	7 000	250	720 x 1040 mm	588 kg	5100120C0078G	
Violet 7421	700 x 1000 mm	120	1	7 000	250	720 x 1040 mm	588 kg	5100120C0079G	
Gris Souris 8005	700 x 1000 mm	120	1	7 000	250	720 x 1040 mm	588 kg	5100120C0080G	
Gris 8030	700 x 1000 mm	120	1	7 000	250	720 x 1040 mm	588 kg	5100120C0155G	
Taupe 8322	700 x 1000 mm	120	1	7 000	250	720 x 1040 mm	588 kg	5100120C0081G	
Noir 8995	700 x 1000 mm	120	1	7 000	250	720 x 1040 mm	588 kg	5100120C0057G	
Blanc 9039	700 x 1000 mm	120	1	7 000	250	720 x 1040 mm	588 kg	5100120C0082G	



PALLETISATION · PEFC

Tints	Sheet Sizes	Gsm	Stack	Sheets	Tabbed by	Pallet Sizes	Pallet Weight	Ref.	
Blanc Ivoire 0360	700 x 1000 mm	270	1	3500	125	720 x 1040 mm	662 kg	5100270C0189G	
Cream 1150	700 x 1000 mm	270	1	3500	125	720 x 1040 mm	662 kg	5100270C0203G	
Brun 1250	700 x 1000 mm	270	1	3500	125	720 x 1040 mm	662 kg	5100270C0051G	
Marron 1286	700 x 1000 mm	270	1	3500	125	720 x 1040 mm	662 kg	5100270C0052G	
Bulle Saumon 1360	700 x 1000 mm	270	1	3500	125	720 x 1040 mm	662 kg	5100270C0053G	
Rose 2020	700 x 1000 mm	270	1	3500	125	720 x 1040 mm	662 kg	5100270C0190G	
Rose Fuchsia 2146	700 x 1000 mm	270	1	3500	125	720 x 1040 mm	662 kg	5140270C0011G	
Capucine 2751	700 x 1000 mm	270	1	3500	125	720 x 1040 mm	662 kg	5100270C0055G	
Rouge Coquelicot 2790	700 x 1000 mm	270	1	3500	125	720 x 1040 mm	662 kg	5100270C0202G	
Groseille 2900	700 x 1000 mm	270	1	3500	125	720 x 1040 mm	662 kg	5140270C0003G	
Bordeaux 2980	700 x 1000 mm	270	1	3500	125	720 x 1040 mm	662 kg	5100270C0056G	
Clémentine 3481	700 x 1000 mm	270	1	3500	125	720 x 1040 mm	662 kg	5100270C0057G	
Sable 4004	700 x 1000 mm	270	1	3500	125	720 x 1040 mm	662 kg	5100270C0058G	
Jaune 4300	700 x 1000 mm	270	1	3500	125	720 x 1040 mm	662 kg	5100270C0059G	
Soleil 4610	700 x 1000 mm	270	1	3500	125	720 x 1040 mm	662 kg	5100270C0191G	
Tournesol 4630	700 x 1000 mm	270	1	3500	125	720 x 1040 mm	662 kg	5100270C0192G	
Vert Empire 5085	700 x 1000 mm	270	1	3500	125	720 x 1040 mm	662 kg	5100270C0205G	
Vert Clair 5160	700 x 1000 mm	270	1	3500	125	720 x 1040 mm	662 kg	5100270C0060G	
Vert Mousse 5361	700 x 1000 mm	270	1	3500	125	720 x 1040 mm	662 kg	5100270C0061G	
Vert Sapin 5510	700 x 1000 mm	270	1	3500	125	720 x 1040 mm	662 kg	5100270C0193G	
Emeraude 5711	700 x 1000 mm	270	1	3500	125	720 x 1040 mm	662 kg	5100270C0062G	
Vert Antique 5840	700 x 1000 mm	270	1	3500	125	720 x 1040 mm	662 kg	5100270C0063G	
Lazulite 6300	700 x 1000 mm	270	1	3500	125	720 x 1040 mm	662 kg	5100270C0194G	
Bleu Vif 6410	700 x 1000 mm	270	1	3500	125	720 x 1040 mm	662 kg	5100270C0195G	
Bleu 6586	700 x 1000 mm	270	1	3500	125	720 x 1040 mm	662 kg	5100270C0196G	
Bleu Nuit 6900	700 x 1000 mm	270	1	3500	125	720 x 1040 mm	662 kg	5100270C0197G	
Lilas 7020	700 x 1000 mm	270	1	3500	125	720 x 1040 mm	662 kg	5100270C0064G	
Violet 7421	700 x 1000 mm	270	1	3500	125	720 x 1040 mm	662 kg	5100270C0065G	
Gris Souris 8005	700 x 1000 mm	270	1	3500	125	720 x 1040 mm	662 kg	5100270C0066G	
Gris 8030	700 x 1000 mm	270	1	3500	125	720 x 1040 mm	662 kg	5100270C0214G	
Taupe 8322	700 x 1000 mm	270	1	3500	125	720 x 1040 mm	662 kg	5100270C0067G	
Noir 8995	700 x 1000 mm	270	1	3500	125	720 x 1040 mm	662 kg	5100270C0069G	
Blanc 9039	700 x 1000 mm	270	1	3500	125	720 x 1040 mm	662 kg	5100270C0071G	





Seveux

Its look varies between smooth and embossed.
It offers high-strength with excellent tear and folding resistance for finishing, covering and binding.
100 percent cellulose fibres, ECF, from sustainably managed forests. PEFC or FSC® certified upon request.

Smooth or canvas paper 100 g/m².

13 colours in Mastic, Rose Fuchsia, Rouge Turc, Orange, Abricot, Vert Mousse, Vert Sapin, Vert Foncé, Bleu Clair, Bleu Nuit, Prune, Noir, Blanc.





PEFC (PEFC/10-31-714)
or FSC® (FSC®-C002321)
certified upon request



Bulk-Packed



Ream-Wrapped

TECHNICAL DATA SHEET

Gsm (g/m ²)	100
Thickness (µm)	135
Bulk (cm ³ /g)	1.35
Bendtsen Roughness (ml/min)	160
Absolute Humidity (%H ₂ O)	6.7
Relative Humidity (% in the air)	51.3
Opacity (%)	>92

RANGE · FSC

Tints	Gsm	Sheet Sizes	Satiné	Toilé S	
Mastic 1160	100 g	700 x 1000 mm	7100100C0077G	7100100C0101G	
Rose Fuchsia 2146	100 g	700 x 1000 mm	7140100C0002G	7140100C0004G	
Rouge Turc 2810	100 g	700 x 1000 mm	7100100C0078G	7100100C0102G	
Orange 3304	100 g	700 x 1000 mm	7100100C0079G	7100100C0103G	
Abricot 4710	100 g	700 x 1000 mm	7100100C0080G	7100100C0104G	
Vert Mousse 5361	100 g	700 x 1000 mm	7100100C0081G	7100100C0105G	
Vert Sapin 5510	100 g	700 x 1000 mm	7100100C0082G	7100100C0106G	
Vert Foncé 5870	100 g	700 x 1000 mm	7100100C0083G	7100100C0107G	
Bleu Clair 6310	100 g	700 x 1000 mm	7100100C0084G	7100100C0108G	
Bleu Nuit 6900	100 g	700 x 1000 mm	7100100C0085G	7100100C0109G	
Prune 7431	100 g	700 x 1000 mm	7100100C0086G	7100100C0110G	
Noir 8995	100 g	700 x 1000 mm	7100100C0088G	7100100C0112G	
Blanc 9315	100 g	700 x 1000 mm	7100100C0090G	7100100C0114G	



PALLETISATION • FSC

Tints	Sheet Sizes	Gsm	Stacks	Sheets	Tabbed by	Pallet Sizes	Pallet Weight	Ref.	
Mastic 1160 satiné	700 x 1000 mm	100	1	8 000	250	720 x 1040 mm	560 kg	7100100c0077G	
Mastic 1160 Toilé S	700 x 1000 mm	100	1	8 000	250	720 x 1040 mm	560 kg	7100100C0101G	
Rose Fuchsia 2146 satiné	700 x 1000 mm	100	1	8 000	250	720 x 1040 mm	560 kg	7140100C0002G	
Rose Fuchsia 2146 Toilé S	700 x 1000 mm	100	1	8 000	250	720 x 1040 mm	560 kg	7140100C0004G	
Rouge Turc 2810 satiné	700 x 1000 mm	100	1	8 000	250	720 x 1040 mm	560 kg	7100100C0078G	
Rouge Turc 2810 Toilé S	700 x 1000 mm	100	1	8 000	250	720 x 1040 mm	560 kg	7100100C0102G	
Orange 3304 satiné	700 x 1000 mm	100	1	8 000	250	720 x 1040 mm	560 kg	7100100C0079G	
Orange 3304 Toilé S	700 x 1000 mm	100	1	8 000	250	720 x 1040 mm	560 kg	7100100C0103G	
Abricot 4710 Satiné	700 x 1000 mm	100	1	8 000	250	720 x 1040 mm	560 kg	7100100C0080G	
Abricot 4710 Toilé S	700 x 1000 mm	100	1	8 000	250	720 x 1040 mm	560 kg	7100100C0104G	
Vert Mousse 5361 Satiné	700 x 1000 mm	100	1	8 000	250	720 x 1040 mm	560 kg	7100100C0081G	
Vert Mousse 5361 Toilé S	700 x 1000 mm	100	1	8 000	250	720 x 1040 mm	560 kg	7100100C0105G	
Vert Sapin 5510 Satiné	700 x 1000 mm	100	1	8 000	250	720 x 1040 mm	560 kg	7100100C0082G	
Vert Sapin 5510 Toilé S	700 x 1000 mm	100	1	8 000	250	720 x 1040 mm	560 kg	7100100C0106G	
Vert Foncé 5870 Satiné	700 x 1000 mm	100	1	8 000	250	720 x 1040 mm	560 kg	7100100C0083G	
Vert Foncé 5870 Toilé S	700 x 1000 mm	100	1	8 000	250	720 x 1040 mm	560 kg	7100100C0107G	
Bleu Clair 6310 Satiné	700 x 1000 mm	100	1	8 000	250	720 x 1040 mm	560 kg	7100100C0084G	
Bleu Clair 6310 Toilé S	700 x 1000 mm	100	1	8 000	250	720 x 1040 mm	560 kg	7100100C0108G	
Bleu Nuit 6900 Satiné	700 x 1000 mm	100	1	8 000	250	720 x 1040 mm	560 kg	7100100C0085G	
Bleu Nuit 6900 Toilé S	700 x 1000 mm	100	1	8 000	250	720 x 1040 mm	560 kg	7100100C0109G	
Prune 7431 Satiné	700 x 1000 mm	100	1	8 000	250	720 x 1040 mm	560 kg	7100100C0086G	
Prune 7431 Toilé S	700 x 1000 mm	100	1	8 000	250	720 x 1040 mm	560 kg	7100100C0110G	
Noir 8995 Satiné	700 x 1000 mm	100	1	8 000	250	720 x 1040 mm	560 kg	7100100C0088G	
Noir 8995 Toilé S	700 x 1000 mm	100	1	8 000	250	720 x 1040 mm	560 kg	7100100C0112G	
Blanc 9315 Satiné	700 x 1000 mm	100	1	8 000	250	720 x 1040 mm	560 kg	7100100C0090G	
Blanc 9315 Toilé S	700 x 1000 mm	100	1	8 000	250	720 x 1040 mm	560 kg	7100100C0114G	



RANGE · PEFC

Tints	Gsm	Sheet Sizes	Satiné	Toilé S	
Mastic 1160	100 g	700 x 1000 mm	7100100C0067G	7100100C0091G	
Rose Fuchsia 2146	100 g	700 x 1000 mm	7140100C0001G	7140100C0003G	
Rouge Turc 2810	100 g	700 x 1000 mm	7100100C0068G	7100100C0092G	
Orange 3304	100 g	700 x 1000 mm	7100100C0069G	7100100C0093G	
Abricot 4710	100 g	700 x 1000 mm	7100100C0070G	7100100C0094G	
Vert Mousse 5361	100 g	700 x 1000 mm	7100100C0071G	7100100C0095G	
Vert Sapin 5510	100 g	700 x 1000 mm	7100100C0072G	7100100C0096G	
Vert Foncé 5870	100 g	700 x 1000 mm	7100100C0073G	7100100C0097G	
Bleu Clair 6310	100 g	700 x 1000 mm	7100100C0074G	7100100C0098G	
Bleu Nuit 6900	100 g	700 x 1000 mm	7100100C0075G	7100100C0099G	
Prune 7431	100 g	700 x 1000 mm	7100100C0076G	7100100C0100G	
Noir 8995	100 g	700 x 1000 mm	7100100C0087G	7100100C0111G	
Blanc 9315	100 g	700 x 1000 mm	7100100C0089G	7100100C0113G	



PALLETISATION • PEFC

Tints	Sheet Sizes	Gsm	Stacks	Sheets	Tabbed by	Pallet Sizes	Pallet Weight	Ref.	
Mastic 1160 satiné	700 x 1000 mm	100	1	8 000	250	720 x 1040 mm	560 kg	7100100C0067G	
Mastic 1160 Toilé S	700 x 1000 mm	100	1	8 000	250	720 x 1040 mm	560 kg	7100100C0091G	
Rose Fuchsia 2146 satiné	700 x 1000 mm	100	1	8 000	250	720 x 1040 mm	560 kg	7140100C0001G	
Rose Fuchsia 2146 Toilé S	700 x 1000 mm	100	1	8 000	250	720 x 1040 mm	560 kg	7140100C0003G	
Rouge Turc 2810 satiné	700 x 1000 mm	100	1	8 000	250	720 x 1040 mm	560 kg	7100100C0068G	
Rouge Turc 2810 Toilé S	700 x 1000 mm	100	1	8 000	250	720 x 1040 mm	560 kg	7100100C0092G	
Orange 3304 satiné	700 x 1000 mm	100	1	8 000	250	720 x 1040 mm	560 kg	7100100C0069G	
Orange 3304 Toilé S	700 x 1000 mm	100	1	8 000	250	720 x 1040 mm	560 kg	7100100C0093G	
Abricot 4710 Satiné	700 x 1000 mm	100	1	8 000	250	720 x 1040 mm	560 kg	7100100C0070G	
Abricot 4710 Toilé S	700 x 1000 mm	100	1	8 000	250	720 x 1040 mm	560 kg	7100100C0094G	
Vert Mousse 5361 Satiné	700 x 1000 mm	100	1	8 000	250	720 x 1040 mm	560 kg	7100100C0071G	
Vert Mousse 5361 Toilé S	700 x 1000 mm	100	1	8 000	250	720 x 1040 mm	560 kg	7100100C0095G	
Vert Sapin 5510 Satiné	700 x 1000 mm	100	1	8 000	250	720 x 1040 mm	560 kg	7100100C0072G	
Vert Sapin 5510 Toilé S	700 x 1000 mm	100	1	8 000	250	720 x 1040 mm	560 kg	7100100C0096G	
Vert Foncé 5870 Satiné	700 x 1000 mm	100	1	8 000	250	720 x 1040 mm	560 kg	7100100C0073G	
Vert Foncé 5870 Toilé S	700 x 1000 mm	100	1	8 000	250	720 x 1040 mm	560 kg	7100100C0097G	
Bleu Clair 6310 Satiné	700 x 1000 mm	100	1	8 000	250	720 x 1040 mm	560 kg	7100100C0074G	
Bleu Clair 6310 Toilé S	700 x 1000 mm	100	1	8 000	250	720 x 1040 mm	560 kg	7100100C0098G	
Bleu Nuit 6900 Satiné	700 x 1000 mm	100	1	8 000	250	720 x 1040 mm	560 kg	7100100C0075G	
Bleu Nuit 6900 Toilé S	700 x 1000 mm	100	1	8 000	250	720 x 1040 mm	560 kg	7100100C0099G	
Prune 7431 Satiné	700 x 1000 mm	100	1	8 000	250	720 x 1040 mm	560 kg	7100100C0076G	
Prune 7431 Toilé S	700 x 1000 mm	100	1	8 000	250	720 x 1040 mm	560 kg	7100100C0100G	
Noir 8995 Satiné	700 x 1000 mm	100	1	8 000	250	720 x 1040 mm	560 kg	7100100C0087G	
Noir 8995 Toilé S	700 x 1000 mm	100	1	8 000	250	720 x 1040 mm	560 kg	7100100C0111G	
Blanc 9315 Satiné	700 x 1000 mm	100	1	8 000	250	720 x 1040 mm	560 kg	7100100C0089G	
Blanc 9315 Toilé S	700 x 1000 mm	100	1	8 000	250	720 x 1040 mm	560 kg	7100100C0113G	





Papago

Papago gives you a palette of warm colours, delicate or vibrant shades, excellent lightfastness and flawless colour uniformity, compatible with offset and laser printing. The Papago Neon touch is first and foremost incredible lightfastness, with refreshing yellow, exuberant orange, invigorating green and dazzling pink.

Paper or paperboard from 80 g to 320 g/m².

41 colours in Pearl Grey, Steel Grey, Cream, Chamois, Caramel, Orange, Apricot, Peach, Gold, Daffodil, Canary, Salmon, Pink, Lilac, Wild Rose, Lavender, Dark Blue, Sky Blue, Blue, Nature Green, Jade, Green, Pale Green, Flame, Intensive Orange, Coral Red, Intensive Red, Intensive Pink, Intensive Lilac, Royal Blue, Intensive Blue, Intensive Yellow, Sunflower, Intensive Green, Billiard Green, Forest Green, Black, Fluo Pink, Fluo Yellow, Fluo Green, Fluo Orange.

PAPAGO



Non-ecolabel colours : Intensive Red,
Intensive Pink, Intensive Lilac,
Royal Blue, Intensive Blue, Black.

PEFC (PEFC/10-31-714)
or FSC® (FSC®-C002321)
certified upon request



Bulk-Packed



Ream-Wrapped

TECHNICAL DATA SHEET

Gsm (g/m ²)	80	100	120	160	180	210	240	270	320
Thickness (µm)	107	134	157	209	232	271	310	348	413
Bulk (cm ³ /g)	1.34	1.34	1.31	1.31	1.29	1.29	1.29	1.29	1.29
Bendtsen Roughness (ml/min)	150	180	180	180	180	180	180	180	180
Absolute Humidity (%H ₂ O)	5.0	5.0	5.5	5.5	6.0	6.0	6.0	6.0	6.0
Relative Humidity (% in the air)	38	38	44	44	48	48	48	48	48

RANGE

Tints	Sheet Sizes	80 g	80 g	100 g	100 g	120 g	120 g
Pearl Grey	450 x 640 mm	2043BC					
Steel Grey	450 x 640 mm	2061BC				2112PC	
Cream	450 x 640 mm	2023BC	2023NBC	3073PC	3073BC	2139PC	2139BC
Cream	1000 x 700 mm						
Chamois	450 x 640 mm	2019BC	2019NBC			2140PC	
Caramel	450 x 640 mm	3041BC				2141PC	
Orange	450 x 640 mm	3024BC				2148PC	
Apricot	450 x 640 mm	2064BC				2113PC	
Peach	450 x 640 mm	2037BC					
Gold	450 x 640 mm	2003BC				2142PC	
Daffodil	450 x 640 mm	3029BC		3070PC		2157PC	
Canary	450 x 640 mm	2027BC	2027NBC	3036PC		2063PC	
Canary	1000 x 700 mm						
Salmon	450 x 640 mm	2011BC				2143PC	
Pink	450 x 640 mm	2015BC		3077PC		2057PC	
Pink	1000 x 700 mm						



PALLETISATION

Sheet Sizes	Gsm	Stacks	Sheets	Tabbed by	Pallet Sizes	Pallet Weight	
450 x 640 mm	80	2	20 000	500	940 x 670 mm	461 kg	
450 x 640 mm	80	2	20 000	500	960 x 690 mm	461 kg	
450 x 640 mm	100	2	16 000	250	940 x 670 mm	461 kg	
450 x 640 mm	100	2	16 000	250	960 x 690 mm	461 kg	
450 x 640 mm	120	2	14 000	250	940 x 670 mm	484 kg	
450 x 640 mm	120	2	14 000	250	960 x 690 mm	484 kg	
450 x 640 mm	160	2	10 500	250	940 x 670 mm	484 kg	
450 x 640 mm	160	2	10 500	250	960 x 690 mm	484 kg	
450 x 640 mm	180	2	10 000	125	960 x 690 mm	518 kg	
450 x 640 mm	210	2	8 000	125	940 x 670 mm	484 kg	
450 x 640 mm	240	2	7 000	100	960 x 690 mm	484 kg	
450 x 640 mm	270	2	6 200	100	960 x 690 mm	482 kg	
1000 x 700 mm	80	1	10 500	250	1040 x 720 mm	588 kg	
1000 x 700 mm	160	1	5 500	125	1040 x 720 mm	616 kg	
1000 x 700 mm	160	1	4 500	125	1040 x 720 mm	504 kg	
1000 x 700 mm	160	1	3 500	100	1040 x 720 mm	392 kg	
1000 x 700 mm	270	1	3 000	100	1040 x 720 mm	567 kg	
1000 x 700 mm	320	1	2 250	75	1040 x 720 mm	504 kg	

160 g	160 g	180 g	210 g	240 g	270 g	270 g	320 g
							
2041PC							
2116PC			1699BC				
2149PC	2149BC	2559PC	1664BC	2478PC	2494PC		
2535PC					1650CC		1651C
2040PC				2479PC			
2150PC							
2044PC							
2117PC							
2461PC							
2151PC							
2156PC		2557PC		2481PC	2496PC		
2069PC		2563PC	1666BC	2480PC			
							1662C
2152PC							
2060PC		2562PC	1698BC	2484PC			
							1674C



RANGE							
Tints	Sheet Sizes	80 g	80 g	100 g	100 g	120 g	120 g
							
Lilac	450 x 640 mm	2039BC				2144PC	
Wild Rose	450 x 640 mm	2070BC	2070NBC			2114PC	
Lavender	450 x 640 mm	2066BC	2066NBC			2336PC	
Dark Blue	450 x 640 mm	3014BC		3040PC		2145PC	
Dark Blue	1000 x 700 mm						
Sky Blue	450 x 640 mm	3032BC				2146PC	
Blue	450 x 640 mm	2035BC	2035NBC	3074PC		2075PC	
Nature Green	450 x 640 mm	2004BC		2458PC		2073PC	
Nature Green	1000 x 700 mm						
Jade	450 x 640 mm	3019BC				2147PC	
Green	450 x 640 mm	2031BC	2031NBC	3075PC		2084PC	
Pale Green	450 x 640 mm						2474BC
Flame	450 x 640 mm	2056BC				2062PC	
Intensive Orange	450 x 640 mm	2046BC				2136PC	
Coral Red	450 x 640 mm	2054BC				2077PC	
Intensive Red	450 x 640 mm	2050BC	2050NBC			2130PC	
Intensive Red	1000 x 700 mm						
Intensive Pink	450 x 640 mm	2049BC				2133PC	
Intensive Lilac	450 x 640 mm	2053BC					
Royal Blue	450 x 640 mm	2081BC				2178PC	
Intensive Blue	450 x 640 mm	2051BC	2051NBC			2137PC	
Intensive Yellow	450 x 640 mm	2048BC	2048NBC	3017PC		2134PC	
Intensive Yellow	1000 x 700 mm						
Sunflower	450 x 640 mm	2082BC				2159PC	
Intensive Green	450 x 640 mm	2047BC				2135PC	
Billiard Green	450 x 640 mm	2058BC					
Forest Green	450 x 640 mm	2052BC				2131PC	
Black	450 x 640 mm					2459PC	
Black	1000 x 700 mm						
Fluo Pink	450 x 640 mm	2074BC					
Fluo Pink	1000 x 700 mm		2405C				
Fluo Yellow	450 x 640 mm	2072BC					
Fluo Yellow	1000 x 700 mm		2408C				
Fluo Green	450 x 640 mm	2055BC					
Fluo Green	1000 x 700 mm		2411C				
Fluo Orange	450 x 640 mm	2068BC					
Fluo Orange	1000 x 700 mm		2412C				



160 g	160 g	180 g	210 g	240 g	270 g	270 g	320 g
							
2045PC							
2118PC							
2345PC							
2153PC		2564PC	1667BC	2487PC	2503PC		
							1690C
2154PC		2554PC		2486PC			
2078PC							
2067PC		2467PC		2490PC	2505PC		
							1676C
2155PC							
2087PC		2561PC	1693BC	2477PC			
	2475BC						
2059PC		2469PC		2492PC			
2095PC			1632BC				
2065PC							
2092PC		2470PC	1636BC	2493PC			
2539PC							
2089PC							
2086PC			1642BC				
2158PSC							
2083PC		2466PC	1640BC	2488PC			
2097PC		2463PC	1635BC	2482PC			
					1656CC		1677C
2462PC		2464PC		2483PC			
2096PC			1633BC				
2115PC		2471PC	1649BC	2472PC			
2080PC							
2460PC							
2543PC							
	2415C					2434C	
	2418C					2435C	
	2419C					2474C	
	2433C					2475C	



Photo credits

Cover: © François Junot.

p. 4-5: © Clairefontaine.

p. 6-7: © François Junot.

p. 8-9: © dmitriymoroz, iStock.

p. 10-11: © Didier Goupy, *Fondation n° 72*, 2020, 100 × 100 cm.

p. 14-15: © Didier Goupy, *Fondation n° 188*, 2020, 100 × 100 cm.

p. 20-21: © Didier Goupy, *Fondation n° 74*, 2020, 100 × 100 cm.

p. 24-25: © Didier Goupy, *Fondation n° 87*, 2020, 100 × 100 cm.

p. 28-29: © Didier Goupy, *Fondation n° 380*, 2022, 100 × 100 cm.

p. 32-33: © Didier Goupy, *Fondation n° 513*, 2024, 100 × 100 cm.

p. 48-49: © Didier Goupy, *Fondation n° 116*, 2021, 100 × 100 cm.

p. 54-55: © Didier Goupy, *Fondation n° 126*, 2020, 100 × 100 cm.

p. 64-65: © Didier Goupy, *Fondation n° 45*, 2020, 100 × 100 cm.

p. 68-69: © Didier Goupy, *Fondation n° 386*, 2022, 100 × 100 cm.

p. 72-73: © Didier Goupy, *Fondation n° 44*, 2020, 100 × 100 cm.

p. 76-77: © Didier Goupy, *Fondation n° 409*, 2023, 100 × 100 cm.

p. 82-83: © Didier Goupy, *Fondation n° 426*, 2023, 100 × 100 cm.

p. 86-87: © Didier Goupy, *Fondation n° 466*, 2023, 100 × 100 cm.

Editorial and graphic design

Marion Tayart de Borms (m.f. godfroy@gmail.com)

François Junot (francois.junot@sfr.fr)

Translation Jeffrey Probst (bleuelike@orange.net)

Achevé d'imprimer en avril 2025 chez Exacompta,
à Paris.

© Papeteries de Clairefontaine, avril 2025.

Contacts

Papeteries de Clairefontaine
19, rue de l'Abbaye
88 480 Étival-Clairefontaine
France

Tel. +33(0)3 29 42 42 42

Fax +33(0)3 29 42 42 22

 Papeteries de Clairefontaine

www.clairefontaine.eu



Dream, Breathe and Touch
our Paper Packaging Solutions and Uses

Because Clairefontaine has been and still is a reference in the industry.

Because it masters all the steps in paper production,
transformation and delivery from A to Z.

Because it has made technical innovation its calling card.

Clairefontaine would like to share its paper ranges with you,
in recycled and virgin fibres, for an infinite number of packaging possibilities.

Clairefontaine
Its paper, its legacy, its audacity

Papeteries de Clairefontaine

19, rue de l'Abbaye
88 480 Étival-Clairefontaine
France

Tel. +33(0)3 29 42 42 42
Fax +33(0)3 29 42 42 22

 Papeteries de Clairefontaine

www.clairefontaine.eu