



INKJET PAPER

HIGH PERFORMANCE PAPERS FOR INKJET PRINTING

CLAIREFONTAINE, A TRUSTED PARTNER FOR INKJET PRINTING

For more than 15 years, Clairefontaine has been developing high-performance papers designed to meet the requirements of modern inkjet technologies. Recognised for its papermaking expertise, product consistency, and premium quality standards, Clairefontaine offers reliable solutions for transactional printing, direct marketing and publishing applications produced on high-speed inkjet systems.

Engineered for smooth machine runnability, excellent fibre stability and low dusting performance, Clairefontaine papers help ensure reliable production efficiency alongside outstanding print quality.



JETPRO® TECHNOLOGY

Today, as inkjet printing continues to evolve towards higher speeds, enhanced image quality and wider application possibilities, paper performance has become a key factor in achieving optimal print results.


With JetPro® Technology, Clairefontaine introduces a clear and reliable identifier for papers specifically optimised for inkjet printing applications. Displayed across selected products within the range, the JetPro® Technology label guarantees papers developed to deliver excellent drying performance, vibrant colour reproduction, sharp detail definition, outstanding print consistency and reliable runnability on high-speed inkjet systems.

From everyday production printing to demanding graphic and publishing applications, Clairefontaine offers a comprehensive range of inkjet papers combining technical expertise, print quality, low dusting performance and machine compatibility.



- Rapid Ink Drying,
- Brilliant Colour Rendering,
- Dense Blacks & Enhanced Contrast,
- Excellent Print Precision,
- Optimum Compatibility.

FIND THE RIGHT PAPER FOR YOUR APPLICATION



| | CLAIRBOOK | CJ™ 300 EJ 300 | CJ™ 400 EJ 400 | CJ™ 400 S EJ 400 S | CJ™ 1200 S | ICY™ 1300 | ICY™ 1600 |
|-------------------------------------|--------------|-------------------|-------------------|-----------------------|------------|-----------|-----------|
| Drying Speed | ★★★★★ | ★★★★★ | ★★★★★ | ★★★★★ | ★★★★ | ★★★ | ★★★ |
| Print Rendition / Dot definition | ★★ | ★★★★ | ★★★★ | ★★★★ | ★★★★★ | ★★★★★ | ★★★★★ |
| Gamut / Color Intensity | ★★ | ★★ | ★★ | ★★★★ | ★★★★ | ★★★★★ | ★★★★★ |
| Gloss | | | | ★ | ★ | ★★ | ★★ |
| Opacity | ★★ | ★★★★ | ★★★★ | ★★★★ | ★★★★ | ★★★★ | ★★★ |
| Whiteness CIE | 120 / Ivoire | 170 | 170 | 165 | 162 | 162 / 151 | 162 / 151 |
| Bulk | ★★★★★ | ★★★★★ | ★★★★★ | ★★★★ | ★★★★ | ★★ | ★ |
| Folio | ✓ | ✓ | ✓ | ✓ | | ✓ | |

SUMMARY

SILK PAPERS

| | |
|-----------------------------------|-----|
| CLAIRJET ICY 1600 BRIGHT | p.8 |
| CLAIRJET ICY 1600 ORIGINAL | p.8 |
| CLAIRJET ICY 1300 BRIGHT | p.9 |
| CLAIRJET ICY 1300 ORIGINAL | p.9 |

MATT PAPERS

| | |
|-------------------------------------|------|
| CLAIRJET 1200 SMOOTH BRIGHT | p.12 |
| CLAIRJET 400 SMOOTH BRIGHT | p.13 |
| CLAIRJET 400 BRIGHT | p.15 |
| CLAIRJET 400 NATURAL | p.15 |
| ➤ EVERJET 400 SMOOTH PREMIUM | p.14 |
| ➤ EVERJET 400 PREMIUM | p.16 |
| ➤ EVERJET 400 PLUS | p.16 |
| CLAIRJET 300 BRIGHT | p.17 |
| CLAIRJET 300 ORIGINAL | p.17 |
| CLAIRJET 300 NATURAL | p.17 |
| ➤ EVERJET 300 PREMIUM | p.18 |
| ➤ EVERJET 300 PLUS | p.18 |

BULK PAPERS HSI

| | |
|--|------|
| CLAIRBOOK-JET 1.5 EXTRA WHITE | p.22 |
| CLAIRBOOK-JET 1.5 NATURAL WHITE | p.22 |
| CLAIRBOOK-JET 1.5 IVORY | p.22 |
| CLAIRBOOK-JET 1.8 NATURAL WHITE | p.23 |
| CLAIRBOOK-JET 1.8 IVORY | p.23 |
| CLAIRBOOK-JET 2.0 NATURAL WHITE | p.24 |
| CLAIRBOOK-JET 2.0 IVORY | p.24 |



SILK PAPERS

CLAIRJET ICY 1600



CLAIRJET ICY 1300



CLAIRJET ICY 1600

COMPATIBILITY
Dye & Pigments Inks



• SURFACE

Colour vividness & Large gamut
Uniformity of the solid area and fine restitution of half tones
Coated finish - Silky feel



REEL

BRIGHT *Virgin fibres • Bright shade • 162 CIE*

| Substance (gsm) | 90 | 120 |
|-----------------------------|-----|-----|
| Thickness (μm) | 88 | 115 |
| Gloss (%) | 21 | 21 |
| Opacity (%) | 95 | 97 |
| Bekk smoothness (s) | 220 | 220 |

code 857

ORIGINAL *Virgin fibres • Original shade • 151 CIE*

| Substance (gsm) | 90 | 115 | 120 | 140 |
|-----------------------------|-----|------|-----|-----|
| Thickness (μm) | 88 | 110 | 115 | 133 |
| Gloss (%) | 21 | 21 | 21 | 21 |
| Opacity (%) | 92 | 95,5 | 96 | 98 |
| Bekk smoothness (s) | 220 | 220 | 220 | 220 |

code 850

* Specific grammages available upon request.

CLAIRJET ICY 1300

COMPATIBILITY
Dye & Pigments Inks



• SURFACE

Colour vividness & Large gamut
Uniformity of the solid area and fine restitution of half tones



REEL*

BRIGHT Virgin fibres • Bright shade • 162 CIE

| Substance (gsm) | 65 | 70 | 80 | 90 | 100 | 115 | 120 | 130 | 160 |
|---------------------|------|------|-----|-----|-----|-----|-----|-----|-----|
| Thickness (µm) | 68 | 71 | 81 | 91 | 100 | 113 | 118 | 127 | 157 |
| Gloss (%) | 17 | 17 | 17 | 17 | 17 | 17 | 17 | 17 | 17 |
| Opacity (%) | 90,5 | 91,5 | 95 | 96 | 97 | 97 | 98 | 99 | >99 |
| Bekk smoothness (s) | 220 | 220 | 220 | 220 | 220 | 200 | 200 | 200 | 220 |

code 738

ORIGINAL Virgin fibres • Original shade • 151 CIE

| Substance (gsm) | 65 | 70 | 80 | 90 | 100 | 115 | 120 | 140 | 160 |
|---------------------|-----|-----|-----|-----|------|-----|------|-----|-----|
| Thickness (µm) | 68 | 71 | 81 | 91 | 100 | 113 | 118 | 137 | 157 |
| Gloss (%) | 17 | 17 | 17 | 17 | 17 | 17 | 17 | 17 | 17 |
| Opacity (%) | 85 | 86 | 88 | 91 | 93,5 | 95 | 95,5 | 98 | >99 |
| Bekk smoothness (s) | 220 | 220 | 220 | 220 | 220 | 200 | 200 | 180 | 180 |

code 748

SHEET**

FAST DRY*

BRIGHT Virgin fibres • Bright shade • 162 CIE

| Substance (gsm) | 80 | 90 | 100 | 120 | 160 |
|-----------------|--------|--------|--------|--------|---------|
| A4 210 x 297 | 50700C | 50703C | 50706C | 50709C | 50712C |
| A3 297 x 420 | 50701C | 50704C | 50707C | 50710C | 507013C |
| SRA3 450 x 320 | 50702C | 50705C | 50708C | 50711C | 50714C |

code 738

* Fast drying of ink for high speed inkjet.

ORIGINAL Virgin fibres • Original shade • 151 CIE

| Substance (gsm) | 80 | 90 | 120 | 160 |
|-----------------|--------|--------|--------|--------|
| A4 210 x 297 | 11020C | 11021C | 11022C | 11023C |
| SRA3 450 x 320 | 4701C | 4702C | 4703C | - |

code 748

* Specific grammages available upon request.

** Packaging details in Spirit of Paper® catalogue.



MATT PAPERS

CLAIRJET 1200 SMOOTH



CLAIRJET 400 SMOOTH



EVERJET 400 SMOOTH



CLAIRJET 400



EVERJET 400



CLAIRJET 300



EVERJET 300



CLAIRJET 1200 SMOOTH

COMPATIBILITY
Dye & Pigments Inks



- **SURFACE**

Colour vividness & Large gamut

Uniformity of the solid area and fine restitution of half tones



REEL*

BRIGHT *Virgin fibres • Light white shade • 162 CIE*

| Substance (gsm) | 70 | 80 | 90 | 100 | 120 |
|-----------------------------|------|------|-----|-----|-----|
| Thickness (μm) | 81 | 92 | 104 | 115 | 138 |
| Opacity (%) | 94,5 | 95,5 | 96 | 97 | 99 |
| Bekk smoothness (s) | 80 | 80 | 80 | 80 | 80 |

code 138

* Specific grammages available upon request.


CLAIRJET 400 SMOOTH

COMPATIBILITY
Dye & Pigments Inks



• **SURFACE**

Ideal for black & colour prints
Ideal for jobs with intermediate ink coverage



REEL*

BRIGHT Virgin fibres • Light white shade • 165 CIE

| Substance (gsm) | 75 | 80 | 90 | 100 |
|-----------------------------|------|----|-----|-----|
| Thickness (μm) | 87 | 93 | 104 | 115 |
| Opacity (%) | 92,5 | 93 | 95 | 95 |
| Bekk smoothness (s) | 80 | 80 | 80 | 80 |

code 1.39/840

* Specific grammages available upon request.




EVERJET 400 SMOOTH

COMPATIBILITY
Pigments Inks

• **SURFACE**

Ideal for black & colour prints
Ideal for jobs with intermediate ink coverage



REEL*

PREMIUM 100% recycled fibres • 135 CIE

| | |
|---------------------|----|
| Substance (gsm) | 80 |
| Thickness (µm) | 90 |
| Opacity (%) | 94 |
| Bekk smoothness (s) | 65 |

code 648


* Specific grammages available upon request.

CLAIRJET 400

COMPATIBILITY
Dye (on request for Clairjet 400)
& Pigments Inks

• **SURFACE**

Ideal for black & colour prints
Ideal for jobs with intermediate ink coverage



REEL*

BRIGHT Virgin fibres • Bright shade • 170 CIE

| Substance (gsm) | 50 | 60 | 70 | 78 | 87 | 100 | 120 | 160 | 200 |
|-----------------------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| Thickness (µm) | 65 | 78 | 91 | 104 | 117 | 130 | 156 | 208 | 260 |
| Opacity (%) | 85 | 90 | 93 | 95 | 96 | 97 | 97 | >99 | >99 |
| Bendtsen roughness (ml/min) | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 | 145 |

code 143/808

ORIGINAL Virgin fibres • Original shade • 151 CIE

| Substance (gsm) | 60 | 70 | 80 | 90 | 100 | 120 | 160 | 200 | 250 |
|-----------------------------|------|-----|------|-----|-----|------|-----|-----|-----|
| Thickness (µm) | 82 | 96 | 110 | 120 | 137 | 160 | 213 | 266 | 330 |
| Opacity (%) | 85,5 | 88 | 91,5 | 92 | 94 | 95,5 | >99 | >99 | >99 |
| Bendtsen roughness (ml/min) | 280 | 280 | 280 | 280 | 280 | 280 | 280 | 280 | 280 |

code 789

NATURAL Virgin fibres • Natural shade • 74 CIE

| Substance (gsm) | 60 | 70 | 80 | 90 | 100 | 120 | 200 |
|-----------------------------|-----|-----|-----|------|------|------|-----|
| Thickness (µm) | 78 | 91 | 104 | 117 | 130 | 156 | 260 |
| Opacity (%) | 86 | 88 | 90 | 91,5 | 92,5 | 94,5 | >99 |
| Bendtsen roughness (ml/min) | 145 | 145 | 145 | 145 | 145 | 145 | 145 |

code 834

SHEET**

FAST DRY*

BRIGHT** Virgin fibres • Bright shade • 170 CIE

| Substance (gsm) | 70 | 80 | 90 | 120 | 160 | 200 | 300 |
|-----------------|--------|--------|--------|--------|--------|--------|--------|
| A4 210 x 297 | - | 11000C | 11002C | - | - | - | - |
| A3 297 x 420 | - | 11001C | 11003C | - | - | - | - |
| SRA3 450 x 320 | 1930IC | 4532IC | 2891IC | 1958IC | 1957IC | 1963IC | 1961IC |

code 143/808

* Fast drying of ink for high speed inkjet.

* Specific grammages available upon request.

** Packaging details in Spirit of Paper® catalogue.




EVERJET 400

COMPATIBILITY
Pigments Inks

• **SURFACE**

Ideal for black & colour prints
Ideal for jobs with intermediate ink coverage



REEL*

PREMIUM 100% recycled fibres • 135 CIE

| Substance (gsm) | 70 | 80 | 90 | 100 | 120 | 160 | 200 |
|-----------------------------|------|-----|-----|-----|-----|-----|-----|
| Thickness (µm) | 84 | 96 | 108 | 120 | 144 | 192 | 240 |
| Opacity (%) | 92,5 | 93 | 95 | 96 | 99 | >99 | >99 |
| Bendtsen roughness (ml/min) | 150 | 150 | 150 | 150 | 150 | 150 | 150 |

code 791/792

PLUS 100% recycled fibres • 95 CIE

| Substance (gsm) | 70 | 80 | 90 | 100 | 120s | 160 | 200 |
|-----------------------------|-----|-----|-----|-----|------|-----|-----|
| Thickness (µm) | 84 | 95 | 108 | 120 | 144 | 192 | 240 |
| Opacity (%) | 94 | 96 | 97 | 98 | >99 | >99 | >99 |
| Bendtsen roughness (ml/min) | 150 | 150 | 150 | 150 | 150 | 150 | 150 |

code 797

SHEET**

FAST DRY*

PREMIUM 100% recycled fibres • 135 CIE

| Substance (gsm) | | 80 | 90 | 100 | 160 |
|-----------------|--|--------|--------|--------|--------|
| A4 210 x 297 | | 11016C | 11017C | 11018C | 11019C |
| SRA3 450 x 320 | | 1920IC | 1922IC | 1613C | - |

code 791/792

* Fast drying of ink for high speed inkjet.

* Specific grammages available upon request.

** Packaging details in Spirit of Paper® catalogue.

CLAIRJET 300

COMPATIBILITY
Pigments Inks



• SURFACE

Ideal for black
Laser & Offset compatible for pre- or post-processing



REEL*

BRIGHT Virgin fibres • Bright shade • 170 CIE

| Substance (gsm) | 60 | 70 | 80 | 90 | 100 | 120 | 160 | 200 | 250 | 300 |
|-----------------------------|------|-----|------|------|-----|------|-----|-----|-----|-----|
| Thickness (µm) | 87 | 99 | 108 | 122 | 134 | 156 | 208 | 260 | 318 | 375 |
| Opacity (%) | 87,5 | 91 | 93,5 | 95,5 | 97 | 97,5 | >99 | >99 | >99 | >99 |
| Bendtsen roughness (ml/min) | 220 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 | 180 |

code 155/154

ORIGINAL Virgin fibres • Original shade • 151 CIE

| Substance (gsm) | 60 | 70 | 80 | 90 | 100 | 120 | 160 | 200 | 250 | 300 |
|-----------------------------|------|-----|------|-----|-----|------|-----|-----|-----|-----|
| Thickness (µm) | 82 | 96 | 110 | 120 | 137 | 160 | 213 | 266 | 330 | 396 |
| Opacity (%) | 85,5 | 88 | 91,5 | 92 | 94 | 95,5 | >99 | >99 | >99 | >99 |
| Bendtsen roughness (ml/min) | 280 | 280 | 280 | 280 | 280 | 280 | 280 | 280 | 280 | 280 |

code 707

NATURAL Virgin fibres • Natural shade • 74 CIE

| Substance (gsm) | 60 | 70 | 80 | 90 | 100 | 120 | 160 | 200 | 250 | 300 |
|-----------------------------|-----|-----|-----|------|------|------|-----|-----|-----|-----|
| Thickness (µm) | 82 | 91 | 109 | 122 | 132 | 157 | 205 | 258 | 318 | 375 |
| Opacity (%) | 85 | 88 | 90 | 91,5 | 92,5 | 94,5 | >99 | >99 | >99 | >99 |
| Bendtsen roughness (ml/min) | 160 | 160 | 160 | 160 | 160 | 160 | 160 | 160 | 160 | 160 |

code 799/807

SHEET**

BRIGHT Virgin fibres • Bright shade • 171 CIE

| Substance (gsm) | 50 | 60 | 70 | 80 | 90 | 100 | 110 | 120 | 160 | 210 | 250 | 300 | 350 |
|-----------------|-------|-------|-------|-------|--------|--------|-------|-------|-------|-------|-------|-------|-------|
| A4 210 x 297 | 1932C | 1929C | 1942C | 1979C | 2896C | 1950C | 2110C | 1952C | 2618C | 2216C | 2230C | 1959C | 1983C |
| A3 297 x 420 | 1933C | 1939C | 1943C | 1969C | 2895C | 1951C | 4210C | 1953C | 2619C | 2217C | 2232C | 1960C | 1984C |
| SRA3 450 x 320 | 1934C | 1937C | - | 4532C | 2891SC | 1956SC | 2892C | 1958C | 1957C | 1963C | 1964C | 1961C | 1985C |

code 115/154/155/329

NATURAL Virgin fibres • Natural shade • 74 CIE

| Substance (gsm) | 80 | 90 | 100 | 160 | 200 | 250 |
|-----------------|-------|-------|--------|-------|-------|-------|
| A4 210 x 297 | 3270C | 3274C | 3278C | 3286C | 3291C | 3293C |
| A3 297 x 420 | 3271C | 3275C | 3279C | 3287C | 3292C | 3294C |
| SRA3 450 x 320 | - | - | 20500C | - | - | - |

code 720/708

* Specific grammages available upon request.

** Packaging details in Spirit of Paper® catalogue.



EVERJET 300

COMPATIBILITY
Pigments Inks



• **SURFACE**

Ideal for black
Laser & Offset compatible for pre- or post-processing



REEL*

PREMIUM Recycled fibres • 135 CIE

| Substance (gsm) | 70 | 80 | 90 | 100 | 120 | 135 | 160 | 200 | 250 | 300 |
|-----------------------------|------|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| Thickness (µm) | 90 | 102 | 113 | 125 | 150 | 166 | 197 | 246 | 307 | 369 |
| Opacity (%) | 92,5 | 94 | 95 | 96 | 98 | >99 | >99 | >99 | >99 | >99 |
| Bendtsen roughness (ml/min) | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 |

code 597

PLUS Recycled fibres • 95 CIE

| Substance (gsm) | 70 | 80 | 90 | 100 | 120 | 135 | 160 | 200 | 250 | 300 |
|-----------------------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| Thickness (µm) | 90 | 102 | 113 | 125 | 149 | 166 | 197 | 246 | 307 | 369 |
| Opacity (%) | 94 | 96 | 97 | 97 | >99 | >99 | >99 | >99 | >99 | >99 |
| Bendtsen roughness (ml/min) | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 | 250 |

code 769

SHEET**

PREMIUM Recycled fibres • 135 CIE

| Substance (gsm) | 80 | 90 | 100 |
|-----------------|-------|-------|-------|
| A4 210 x 297 | 1902C | 1906C | 1926C |
| A3 297 x 420 | 1904C | 1907C | 1927C |
| SRA3 450 x 320 | 1920C | 1922C | - |

code 397

PLUS Recycled fibres • 95 CIE

| Substance (gsm) | 80 |
|-----------------|---------|
| A4 210 x 297 | 50048SC |
| A3 297 x 420 | 50038SC |

code 399

* Specific grammages available upon request.

** Packaging details in Spirit of Paper® catalogue.



English
the
managed En
was calmer

BULK PAPERS HSI

CLAIRBOOK-JET 1.5



CLAIRBOOK-JET 1.8



CLAIRBOOK-JET 2.0




CLAIRBOOK-JET 1.5

COMPATIBILITY
Pigments Inks



• **SURFACE**

Ideal for black
Laser & Offset compatible for pre- or post-processing
High opacity



REEL*

EXTRA WHITE *Virgin fibres • 150 CIE*

| Substance (gsm) | 80 | 90 | 100 | 120 | 150 | 240 | 300 |
|-----------------------------|-----|-----|-----|-----|-----|-----|-----|
| Thickness (μm) | 120 | 135 | 150 | 180 | 225 | 350 | 450 |
| Opacity (%) | 94 | 95 | 96 | >99 | >99 | >99 | >99 |
| Bendtsen roughness (ml/min) | 650 | 650 | 650 | 650 | 650 | 650 | 650 |

code 790

NATURAL WHITE *Virgin fibres • 120 CIE*

| Substance (gsm) | 80 | 90 | 100 | 120 | 150 | 200 | 240 | 300 |
|-----------------------------|-----|-----|-----|-----|-----|-----|-----|-----|
| Thickness (μm) | 120 | 135 | 150 | 180 | 225 | 300 | 350 | 450 |
| Opacity (%) | 93 | 94 | 95 | 98 | >99 | >99 | >99 | >99 |
| Bendtsen roughness (ml/min) | 650 | 650 | 650 | 650 | 650 | 650 | 650 | 650 |

code 816/566

IVORY *Virgin fibres*

| Substance (gsm) | 80 | 90 |
|-----------------------------|-----|-----|
| Thickness (μm) | 120 | 135 |
| Opacity (%) | 93 | 94 |
| Bendtsen roughness (ml/min) | 240 | 240 |

code 059

* Specific grammages available upon request.

CLAIRBOOK-JET 1.8

COMPATIBILITY
Pigments Inks



• SURFACE

Ideal for black
Laser & Offset compatible for pre- or post-processing
High opacity



ROUGH
MATT



BULK
1.8

REEL*

NATURAL WHITE *Virgin fibres • 120 CIE*

| Substance (gsm) | 70 | 80 | 90 |
|-----------------------------|-----|-----|-----|
| Thickness (μm) | 129 | 145 | 164 |
| Opacity (%) | 93 | 93 | 91 |
| Bendtsen roughness (ml/min) | 650 | 650 | 650 |

code 188

IVORY *Virgin fibres*

| Substance (gsm) | 80 | 90 |
|-----------------------------|-----|-----|
| Thickness (μm) | 148 | 167 |
| Opacity (%) | 92 | 93 |
| Bendtsen roughness (ml/min) | 650 | 650 |

code 189

SHEET**

NATURAL WHITE *Virgin fibres • 120 CIE*

| Substance (gsm) | 80 |
|-----------------|-------|
| SRA3 320 x 450 | 3732C |

code 188

IVORY *Virgin fibres*

| Substance (gsm) | 80 | 90 |
|-----------------|-------|-------|
| SRA3 320 x 450 | 3603C | 3768C |

code 189

* Specific grammages available upon request.

** Packaging details in Spirit of Paper® catalogue.

CLAIRBOOK-JET 2.0

COMPATIBILITY
Pigments Inks



• SURFACE

Ideal for black
Laser & Offset compatible for pre- or post-processing
High opacity



ROUGH
MATT



BULK
2.0

REEL*

NATURAL WHITE *Virgin fibres • 120 CIE*

| | |
|-----------------------------|-----|
| Substance (gsm) | 80 |
| Thickness (μm) | 160 |
| Opacity (%) | 92 |
| Bendtsen roughness (ml/min) | 750 |

code 033

IVORY *Virgin fibres*

| | | |
|-----------------------------|-----|-----|
| Substance (gsm) | 80 | 90 |
| Thickness (μm) | 160 | 180 |
| Opacity (%) | 92 | 93 |
| Bendtsen roughness (ml/min) | 750 | 750 |

code 728

SHEET**

NATURAL WHITE *Virgin fibres • 120 CIE*

| | | |
|-----------------|-------|-------|
| Substance (gsm) | 80 | 90 |
| SRA3 320 x 450 | 3790C | 3792C |

code 033

IVORY *Virgin fibres*

| | |
|-----------------|-------|
| Substance (gsm) | 80 |
| SRA3 320 x 450 | 3757C |

code 728

* Specific grammages available upon request.

** Packaging details in Spirit of Paper® catalogue.



INKJET PAPER

HIGH PERFORMANCE PAPERS FOR INKJET PRINTING